2023

GLOBAL QUALITY P4P (FOR IPAs)

Pay for Performance (P4P) Program Technical Guide



Contact: QualityPrograms@iehp.org

Published: April 5, 2024

TABLE OF CONTENTS

Program Overview	1
Program Terms and Conditions	5
Performance Measures	8
Scoring Methodology	10
Payment Methodology	11
Reporting Timeline	13
Quality Incentive Payout Timeline	13
2023 IPA Global Quality P4P Program Measures- Appendix 1	14
Measures Overview- Appendix 2	
Asthma Medication Ratio (AMR)	17
Colorectal Cancer Screening (COL)	
Controlling High Blood Pressure (CBP)	
Diabetes Care- Blood Pressure Control <140/90 (BPD)	
Hemoglobin A1c Control for Patients with Diabetes (HBD)	
Diabetes Care- Kidney Health Evaluation (KED)	
Adult Influenza Vaccine	
Post Discharge Follow-Up	
• Statin Therapy Received for Patients with Cardiovascular Disease (SPC)	
Statin Therapy Received for Patients with Diabetes (SPD)	
Use of Imaging Studies for Low Back Pain	
Substance Use Assessment in Primary Care	
Antidepressant Medication Management (AMM)	65
Screening for Clinical Depression in Primary Care	67
Social Determinants of Health Screening Rate	
Social Determinants of Health Identification Rate	74
Breast Cancer Screening (BCS)	80
Cervical Cancer Screening (CCS)	
Chlamydia Screening in Women (CHL)	
Child and Adolescent Well-Care Visits (WCV)	86
Childhood Immunizations (CIS) - Combo 10	
Developmental Screening	
Immunizations for Adolescents (IMA) - Combo 2	
Substance Use Assessment in Primary Care for Adolescents	
Well-Child Visits in the First 15 Months of Life (W30)	
Well-Child Visits in the First 30 Months of Life (W30)	96
Weight Assessment and Counseling for Nutrition and Physical Activity	
for Children and Adolescents - Counseling for Physical Activity (WCC)	
• Initial Health Appointment (IHA)	100



TABLE OF CONTENTS (CONTINUED)

After Hours Availability On-Call Physician Access	106
After Hours Availability Emergency Calls	
Appointment Availability- Urgent Visits	
Appointment Availability- Routine Visits	108
Access to Care Needed Right Away	
Coordination of Care	109
Rating of Access to Routine Care	109
Potentially Avoidable Emergency Department (ED) Visits	110
2023 IPA Global Quality Process Measures - Appendix 3	112
Process Measure Overview - Appendix 4	
Electronic Medical Record Connections	113
HbA1c Lab Results Data Completeness	113
Manifest MedEx (MX) Connectivity	114
• Equity Quality Improvement Activity #1: Reducing Health Disparities	115
• Quality Improvement Activity #2: Potentially Avoidable ED Visits or	
Potentially Preventable Admissions	116
2023 IPA Global Quality Bonus Bundles - Appendix 5	117
2023 IPA Global Quality P4P Program Penalty Measures - Appendix 6	119
Penalty Measure Overview - Appendix 7	
PCP Encounter Data Rate	120
Provider Grievance Response Rate	120
Historical Data Form- Appendix 8	121
Member Satisfaction Survey- Appendix 9	122
2023 IPA Global Quality P4P IPA Work Plan- Appendix 10	128
Supplemental Claim File Date Dictionery Appendix 11	121



This program guide provides an overview of the 2023 Global Quality Pay for Performance (GQ P4P) Program for Independent Physician Associations (IPAs). In this eighth year of the program, IEHP has made program enhancements based on feedback from Providers in an effort to continually improve effectiveness. The IEHP GQ P4P Program for IPAs is designed to reward IPAs for high performance and year-over-year improvement in key quality performance measures. This program guide is designed as an easy reference for IPAs and their staff to understand the GQ P4P Program.

This year's GQ P4P Program continues to provide financial rewards to Providers for improving health care quality across multiple domains and measures. The 2023 Global Quality P4P Program includes core measures, process measures and penalty "risk" measures.

IEHP also encourages all IPAs to attend IEHP P4P meetings that are held throughout the year to support your efforts to maximize earnings in this program.

If you would like to get more information about IEHP's GQ P4P Program or best practices to help improve quality scores and outcomes, visit our secure Provider Portal at *www.iehp.org*, email the Quality Team at *QualityPrograms@iehp.org* or call the IEHP Provider Relations Team at (909) 890-2054.

✓ What's New?

Two measures were added

- Electronic Medical Record Connections
- HbA1c Lab Results Data Completeness

One measure was retired

• Integrated Healthcare Association Participation

Two measures were revised

- Adult Influenza Vaccine
- Colorectal Cancer Screening

Eligibility and Participation

To be eligible for incentive payments in the 2023 GQ P4P Program, IPAs must meet the following criteria:

- Have at least 5,000 IEHP Medi-Cal Members assigned as of January 2023.
- Have at least 30 Members in the denominator as of December 2023 for each quality measure to qualify.
- Submit a GQ P4P Quality Work Plan to IEHP by April 28, 2023 in order to enroll in the program (see Work Plan details in <u>Appendix 10</u>).
- Meet minimum Encounter Data Gates in order to qualify for incentive payments.
- IPA must designate a Quality Team of two to four staff dedicated to quality improvement work for the IPA. Quality Team framework will require an attestation and submission of staffing plan by 7/1/2023.

Minimum Data Requirements

Lab Results

Data from lab results is also foundational to Program performance scoring. Providers should ensure they submit complete lab results data for services rendered to IEHP Members. IPAs should work with their network Providers to ensure they are using the appropriate lab vendors for IEHP Members, and submitting complete lab results data to IEHP.

Lab results that are performed in the office (e.g., point of care HbA1c testing, urine tests, etc.) should be coded and submitted through Providers' encounter data.

Immunizations

To maximize performance in immunization-based measures, **IEHP requires all Providers to report all immunizations via the California Immunization Registry (CAIR2)**. For more information on how to register for CAIR2, please visit *http://cairweb.org/*. IEHP works closely with CAIR to ensure data sharing to support the GQ P4P program.

▼ Provider P4P Research Inquiries

All Provider research inquiries, related to the data collected to measure P4P metrics, must be submitted in an excel worksheet. The following information must be included in the research inquiry to support the description of the dispute: Provider Name, Provider NPI, Member Name, Member ID, Measure Name, DOS, Procedure Code/ICD-10 code, and any other information that would be helpful to research the inquiry.

Supplemental Data

What is Supplemental Data?

When services are not captured in traditional encounter data systems, other Supplemental Data sources may be used to collect information about services rendered to Members to support Quality Reporting.

When Supplemental Data may be needed

- For services that were provided prior to eligibility with IEHP
- When a Provider has "proof-of-service" for a noted gap in care (e.g., cervical cancer screening, immunizations rendered by another provider)
- When a Provider has "proof-of-service" for an eligible-population exclusion (e.g., total hysterectomy, bilateral mastectomy)

How to use Supplemental Data to support Global Quality P4P

Create an electronic log that includes the minimum required data elements. See <u>Appendix 11</u> for file layout requirements. Below is a list of minimum data elements needed in a supplemental data log.

- Member ID
- Date of Service
- Provider Identification
- Provider Specialty
- Diagnosis Code(s) if applicable
- Procedure Code(s)
- Lab Results if applicable

Requirements for using Supplemental Data in Global Quality P4P Reporting

- The IPA must have clearly defined policies and procedures (in writing) that describe how Supplemental Data is collected, validated and used for P4P reporting
- Policies/procedures must be shared with IEHP and must be in place to validate quality / accuracy of Supplemental Data
- The IPA must collect "proof-of-service" documentation to confirm all services that are reported in the Supplemental Data log
- The IPA must receive approval from IEHP's Quality Team to use Supplemental Data in Global Quality Reporting (deadline for approval is October 31, 2023)
- The IPA must complete IPA data validation activities prior to submitting Supplemental Data to IEHP no later than November 30, 2023
- The IPA must submit an audit-ready Supplement Data log to IEHP via SFTP no later than November 30, 2023
- The IPA must complete a P4P Roadmap no later than December 1, 2023

Data Validation Requirements for Supplemental Data in Global Quality P4P Reporting

- To be counted in the final IPA Global Quality P4P rates, the Supplemental Data file must pass IEHP's independent HEDIS® audit process
- The IPA must present "proof-of-service" documents within required timeframes when requested by IEHP's auditors
- An auditor review will compare "proof-of-service" documents to submitted data
- Supplemental Data records must pass 100 percent validation to be included in the final P4P reporting

✓ Program Terms and Conditions

- Good Standing: A Provider currently contracted with Plan for the delivery of services, not pursuing any litigation or arbitration or has a pending claim pursuant to the California Government Tort Claim Act (Cal. Gov. Code sections 810, et seq.) filed against Plan at the time of program application or at the time additional funds may be payable, and has demonstrated the intent, in Plan's sole determination, to continue to work together with Plan on addressing community and member issues. Additionally, at the direction of the CEO or their designee, Plan may determine that a provider is not in good standing based on relevant quality, payment, or other business concerns.
- Participation in IEHP's GQ P4P Program, as well as acceptance of incentive payments, does not in any way modify or supersede any terms or conditions of any agreement between IEHP and Providers or IPAs, whether that agreement is entered into prior to or subsequent to the date of this communication.
- There is no guarantee of future funding for, or payment under, any IEHP Provider incentive program. The IEHP GQ P4P Program and/or its terms and conditions may be modified or terminated at any time, with or without notice, at IEHP's sole discretion.
- Criteria for calculating incentive payments are subject to change at any time, with or without notice, at IEHP's sole discretion.
- In consideration of IEHP's offering of the IEHP GQ P4P Program, participants agree to fully and forever release and discharge IEHP from any and all claims, demands, causes of action, and suits, of any nature, pertaining to or arising from the offering by IEHP of the IEHP GQ P4P Program.
- The determination of IEHP regarding performance scoring and payments under the IEHP GQ P4P Program is final.
- As a condition of receiving payment under the IEHP GQ P4P Program, Providers and IPAs
 must be active and contracted with IEHP and have active assigned Members at the time
 of payment.

▼ Financial Overview

Providers are eligible to receive financial rewards for performance excellence and for performance improvement. Financial rewards are based on a tiered system, providing increasing financial rewards as IPAs reach each level of higher performance. The 2023 GQ P4P Program incentive pool is \$45 million for the IPA Program. Incentive dollars for the 2023 performance period will be distributed via a monthly Per Member Per Month (PMPM) Quality Payment beginning in July 2024 and continuing through June 2025. Based on IPA performance, payment methodologies may be adjusted to ensure that the 2023 program year costs do not exceed this \$45 million pool for the IPA Program.

IPA Encounter Data Gates

IPA encounter data submissions must meet minimum adequacy requirements in order to receive GQ P4P Program incentive dollars. IPA encounter data performance is based on all professional encounters submitted by the IPA for services rendered during the measurement year (e.g., 2023 dates of service). IPA encounter data volume will be compared to established encounter data benchmarks for Seniors and Persons with Disabilities (SPD) and Non-SPD Members. IPA performance will be calculated against each IPA's proportion of SPD and Non-SPD Members.

Encounter data benchmarks have been established and correspond to an Encounter Data Gate, reflecting higher encounter data volumes. As IPAs reach higher levels of encounter data performance, they become eligible for a larger percentage of the total possible GQ P4P incentive. Encounter rates are expressed as the number of encounters per Member per year (PMPY). An encounter is defined as a unique visit per Member per Provider per day. The table below describes the Encounter Data Gates, performance levels, and their impact on IPA GQ P4P Program incentive payments.

PERCENT OF POSSIBLE INCENTIVE PAYMENT	ENCOUNTER DATA GATE	NON-SPD PMPY	SPD PMPY
50%	Gate 1	3.0	9.0
75%	Gate 2	4.0	11.0
100%	Gate 3	5.0	13.0

Encounter data must be submitted to IEHP in a timely way and must adhere to the reporting timeframes delineated in IEHP's Provider Policy and Procedure Manual - Policy MC_21A.



CORE MEASURES

✓ Performance Measures

<u>Appendix 1</u> provides a list of the 37 measures in the 2023 GQ P4P Program and includes the thresholds and benchmarks associated with respective tier goals. These measures are categorized into five domains: *Access; Clinical Quality; Behavioral Health Integration; Patient Experience; Encounter Data*.

Most measures included in the *Clinical Quality Domain* primarily use standard Healthcare Effectiveness Data and Information Set (HEDIS*) process and outcomes measures that are based on the specifications published by the National Committee for Quality Assurance (NCQA). Non-HEDIS* measures that are included in the program come from the California Department of Health Care Services (DHCS) Medi-Cal Managed Care Quality Program and the Pharmacy Quality Alliance (PQA).

Clinical Quality Domain Measures:

- Asthma Medication Ratio
- Breast Cancer Screening
- Cervical Cancer Screening
- Child and Adolescent Well-Care Visits
- Childhood Immunization Combo 10
- Chlamydia Screening in Women
- Colorectal Cancer Screening
- Controlling High Blood Pressure
- Diabetes Care Blood Pressure Control <140/90
- Diabetes Care Hemoglobin A1c Control Patients with Diabetes
- Diabetes Care Kidney Health Evaluation
- Developmental Screening
- Adult Influenza Vaccine
- Immunizations for Adolescents Combo 2
- Initial Health Appointment
- Post Discharge Follow-Up
- Statin Therapy Received in Patients with Cardiovascular Disease and Diabetes
- Use of Imaging Studies for Low Back Pain
- Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents
 - Counseling for Physical Activity
 - Counseling for Nutrition
 - BMI Percentile
- Well-Child Visits in the First 15 Months of Life
- Well-Child Visits in the First 30 Months of Life

IEHP's HEDIS® measurement year 2023 data set and Managed Care Accountability Set (MCAS) will be used to evaluate Providers' year-end performance. These measure sets undergoes an independent audit review prior to rate finalization.

The Initial Health Appointment (IHA) measure follows IEHP's IHA internal compliance monitoring methodology and is not a HEDIS® measure.

The Post Discharge Follow-Up measure is an IEHP-defined measure developed to support transitions of care needs of IEHP Members.

Access Domain:

- After Hours Availability On-Call Physician Access
- After Hours Availability Life-Threatening Emergency Calls
- Appointment Availability Urgent
- Appointment Availability Routine
- Potentially Avoidable Emergency Department (ED) Visits

The *Access* measures are based on the Department of Managed Health Care (DMHC) and NCQA requirements for monitoring access to care across the network. See <u>Appendix 2</u> for measure details.

Behavioral Health Integration Domain Measures:

Measures in this domain come from various measure stewards including: the National Quality Forum (NQF), HEDIS, and the Department of Health Care Services (DHCS).

- Antidepressant Medication Management
- Screening for Clinical Depression in Primary Care
- Substance Use Assessment in Primary Care for Adolescents
- Substance Use Assessment in Primary Care
- Social Determinants of Health Screening
- Social Determinants of Health Identification Rate

Patient Experience Domain Measures:

Patient Experience Domain measures include Member Satisfaction Survey questions from the Consumer Assessment of Healthcare Providers and Systems (CAHPS) survey that is published by the Agency for Healthcare Research and Quality (AHRQ). IEHP conducts a Member Satisfaction Survey that is a modified CAHPS survey and is the sole data source used for this measure domain. The IEHP Member Satisfaction Survey is conducted between June and December of each year. Surveys received from the 2023 Member Satisfaction Survey will be used to calculate the Patient Experience Domain measures. Below are the three areas included in the Patient Experience Domain for the 2023 program.

- Access to Care Needed Right Away
- Coordination of Care
- Access to Routine Care

Scoring Methodology

Payments within the core program will be awarded to IPAs based on individual performance in reaching established Quality Goals (e.g., Tier Goals for each measure).

In the *Clinical Quality Domain*, HEDIS® measure results are based on each measure's total eligible population assigned to the IPA. The eligible population is defined as the set of Members that meet the denominator criteria specified in each measure. Members in the eligible population are attributed to the assigned PCP on the anchor date of each measure, as defined within each measure. Members contribute to a IPA's measure denominator if continuous enrollment criteria are met at the health plan level. For each measure, the measure score reflects the proportion of the eligible population that complies with the numerator criteria. For measures that are based on the HEDIS methodology, IEHP will adhere to the most current HEDIS technical specifications (Volume 2) for determining both numerators and denominators.

In the Clinical Quality Domain, non-HEDIS measures include the Initial Health Appointment and the Post Discharge Follow-Up measure. Each measure was designed by IEHP using validated coding and technical specifications. The Initial Health Appointment Measure is based on DHCS requirements and includes new health plan Members who are assigned to the IPA during the measurement year and who remain enrolled with IEHP and the IPA through the end of the 120 day post-enrollment period. The Post Discharge Follow-Up measure is described in detail in Appendix 2.

In the *Access Domain*, PCP telephone handling for appointments and after hours access is assessed via Plan-conducted phone surveys. IEHP follows the DMHC Timely Access Standards Provider Appointment Availability Study methodology to assess PCP adherence to Appointment Availability Standards. IEHP follows the NCQA standards of assessing PCP adherence to After Hours access to care and call handling protocols.

In the *Patient Experience Domain*, monthly Member Satisfaction Survey measures are based on Members who meet eligibility criteria to receive a mailed survey between June and December of the measurement year. Members eligible to receive a Member Satisfaction Survey must have been continuously enrolled with IEHP for at least six months in the measurement year (2023) and must have had an office visit in the prior six months, based on encounter data submitted to IEHP. Members who meet the survey eligibility criteria are randomly sampled to receive a survey. Survey measure results are attributed to the Member's assigned IPA based on the most recent encounter that qualified the Member for the survey. A Member is eligible to receive only one survey per calendar year.

Payment Methodology

IPA performance for each quality measure will be given a point value (i.e., a Quality Score). Points are assigned based on the Tier Goal achieved (i.e., Tier 1 = one point, Tier 2 = two points, Tier 3 = three points) for each measure.

IPAs who have at least three quality measures that meet the minimum denominator size (n = 30) will be considered for payment calculations. An overall weighted average of all eligible Quality Scores will determine the overall GQ Performance Score. Individual measure weights will be assigned as follows:

- Process measures (such as screenings) are given a weight of 1
- Patient experience measures are given a weight of 1.5
- Outcome and intermediate outcome measures (e.g., HbA1c or blood pressure control and childhood immunizations) are given a weight of 3

Please reference Appendix 1 for a list of individual measure weights for the 2023 GQP4P measure set.

The following formula will be used to calculate the overall **GQ Performance Score**:

GQ Performance Score (i.e. overall weighted average) = Sum (measure tier * measure weight) / Sum of measure weights

GQ P4P Program payments will be awarded according to the following formula:

([Global Quality Performance Score] x [# Medi-Cal Average Member Months] x [GQ P4P Multiplier] / [Total Medi-Cal Member Months]) + Bonus Bundles + Process Measures - Penalty Measures = GQ P4P PMPM Bonus

The GQ P4P payment multiplier is subject to change based on Network performance and budget limits. The GQ P4P payment multiplier value displayed in the Interim Reports may not be the final value used in determining final Quality PMPM payment amounts.

IPA PMPM Quality Payment Methodology

From July 2024 – June 2025, IPAs will receive a monthly Quality PMPM (per member per month) payment based on their 2023 GQ P4P performance using the following formula:



IPA payment example: *IPA with monthly average of 120,000 Members* (1,440,000 Member Months), 2.0 GQ Quality Score and Encounter Data Gate 3 met



^{*}Assuming stable membership volume and there is no additional incentive for bonus bundles, or process measures, and no PCP penalty to be deducted from the Quality PMPM bonus.

Note: Members with and Other Health Coverage will be removed from the measure denominators before the final payment calculation.


Reporting Timeline

Below is a table describing the flow of encounter data to IEHP in support of the GQ P4P Program reporting.

P4P ENCOUNTER DATA REPORTING TIMELINE:					
Month of Service	Provider Encounters Due to IPA	IPA Encounters Due to IEHP	P4P Data Freeze	Dates of Service Assessed	Rosters Updated
Jan-23	Feb-23	5/1/23	5/1/23	Jan 2023	5/15/23
Feb-23	Mar-23	6/1/23	6/1/23	Jan - Feb 2023	6/15/23
Mar-23	Apr-23	7/1/23	7/1/23	Jan - March 2023	7/15/23
Apr-23	May-23	8/1/23	8/1/23	Jan - April 2023	8/15/23
May-23	Jun-23	9/1/23	9/1/23	Jan - May 2023	9/15/23
Jun-23	Jul-23	10/1/23	10/1/23	Jan - June 2023	10/15/23
Jul-23	Aug-23	11/1/23	11/1/23	Jan - July 2023	11/15/23
Aug-23	Sep-23	12/1/23	12/1/23	Jan - Aug 2023	12/15/23
Sep-23	Oct-23	1/1/24	1/1/24	Jan - Sept 2023	1/15/24
Oct-23	Nov-23	2/1/24	2/1/24	Jan - Oct 2023	2/15/24
Nov-23	Dec-23	3/1/24	3/1/24	Jan - Nov 2023	3/15/24
Dec-23	Jan-24	4/1/24	4/1/24	Jan - Dec 2023	4/15/24

This timeline depicts the latest reporting dates based on IEHP's policies and procedures. However, Providers and *IPAs* are encouraged to report their encounter data as soon as possible to IEHP. All encounters received by *IEHP* are considered when calculating updated reports and rosters including those encounters that are reported earlier than the encounter data due date.

✓ Quality Incentive Payout Timeline: Provider Communication Timeline



Getting Help

Please direct questions and/or comments related to this program to IEHP's Provider Relations Team at (909) 890-2054 or to IEHP's Quality Department at QualityPrograms@iehp.org.

APPENDIX 1: 2023 IPA Global Quality P4P Program Measures

	2023 GQ P4P PR	OGRAM	MEASURE	LIST:			
Domain	Measure Name	Population	Tier 1	Tier 2	Tier 3 1	Tier 4 ²	Measure Weight
Anchor Date: December 31, 2023	Asthma Medication Ratio	Adult	Improvement	If baseline is below 50th	71%	76%	3.0
Clinical Quality	Colorectal Cancer Screening	demonstrated by meeting the	percentile: 20% reduction	77%	82%	1.0	
Clinical Quality	Controlling Blood Pressure	Adult	following 2 conditions:	in non- compliance	67%	72%	3.0
Clinical Quality	Diabetes Care- Blood Pressure Control <140/90	Adult	10% reduction	AND must meet the 50th	70%	75%	3.0
Clinical Quality	Diabetes Care - Hemoglobin A1c Control for Patients with Diabetes	Adult	in non- compliance	percentile	57%	60%	3.0
Clinical Quality	Diabetes Care- Kidney Health Evaluation	Adult	AND	If baseline is at or	41%	48%	1.0
Clinical Quality	Adult Influenza Vaccine	Adult	Improvement	above 50th percentile:	18%	21%	1.0
Clinical Quality	Post Discharge Follow-Up	Adult	of at least 2% points	Improvement of at least 2%	70%	80%	1.0
Clinical Quality	Statin Therapy Received for Patients with Cardiovascular Disease and Diabetes ³	Adult	points	points	75%	79%	1.0
Clinical Quality	Use of Imaging Studies for Low Back Pain ⁴	Adult and Adolescent	Monitoring Only				NA
Behavioral Health Integration	Social Determinants of Health Screening ⁴	Adult and Adolescent	Monitoring Only			NA	
Behavioral Health Integration	Social Determinants of Adult and Health Identification Rate Adolescent		20%	25%	1.0		
Behavioral Health Integration	Antidepressant Medication Management	Adult and Adolescent			57%	66%	1.0
Behavioral Health Integration	Substance Use Assessment in Primary Care for Adolescents	Child		If baseline is		25%	1.0
Behavioral Health Integration	Substance Use Assessment in Primary Care	Adult	Improvement demonstrated	below 50th percentile:	17%	32%	1.0
Behavioral Health Integration	Screening for Clinical Depression in Primary Care	Adult and Adolescent	by meeting the following 2 conditions:	20% reduction in non- compliance	56%	72%	1.0
Clinical Quality	Breast Cancer Screening	Women	10% reduction	AND must meet the 50th	58%	63%	1.0
Clinical Quality	Cervical Cancer Screening	Women	in non-	percentile	62%	66%	1.0
Clinical Quality	Chlamydia Screening in Women	Women	compliance	If baseline	63%	67%	1.0
Clinical Quality	Child and Adolescent Well- Care Visits Child		AND	is at or	55%	61%	1.0
Clinical Quality	Childhood Immunizations - Combo 10 †	Child	Improvement of at least 2% above 50th percentile: Improvement		38%	45%	3.0
Clinical Quality	Developmental Screening	Child	points	of at least 2%	39%	46%	1.0
Clinical Quality	Immunizations for Adolescents - Combo 2	Child	points .		41%	49%	3.0
Clinical Quality	Well-Child Visits First 15 Months of Life	Child			63%	68%	1.0
Clinical Quality	Well-Child Visits First 30 Months of Life	Child			71%	78%	1.0

2023 GQ P4P PROGRAM MEASURE LIST:							
Domain	Measure Name	Population	Tier 1	Tier 2	Tier 3 1	Tier 4 ²	Measure Weight
Clinical Quality	Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents - Counseling for Physical Activity Child Improvement demonstrated by meeting the 20				75%	82%	1.0
Clinical Quality	Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents - Counseling for Nutrition	Child	following 2 conditions: 10% reduction	in non- compliance AND must meet the 50th	77%	83%	1.0
Clinical Quality	Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents - BMI Percentile	Child	in non- compliance AND	percentile If baseline is at or above 50th	85%	90%	1.0
Clinical Quality	of at least 2% Improvement			percentile: Improvement of at least 2% points	65%	75%	1.0
Access	After Hours Availability - On-Call Physician Access	All			85%	90%	1.0
Access	After Hours Availability - Life-Threatening Emergency Calls	All	10% reduction in non-	20% reduction in non-	85%	90%	1.0
Access	Appointment Availability - Urgent	All	compliance	compliance	85%	90%	1.0
Access	Appointment Availability - Routine All		85%	90%	1.0		
Access	Potentially Avoidable ED Visits	All	≤11.19%	NA	NA	NA	1.0
Patient Experience	Member Satisfaction Survey - Access to Care Needed Right Away	All	82%*	83%**	87%***	NA	1.5
Patient Experience	Member Satisfaction Survey - Access to Routine Care	All	80%*	83%**	87%***	NA	1.5
Patient Experience	Member Satisfaction Survey - Coordination of Care	All	85%*	87%**	89%***	NA	1.5

^{*} Tier 1 goals set at the 50th percentile as published in the 2023 (MY 2022) NCQA Quality Compass

The goals in Appendix 1 may be adjusted once measurement year (2022) national benchmarks are available. The goals are based on a combination of national and network performance and may be adjusted higher or lower based on network trends.

^{**} Tier 2 goals set at the 66th percentile as published in the 2023 (MY 2022) NCQA Quality Compass

^{***} Tier 3 goals set at the 90th percentile as published in the 2023 (MY 2022) NCQA Quality Compass

¹ Tier 3 goals set at the 75th percentile as published in the 2023 (MY 2022) NCQA Quality Compass, Colorectal Cancer Screening set as 75th percentile as published in the 2023 (MY 2022) NCQA Medicare Quality Compass

² Tier 4 goals set at the 90th percentile as published in the 2023 (MY 2022) NCQA Quality Compass, Colorectal Cancer Screening set as 90th percentile as published in the 2023 (MY 2022) NCQA Medicare Quality Compass

³ The Statin Therapy Received for Patients with Cardiovascular Disease and Diabetes measure is a combination of two measures (Statin Therapy Received for Patients with Cardiovascular Disease and Statin Therapy Received for Patients with Diabetes). The denominators and numerators for this combined measure will be calculated to produce one rate for this measure. The minimum denominator requirement for this measure is 10 eligible Members.

⁴ Reporting Only Measure. Not eligible for incentive dollars

[†] Tier 1: If baseline is at or above 50th percentile: Goal is the 50th percentile, Tier 2: If baseline is at or above 50th percentile: Goal is the 50th percentile plus 1%.

	2023 50TH PERCENTILE RATES	
Domain	Measure Name	50th Percentile Rate
Clinical Quality	Asthma Medication Ratio	66%
Clinical Quality	Colorectal Cancer Screening	70%
Clinical Quality	Controlling Blood Pressure	61%
Clinical Quality	Diabetes Care - Blood Pressure Control <140/90	64%
Clinical Quality	Diabetes Care - Hemoglobin A1c Control for Patients with Diabetes	41%
Clinical Quality	Diabetes Care - Kidney Health Evaluation	34%
Clinical Quality	Developmental Screening	31%
Clinical Quality	Flu Vaccine in Adults	14%
Clinical Quality	Post Discharge Follow Up	59%
Clinical Quality	Statin Therapy Received for Patients with Cardiovascular Disease and Diabetes	73%
Behavioral Health	Social Determinants of Health Indentification Rate	15%
Behavioral Health	Screening for Clinical Depression in Primary Care	31%
Behavioral Health	Substance Use Assessment in Primary Care	10%
Behavioral Health		
Behavioral Health		
Clinical Quality		
Clinical Quality Cervical Cancer Screening		57%
Clinical Quality	Chlamydia Screening in Women	56%
Clinical Quality	Child and Adolescent Well-Care Visits	48%
Clinical Quality	Childhood Immunizations - Combo 10	31%
Clinical Quality	Immunizations for Adolescents - Combo 2	34%
Clinical Quality	Well-Child Visits First 15 Months of Life	58%
Clinical Quality	Well-Child Visits First 30 Months of Life	67%
Clinical Quality	Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents - Counseling for Physical Activity	68%
Clinical Quality	Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents -Counseling for Nutrition	71%
Clinical Quality	Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents -BMI Percentile	80%
Clinical Quality	Initial Health Appointment	52%

The 50th percentile rates may be adjusted once measurement year 2022 national benchmarks are available. The 50th percentile goals are based on a combination of national and network performance and may be adjusted higher or lower based on network trends.



APPENDIX 2: Core Measures Overview

✓ Population: Adult

Asthma Medication Ratio (AMR)

Summary of Changes to the 2023 Global Quality P4P Program Guide:

- Update to asthma controller medications
- Update to the asthma reliever medications

Methodology: HEDIS®

Measure Description: The percentage of Members who are 5-64 years of age and identified as having persistent asthma, who had a ratio of controller medications to total asthma medications of 0.50 or greater during the measurement year (2023).

- Eligible population in this measure meets all of the following criteria:
 - 1. Members who are 5-64 years of age as of December 31 of the measurement year (2023).
 - 2. Continuous enrollment with IEHP during the measurement year (2023) and the year prior to the measurement year (2022) with no more than one month gap in continuous enrollment with IEHP during the measurement year (2023) and no more than one month gap in continuous enrollment in the year prior to the measurement year (2022).

Denominator: Members 5-64 years of age who meet all criteria for the eligible population.

Anchor Date: December 31, 2023

Numerator: Members in the denominator who had a medication ratio of 0.50 or greater during the measurement year (2023).

ASTHMA CONTROLLER MEDICATIONS:			
Description	Prescription		
Antibody inhibitors	Omalizumab		
Anti-interleukin-4	Dupilumab		
Anti-interleukin-5	Benralizumab		
Anti-interleukin-5	Mepolizumab		
Anti-interleukin-5	Reslizumab		
Inhaled steroid combinations	Budesonide-formoterol		
Inhaled steroid combinations	Fluticasone-salmeterol		
Inhaled steroid combinations	Fluticasone-vilanterol		
Inhaled steroid combinations	Formoterol-mometasone		

ASTHMA CONTROLLER MEDICATIONS:			
Description	Prescription		
Inhaled corticosteroids	Beclomethasone		
Inhaled corticosteroids	Budesonide		
Inhaled corticosteroids	Ciclesonide		
Inhaled corticosteroids	Flunisolide		
Inhaled corticosteroids	Fluticasone		
Inhaled corticosteroids	Mometasone		
Leukotriene modifiers	Montelukast		
Leukotriene modifiers	Zafirlukast		
Leukotriene modifiers	Zileuton		
Methylxanthines	Theophylline		

ASTHMA RELIEVER MEDICATIONS:				
Description	Prescription			
Short-acting, inhaled beta-2 agonists	Albuterol			
Short-acting, inhaled beta-2 agonists	Levalbuterol			

Colorectal Cancer Screening (COL)

Summary of Changes to the 2023 Global Quality P4P Program Guide:

- Update to age range in measure description
- Update to the numerator colorectal cancer screening option

Methodology: HEDIS®

Measure Description: The percentage of Members who are 45-75 years of age who had an appropriate screening for colorectal cancer.

- Eligible population in this measure meets all of the following criteria:
 - 1. Members who are 46-75 years of age as of December 31 of the measurement year (2023).
 - 2. Continuous enrollment with IEHP during the measurement year (2023) and the year prior (2022) with no more than one gap in continuous enrollment with IEHP of up to 45 days during each year of the continuous enrollment period.

Denominator: Members who meet all the criteria for the eligible population.

• Anchor Date: December 31, 2023

Numerator: Members in the denominator who had one or more screenings for colorectal cancer. Any of the following meet criteria:

- Fecal occult blood test during the measurement year (2023).
- Flexible sigmoidoscopy during the measurement year (2023) or four years prior to the measurement year (2019).
- Colonoscopy during the measurement year (2023) or the nine years prior to the measurement year (2014).
- CT colonography during the measurement year (2023) or the four years prior to the measurement year (2019).
- Stool DNA with FIT test during the measurement year (2023) or two years prior to the measurement year (2021).

CODES TO IDENTIFY COLORECTAL CANCER SCREENING:				
Service	Code Type	Code	Code Description	
Colorectal Cancer Screening	СРТ	44388	Colonoscopy through stoma; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	
Colorectal Cancer Screening	СРТ	44389	Colonoscopy Through Stoma; With Biopsy, Single Or Multiple	
Colorectal Cancer Screening	СРТ	44390	Colonoscopy Through Stoma; With Removal Of Foreign Body(s)	
Colorectal Cancer Screening	СРТ	44391	Colonoscopy Through Stoma; With Control Of Bleeding, Any Method	
Colorectal Cancer Screening	СРТ	44392	Colonoscopy Through Stoma; With Removal Of Tumor(s), Polyp(s), Or Other Lesion(s) By Hot Biopsy Forcep	
Colorectal Cancer Screening	СРТ	44393	Colonoscopy through stoma; with ablation of tumor(s), polyp(s), or other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cautery or snare technique	
Colorectal Cancer Screening	СРТ	44394	Colonoscopy Through Stoma; With Removal Of Tumor(s), Polyp(s), Or Other Lesion(s) By Snare Technique	
Colorectal Cancer Screening	СРТ	44397	Colonoscopy through stoma; with transendoscopic stent placement (includes predilation)	
Colorectal Cancer Screening	СРТ	44401	Colonoscopy Through Stoma; With Transendoscopic Stent Placement (includes Predilation)	
Colorectal Cancer Screening	СРТ	44402	Colonoscopy through stoma; with endoscopic stent placement (including pre- and post-dilation and guide wire passage, when performed)	
Colorectal Cancer Screening	СРТ	44403	Colonoscopy Through Stoma; With Endoscopic Mucosal Resection	
Colorectal Cancer Screening	СРТ	44404	Colonoscopy Through Stoma; With Directed Submucosal Injection(s), Any Substance	
Colorectal Cancer Screening	СРТ	44405	Colonoscopy through stoma; with transendoscopic balloon dilation	
Colorectal Cancer Screening	СРТ	44406	Colonoscopy through stoma; with endoscopic ultrasound examination, limited to the sigmoid, descending, transverse, or ascending colon and cecum and adjacent structures	
Colorectal Cancer Screening	СРТ	44407	Colonoscopy through stoma; with transendoscopic ultrasound guided intramural or transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound examination limited to the sigmoid, descending, transverse, or ascending colon and cecum and adjacent structures	
Colorectal Cancer Screening	СРТ	44408	Colonoscopy through stoma; with decompression (for pathologic distention) (eg, volvulus, megacolon), including placement of decompression tube, when performed	
Colorectal Cancer Screening	СРТ	45330	Sigmoidoscopy, flexible; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	
Colorectal Cancer Screening	СРТ	45331	Sigmoidoscopy, Flexible; With Biopsy, Single Or Multiple	
Colorectal Cancer Screening	СРТ	45332	Sigmoidoscopy, Flexible; With Removal Of Foreign Body(s)	

(CODES TO IDENTIFY COLORECTAL CANCER SCREENING:					
Service	Code Type	Code	Code Description			
Colorectal Cancer Screening	СРТ	45333	Sigmoidoscopy, Flexible; With Removal Of Tumor(s), Polyp(s), Or Other Lesion(s) By Hot Biopsy Forceps			
Colorectal Cancer Screening	СРТ	45334	Sigmoidoscopy, Flexible; With Control Of Bleeding, Any Method			
Colorectal Cancer Screening	СРТ	45335	Sigmoidoscopy, Flexible; With Directed Submucosal Injection(s), Any Substance			
Colorectal Cancer Screening	СРТ	45337	Sigmoidoscopy, flexible; with decompression (for pathologic distention) (eg, volvulus, megacolon), including placement of decompression tube, when performed			
Colorectal Cancer Screening	СРТ	45338	Sigmoidoscopy, Flexible; With Removal Of Tumor(s), Polyp(s), Or Other Lesion(s) By Snare Technique			
Colorectal Cancer Screening	СРТ	45340	Sigmoidoscopy, Flexible; With Transendoscopic Balloon Dilation			
Colorectal Cancer Screening	СРТ	45341	Sigmoidoscopy, Flexible; With Endoscopic Ultrasound Examination			
Colorectal Cancer Screening	СРТ	45342	Sigmoidoscopy, flexible; with transendoscopic ultrasound guided intramural or transmural fine needle aspiration/biopsy(s)			
Colorectal Cancer Screening	СРТ	45346	Sigmoidoscopy, flexible; with ablation of tumor(s), polyp(s), or other lesion(s) (includes pre- and post-dilation and guide wire passage, when performed)			
Colorectal Cancer Screening	СРТ	45347	Sigmoidoscopy, flexible; with placement of endoscopic stent (includes pre- and post-dilation and guide wire passage, when performed)			
Colorectal Cancer Screening	СРТ	45349	Sigmoidoscopy, Flexible; With Endoscopic Mucosal Resection			
Colorectal Cancer Screening	СРТ	45350	Sigmoidoscopy, Flexible; With Band Ligation(s) (e.g., Hemorrhoids)			
Colorectal Cancer Screening	СРТ	45355	Colonoscopy, rigid or flexible, transabdominal via colotomy, single or multiple			
Colorectal Cancer Screening	СРТ	45378	Colonoscopy, flexible; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)			
Colorectal Cancer Screening	СРТ	45379	Colonoscopy, Flexible; With Removal Of Foreign Body(s)			
Colorectal Cancer Screening	СРТ	45380	Colonoscopy, Flexible; With Biopsy, Single Or Multiple			
Colorectal Cancer Screening	СРТ	45381	Colonoscopy, Flexible; With Directed Submucosal Injection(s), Any Substance			
Colorectal Cancer Screening	СРТ	45382	Colonoscopy, Flexible; With Control Of Bleeding, Any Method			
Colorectal Cancer Screening	СРТ	45383	Colonoscopy, flexible, proximal to splenic flexure; with ablation of tumor(s), polyp(s), or other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cautery or snare technique			
Colorectal Cancer Screening	СРТ	45384	Colonoscopy, Flexible; With Removal Of Tumor(s), Polyp(s), Or Other Lesion(s) By Hot Biopsy Forceps			
Colorectal Cancer Screening	СРТ	45385	Colonoscopy, Flexible; With Removal Of Tumor(s), Polyp(s), Or Other Lesion(s) By Snare Technique			

(CODES '	TO IDE	NTIFY COLORECTAL CANCER SCREENING:
Service	Code Type	Code	Code Description
Colorectal Cancer Screening	СРТ	45386	Colonoscopy, Flexible; With Transendoscopic Balloon Dilation
Colorectal Cancer Screening	СРТ	45387	Colonoscopy, flexible, proximal to splenic flexure; with transendoscopic stent placement (includes predilation)
Colorectal Cancer Screening	СРТ	45388	Colonoscopy, flexible; with ablation of tumor(s), polyp(s), or other lesion(s) (includes pre-and post-dilation and guide wire passage, when performed)
Colorectal Cancer Screening	СРТ	45389	Colonoscopy, flexible; with endoscopic stent placement (includes pre-and post-dilation and guide wire passage, when performed)
Colorectal Cancer Screening	СРТ	45390	Colonoscopy, Flexible; With Endoscopic Mucosal Resection
Colorectal Cancer Screening	СРТ	45391	Colonoscopy, flexible; with endoscopic ultrasound examination limited to the rectum, sigmoid, descending, transverse, or ascending colon and cecum, and adjacent structures
Colorectal Cancer Screening	СРТ	45392	Colonoscopy, flexible; with transendoscopic ultrasound guided intramural or transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound examination limited to the rectum, sigmoid, descending, transverse, or ascending colon and cecum, and adjacent structures
Colorectal Cancer Screening	СРТ	45393	Colonoscopy, flexible; with decompression (for pathologic distention) (e.g., volvulus, megacolon), including placement of decompression tube, when performed
Colorectal Cancer Screening	СРТ	45398	Colonoscopy, Flexible; With Band Ligation(s) (e.g., Hemorrhoids)
Colorectal Cancer Screening	СРТ	74261	Computed tomographic (CT) colonography, diagnostic, including image postprocessing; without contrast material
Colorectal Cancer Screening	СРТ	74262	Computed tomographic (CT) colonography, diagnostic, including image postprocessing; with contrast material(s) including non-contrast images, if performed
Colorectal Cancer Screening	СРТ	74263	Computed Tomographic (ct) Colonography, Screening, Including Image Postprocessing
Colorectal Cancer Screening	СРТ	81528	Oncology (colorectal) screening, quantitative real-time target and signal amplification of 10 DNA markers (KRAS mutations, promoter methylation of NDRG4 and BMP3) and fecal hemoglobin, utilizing stool, algorithm reported as a positive or negative result
Colorectal Cancer Screening	СРТ	82270	Blood, occult, by peroxidase activity (e.g., guaiac), qualitative; feces, consecutive collected specimens with single determination, for colorectal neoplasm screening (i.e., patient was provided 3 cards or single triple card for consecutive collection)
Colorectal Cancer Screening	СРТ	82274	Blood, occult, by fecal hemoglobin determination by immunoassay, qualitative, feces, one to three simultaneous determinations
Colorectal Cancer Screening	HCPCS	G0104	Colorectal Cancer Screening; Flexible Sigmoidoscopy

(CODES TO IDENTIFY COLORECTAL CANCER SCREENING:				
Service	Code Type	Code	Code Description		
Colorectal Cancer Screening	HCPCS	G0105	Colorectal Cancer Screening; Colonoscopy On Individual At High Risk		
Colorectal Cancer Screening	HCPCS	G0121	Colorectal Cancer Screening; Colonoscopy On Individual Not Meeting Criteria For High Risk		
Colorectal Cancer Screening	HCPCS	G0328	Colorectal cancer screening; fecal occult blood test, immunoassay, one to three simultaneous determinations		

^{*}These are the codes that IEHP will use to determine the numerator compliance for the Colorectal Cancer Screening measure. These codes would be submitted by the testing Provider, not the PCP.

Controlling High Blood Pressure (CBP)

Methodology: HEDIS®

Measure Description: The percentage of Members who are 18-85 years of age, with a diagnosis of hypertension (HTN), and whose blood pressure (BP) was controlled (<140/90 mm Hg) during the measurement year (2023).

- Eligible population in this measure meets all of the following criteria:
 - 1. Age 18-85 years of age as of December 31 of the measurement year (2023).
 - 2. Continuous enrollment during the measurement year (2023) with no more than one gap in continuous enrollment of up to 45 days during the measurement year (2023).
 - 3. Members who had at least two different visits with a hypertension diagnosis on or between January 1 of the year prior to the measurement year (2022) and June 30 of the measurement year (2023). Visit can be in any outpatient setting.

Denominator: All Members 18-85 years of age who meet all criteria for the eligible population.

• Anchor Date: December 31, 2023

Numerator: Members in the denominator who had a BP reading taken during the measurement year (2023), in any of the following settings: office visits, e-visits or telephone visits. The most recent BP of the measurement year (2023) will be used to determine compliance for this measure. **Provider must bill one diastolic code, one systolic code and one visit type code.**

NOTE: The BP reading must be taken on or after the date of the second hypertension diagnosis.

C	CODES TO IDENTIFY BLOOD PRESSURE SCREENING:						
Service	Code Type	Code	Code Description				
Blood Pressure Screening	CPT- CAT-II	3079F	Most recent diastolic blood pressure 80-89 mm Hg (HTN, CKD, CAD) (DM)				
Blood Pressure Screening	CPT- CAT-II	3080F	Most recent diastolic blood pressure greater than or equal to 90 mm Hg (HTN, CKD, CAD) (DM)				
Blood Pressure Screening	CPT- CAT-II	3078F	Most recent diastolic blood pressure less than 80 mm Hg (HTN, CKD, CAD) (DM)				
Blood Pressure Screening	CPT- CAT-II	3077F	Most recent systolic blood pressure greater than or equal to 140 mm Hg (HTN, CKD, CAD) (DM)				
Blood Pressure Screening	CPT- CAT-II	3074F	Most recent systolic blood pressure less than 130 mm Hg (DM), (HTN, CKD, CAD)				
Blood Pressure Screening	CPT- CAT-II	3075F	Most recent systolic blood pressure 130-139 mm Hg (DM) (HTN, CKD, CAD)				

	CODES TO IDENTIFY OFFICE VISITS:						
Service	Code Type	Code	Code Description				
Office Visit	СРТ	99201	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A problem focused history; A problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Typically, 10 minutes are spent face-to-face with the patient and/or family.				
Office Visit	СРТ	99202	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using time for code selection, 15-29 minutes of total time is spent on the date of the encounter.				
Office Visit	СРТ	99203	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using time for code selection, 30-44 minutes of total time is spent on the date of the encounter.				
Office Visit	СРТ	99204	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using time for code selection, 45-59 minutes of total time is spent on the date of the encounter.				
Office Visit	СРТ	99205	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using time for code selection, 60-74 minutes of total time is spent on the date of the encounter.				
Office Visit	СРТ	99211	Office or other outpatient visit for the evaluation and management of an established patient, that may not require the presence of a physician or other qualified health care professional. Usually, the presenting problem(s) are minimal.				
Office Visit	СРТ	99212	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using time for code selection, 10-19 minutes of total time is spent on the date of the encounter.				
Office Visit	СРТ	99213	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using time for code selection, 20-29 minutes of total time is spent on the date of the encounter.				
Office Visit	СРТ	99214	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using time for code selection, 30-39 minutes of total time is spent on the date of the encounter.				
Office Visit	СРТ	99215	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using time for code selection, 40-54 minutes of total time is spent on the date of the encounter.				

	CODES TO IDENTIFY OFFICE VISITS:						
Service	Code Type	Code	Code Description				
Office Visit	СРТ	99241	Office consultation for a new or established patient, which requires these three key components: A problem-focused history; A problem-focused examination; and Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Typically, 15 minutes are spent face-to-face with the patient and/or family.				
Office Visit	СРТ	99242	Office consultation for a new or established patient, which requires these three key components: An expanded problem-focused history; An expanded problem-focused examination; and Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low severity. Typically, 30 minutes are spent face-to-face with the patient and/or family.				
Office Visit	СРТ	99243	Office consultation for a new or established patient, which requires these three key components: A detailed history; A detailed examination; and Medical decision making of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity. Typically, 40 minutes are spent face-to-face with the patient and/or family.				
Office Visit	СРТ	99244	Office consultation for a new or established patient, which requires these three key components: A comprehensive history; A comprehensive examination; and Medical decision making of moderate complexity. Counseling and/ or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 60 minutes are spent faceto-face with the patient and/or family.				
Office Visit	СРТ	99245	Office consultation for a new or established patient, which requires these three key components: A comprehensive history; A comprehensive examination; and Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 80 minutes are spent face-to-face with the patient and/or family.				
Office Visit	СРТ	99341	Home visit for the evaluation and management of a new patient, which requires these three key components: A problem-focused history; A problem-focused examination; and Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low severity. Typically, 20 minutes are spent face-to-face with the patient and/or family.				

	CODES TO IDENTIFY OFFICE VISITS:						
Service	Code Type	Code	Code Description				
Office Visit	СРТ	99342	Home visit for the evaluation and management of a new patient, which requires these three key components: An expanded problem-focused history; An expanded problem-focused examination; and Medical decision making of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity. Typically, 30 minutes are spent face-to-face with the patient and/or family.				
Office Visit	СРТ	99343	Home visit for the evaluation and management of a new patient, which requires these three key components: A detailed history; A detailed examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 45 minutes are spent faceto-face with the patient and/or family.				
Office Visit	СРТ	99344	Home visit for the evaluation and management of a new patient, which requires these three key components: A comprehensive history; A comprehensive examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of high severity. Typically, 60 minutes are spent face-to-face with the patient and/or family.				
Office Visit	СРТ	99345	Home visit for the evaluation and management of a new patient, which requires these three key components: A comprehensive history; A comprehensive examination; and Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the patient is unstable or has developed a significant new problem requiring immediate physician attention. Typically, 75 minutes are spent face-to-face with the patient and/or family.				
Office Visit	СРТ	99347	Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: A problem-focused interval history; A problem-focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Typically, 15 minutes are spent face-to-face with the patient and/or family.				

	CODES TO IDENTIFY OFFICE VISITS:						
Service	Code Type	Code	Code Description				
Office Visit	СРТ	99348	Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: An expanded problem-focused interval history; An expanded problem-focused examination; Medical decision making of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Typically, 25 minutes are spent face-to-face with the patient and/or family.				
Office Visit	СРТ	99349	Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: A detailed interval history; A detailed examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Typically, 40 minutes are spent face-to-face with the patient and/or family.				
Office Visit	СРТ	99350	Home visit for the evaluation and management of an established patient, which requires at least two of these three key components: A comprehensive interval history; A comprehensive examination; Medical decision making of moderate to high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Typically, 60 minutes are spent face-to-face with the patient and/or family.				
Office Visit	СРТ	99385	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 18-39 years.				
Office Visit	СРТ	99386	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 40-64 years.				
Office Visit	СРТ	99387	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 65 years and older.				
Office Visit	СРТ	99395	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 18-39 years.				

	CODES TO IDENTIFY OFFICE VISITS:						
Service	Code Type	Code	Code Description				
Office Visit	СРТ	99396	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 40-64 years.				
Office Visit	СРТ	99397	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 65 years and older.				
Office Visit	CPT	99401	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 15 minutes.				
Office Visit	СРТ	99402	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 30 minutes.				
Office Visit	CPT	99403	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 45 minutes.				
Office Visit	CPT	99404	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 60 minutes.				
Office Visit	СРТ	99411	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to individuals in a group setting (separate procedure); approximately 30 minutes.				
Office Visit	СРТ	99412	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to individuals in a group setting (separate procedure); approximately 60 minutes.				
Office Visit	CPT	99429	Unlisted preventive medicine service.				
Office Visit	СРТ	99455	Work-related or medical disability examination by the treating physician that includes: Completion of a medical history commensurate with the patient's condition; Performance of an examination commensurate with the patient's condition; Formulation of a diagnosis, assessment of capabilities and stability, and calculation of impairment; Development of future medical treatment plan; and Completion of necessary documentation/certificates and report.				
Office Visit	СРТ	99456	Work-related or medical disability examination by other than the treating physician that includes: Completion of a medical history commensurate with the patient's condition; Performance of an examination commensurate with the patient's condition; Formulation of a diagnosis, assessment of capabilities and stability, and calculation of impairment; Development of future medical treatment plan; and Completion of necessary documentation/certificates and report.				

	CODES TO IDENTIFY OFFICE VISITS:						
Service	Code Type	Code	Code Description				
Office Visit	СРТ	99483	Assessment of and care planning for a patient with cognitive impairment, requiring an independent historian, in the office or other outpatient, home or domiciliary or rest home, with all of the following required elements: Cognition-focused evaluation including a pertinent history and examination; Medical decision making of moderate or high complexity; Functional assessment (eg, basic and instrumental activities of daily living), including decision-making capacity; Use of standardized instruments for staging of dementia (eg, functional assessment staging test [FAST], clinical dementia rating [CDR]); Medication reconciliation and review for high-risk medications; Evaluation for neuropsychiatric and behavioral symptoms, including depression, including use of standardized screening instrument(s); Evaluation of safety (eg, home), including motor vehicle operation; Identification of caregiver(s), caregiver knowledge, caregiver needs, social supports, and the willingness of caregiver to take on caregiving tasks; Development, updating or revision, or review of an Advance Care Plan; Creation of a written care plan, including initial plans to address any neuropsychiatric symptoms, neuro-cognitive symptoms, functional limitations, and referral to community resources as needed (eg, rehabilitation services, adult day programs, support groups) shared with the patient and/or caregiver with initial education and support. Typically, 50 minutes are spent face-to-face with the patient and/or family or caregiver.				
Office Visit	HCPCS	G0071	Payment for communication technology-based services for five minutes or more of a virtual (non-face-to-face) communication between a rural health clinic (RHC) or federally qualified health center (FQHC) practitioner and RHC or FQHC patient, or five minutes or more of remote evaluation of recorded video and/or images by an RHC or FQHC practitioner, occurring in lieu of an office visit; RHC or FQHC only.				
Office Visit	HCPCS	G0402	Initial preventive physical examination; face-to-face visit, services limited to new beneficiary during the first 12 months of Medicare enrollment.				
Office Visit	HCPCS	G0438	Annual wellness visit; includes a personalized prevention plan of service (PPS), initial visit.				
Office Visit	HCPCS	G0439	Annual wellness visit, includes a personalized prevention plan of service (PPS), subsequent visit.				
Office Visit	HCPCS	G0463	Hospital outpatient clinic visit for assessment and management of a patient.				
Office Visit	HCPCS	T1015	Clinic Visit/encounter, All-inclusive (t1015)				

	CODES TO IDENTIFY E-VISITS					
Service	Code Type	Code	Code Description			
E-Visit	СРТ	98969	Online assessment and management service provided by a qualified nonphysician health care professional to an established patient or guardian, not originating from a related assessment and management service provided within the previous seven days, using the Internet or similar electronic communications network.			
E-Visit	СРТ	98970	Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to seven days, cumulative time during the seven days; 5-10 minutes.			
E-Visit	СРТ	98971	Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to seven days, cumulative time during the seven days; 11-20 minutes.			
E-Visit	СРТ	98972	Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to seven days, cumulative time during the seven days; 21 or more minutes.			
E-Visit	СРТ	99421	Online digital evaluation and management service, for an established patient, for up to seven days, cumulative time during the seven days; 5-10 minutes.			
E-Visit	СРТ	99422	Online digital evaluation and management service, for an established patient, for up to seven days, cumulative time during the seven days; 11-20 minutes.			
E-Visit	СРТ	99423	Online digital evaluation and management service, for an established patient, for up to seven days, cumulative time during the seven days; 21 or more minutes.			
E-Visit	СРТ	99444	Online evaluation and management service provided by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient or guardian, not originating from a related E/M service provided within the previous seven days, using the Internet or similar electronic communications network.			
E-Visit	HCPCS	G2010	Remote evaluation of recorded video and/or images submitted by an established patient (e.g., store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related E/M service provided within the previous seven days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment.			
E-Visit	HCPCS	G2012	Brief communication technology-based service, e.g., virtual check-in, by a physician or other qualified health care professional who can report evaluation and management services, provided to an established patient, not originating from a related E/M service provided within the previous seven days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion.			
E-Visit	HCPCS	G2061	Qualified nonphysician health care professional online assessment and management service, for an established patient, for up to seven days, cumulative time during the seven days; 5-10 minutes.			
E-Visit	HCPCS	G2062	Qualified nonphysician health care professional online assessment and management service, for an established patient, for up to seven days, cumulative time during the seven days; 11-20 minutes.			
E-Visit	HCPCS	G2063	Qualified nonphysician qualified health care professional online assessment and management service, for an established patient, for up to seven days, cumulative time during the seven days; 21 or more minutes.			

		CODES	TO IDENTIFY TELEPHONE VISITS:
Service	Code Type	Code	Code Description
Telephone Visit	СРТ	98966	Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous seven days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion.
Telephone Visit	СРТ	98967	Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous seven days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion.
Telephone Visit	СРТ	98968	Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous seven days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion.
Telephone Visit	СРТ	99441	Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, parent, or guardian not originating from a related E/M service provided within the previous seven days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion.
Telephone Visit	СРТ	99442	Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, parent, or guardian not originating from a related E/M service provided within the previous seven days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion.
Telephone Visit	СРТ	99443	Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, parent, or guardian not originating from a related E/M service provided within the previous seven days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion.

	CODES TO IDENTIFY ONLINE ASSESSMENTS:					
Service	Code Type	Code	Code Description			
Online Assessment	СРТ	98980	Remote therapeutic monitoring treatment management services, physician or other qualified health care professional time in a calendar month requiring at least one interactive communication with the patient or caregiver during the calendar month; first 20 minutes			
Online Assessment	СРТ	98981	Remote therapeutic monitoring treatment management services, physician or other qualified health care professional time in a calendar month requiring at least one interactive communication with the patient or caregiver during the calendar month; each additional 20 minutes (List separately in addition to code for primary procedure)			
Online Assessment	СРТ	99457	Remote physiologic monitoring treatment management services, clinical staff/physician/other qualified health care professional time in a calendar month requiring interactive communication with the patient/caregiver during the month; first 20 minutes			
Online Assessment	СРТ	99458	Remote physiologic monitoring treatment management services, clinical staff/physician/other qualified health care professional time in a calendar month requiring interactive communication with the patient/caregiver during the month; each additional 20 minutes (List separately in addition to code for primary procedure)			
Online Assessment	HCPCS	G2250	Remote assessment of recorded video and/or images submitted by an established patient (e.g., store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment			
Online Assessment	HCPCS	G2251	Brief communication technology-based service, e.g. virtual check-in, by a qualified health care professional who cannot report evaluation and management services, provided to an established patient, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion			
Online Assessment	HCPCS	G2252	Brief communication technology-based service, e.g. virtual check-in, by a physician or other qualified health care professional who can report evaluation and management services, provided to an established patient, not originating from a related EM service provided within the previous 7 days nor leading to an EM service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion			

Diabetes Care - Blood Pressure Control <140/90 (BPD)

Summary of Changes to the 2023 Global Quality P4P Program Guide:

- Update to the eligible population
- Update to the exclusions

Methodology: HEDIS®

Measure Description: The percentage of Members who are 18-75 years of age and have a diagnosis of diabetes (type 1 and type 2), whose blood pressure (BP) was adequately controlled (<140/90 mm Hg) during the measurement year (2023).

- Eligible population in this measure meets all of the following criteria:
 - 1. Members who are 18-75 years as of December 31 of the measurement year (2023).
 - 2. Continuous enrollment with IEHP during the measurement year (2023) with no more than one gap in enrollment of up to 45 days.
 - 3. Members who meet any of the following criteria during the measurement year (2023) or the year prior to the measurement year (2022). Count services that occur over both years:
 - At least two outpatient visits, observation visits, telephone visits, e-visits or virtual check-ins, Emergency Department (ED), nonacute inpatient encounter or nonacute inpatient discharges on different dates of service, with a diagnosis of diabetes. Visit type need not be the same for the two visits.
 - At least one acute inpatient encounter with a diagnosis of diabetes without telehealth.
 - Members who were dispensed insulin or hypoglycemics/antihyperglycemics during the measurement year (2023) or the year prior to the measurement year (2022).
 - At least one acute inpatient with a diagnosis of diabetes on the discharge claim. To identify an acute inpatient discharge:
 - Identify all acute and nonacute inpatient stays
 - Exclude nonacute inpatient stays
 - Identify the discharge date for the stay
- Members who meet any of the following criteria are excluded:
 - 1. Members in hospice.
 - 2. Members who did not have a diagnosis of diabetes, in any setting, during the measurement year (2023) or the year prior to the measurement year (2022) and who had a diagnosis of polycystic ovarian syndrome, gestational diabetes or steroid-induced diabetes, in any setting, during the measurement year (2023) or the year prior to the measurement year (2022).

- 3. Members receiving palliative care.
- 4. Members who expired at any time during the measurement year (2023).

Denominator: Members who are 18-75 years of age who meet all criteria for the eligible population.

• Anchor Date: December 31, 2023

Numerator: Members in the denominator who had a Blood Pressure reading that was adequately controlled <140/90 mm Hg. The latest Blood Pressure reading will be used to determine compliance. If there are multiple BPs on the same date of service, the lowest systolic and lowest diastolic Blood Pressure reading on that date will be used as a representative Blood Pressure reading. **Provider must bill one diastolic code and one systolic code.**

CODES TO	CODES TO IDENTIFY DIABETES CARE - BLOOD PRESSURE CONTROL:						
Service	Code Type	Code	Code Description				
Systolic Blood Pressure	CPT-CAT-II	3074F	Most recent systolic blood pressure less than 130 mm Hg (DM), (HTN, CKD, CAD)				
Systolic Blood Pressure	CPT-CAT-II	3075F	Most recent systolic blood pressure 130-139 mm Hg (DM),(HTN, CKD, CAD)				
Systolic Blood Pressure	CPT-CAT-II	3077F	Most recent systolic blood pressure greater than or equal to 140 mm Hg (HTN, CKD, CAD) (DM)				
Diastolic Blood Pressure	CPT-CAT-II	3078F	Most recent diastolic blood pressure less than 80 mm Hg (HTN, CKD, CAD) (DM)				
Diastolic Blood Pressure	CPT-CAT-II	3079F	Most recent diastolic blood pressure 80-89 mm Hg (HTN, CKD, CAD) (DM)				
Diastolic Blood Pressure	CPT-CAT-II	3080F	Most recent diastolic blood pressure greater than or equal to 90 mm Hg (HTN, CKD, CAD) (DM)				

Diabetes Care - Hemoglobin A1c Control for Patients with Diabetes (HBD)

Summary of Changes to the 2023 Global Quality P4P Program Guide:

- Update to the eligible population
- Update to the exclusions

Methodology: HEDIS®

Measure Description: The percentage of Members 18-75 years of age and have a diagnosis of diabetes (type 1 and type 2) who had the following:

- HbA1c Control (<8.0%) This includes diabetics whose <u>most recent</u> HbA1c test during the measurement year (2023) has a value <8.0%.
 - The Member is <u>not</u> numerator compliant if the result for the <u>most recent</u> HbA1c test is \geq 8.0% or is missing a result, or if an HbA1c test was not done during the measurement year (2023).
- The eligible population in this measure meets all of the following criteria:
 - 1. Members who are 18-75 years old as of December 31 of the measurement year (2023).
 - 2. Continuous enrollment with IEHP in the measurement year (2023) with no more than one gap of up to 45 days during the measurement year (2023).
 - 3. Members who meet any of the following criteria during the measurement year (2023) or the year prior to the measurement year (2022). Count services that occur over both years:
 - At least two outpatient visits, observation visits, telephone visits, e-visits or virtual check-ins, Emergency Department (ED), nonacute inpatient encounter or nonacute inpatient discharges on different dates of service, with a diagnosis of diabetes. Visit type need not be the same for the two visits.
 - At least one acute inpatient encounter with a diagnosis of diabetes without telehealth.
 - Members who were dispensed insulin or hypoglycemics/antihyperglycemics during the measurement year (2023) or the year prior to the measurement year (2022).
 - At least one acute inpatient discharge with a diagnosis of diabetes on the discharge claim. To identify an acute inpatient discharge:
 - Identify all acute and nonacute inpatient stays
 - Exclude nonacute inpatient stays
 - Identify the discharge date for the stay

CODES TO IDENTIFY HbA1c TESTS:					
Service	Code Type	Code	Code Description		
HbA1c Test	CPT-CAT-II	3046F	Most Recent Hemoglobin A1c Level Greater Than 9.0% (dm)		
HbA1c Test	CPT-CAT-II	3051F	Most Recent Hemoglobin A1c (hba1c) Level Greater Than Or Equal To 7.0% And Less Than 8.0%		
HbA1c Test	CPT-CAT-II	3052F	Most Recent Hemoglobin A1c (hba1c) Level Greater Than Or Equal To 8.0% And Less Than Or Equal To 9.0%		
HbA1c Test	CPT-CAT-II	3044F	Most Recent Hemoglobin A1c (hba1c) Level Less Than 7.0% (dm)		

- Members who met any of the following criteria are excluded:
 - 1. Members in hospice.
 - 2. Members who did not have a diagnosis of diabetes, in any setting, during the measurement year (2023) or the year prior to the measurement year (2022) *and* who had a diagnosis of polycystic ovarian syndrome, gestational diabetes or steroid-induced diabetes, in any setting, during the measurement year (2023) or the year prior to the measurement year (2022).
 - 3. Members receiving palliative care.
 - 4. Members who expired at any time during the measurement year (2023).

Denominator: Members 18-75 years of age who meet all the criteria for eligible population.

• Anchor Date: December 31, 2023

Numerator: Members in the denominator who had the most recent HbA1c level <8 during the measurement year (2023).

Diabetes Care - Kidney Health Evaluation (KED)

Summary of Changes to the 2023 Global Quality P4P Program Guide:

- Update to the eligible population
- Update to the exclusions

Methodology: HEDIS®

Measure Description: The percentage of Members who are 18-85 years of age and have a diagnosis of diabetes (type 1 and type 2), who received a kidney health evaluation, defined by an estimated glomerular filtration rate (eGFR) and a urine albumin-creatinine ratio (uACR), during the measurement year (2023).

- Eligible population in this measure meets all of the following criteria:
 - 1. Members who are 18-85 years of age as of December 31 of the measurement year (2023).
 - 2. Continuous enrollment with IEHP during the measurement year (2023) with no more than one gap in continuous enrollment with IEHP of up to 45 days during the measurement year (2023).
 - 3. Members who meet any of the following criteria during the measurement year (2023) or the year prior to the measurement year (2022). Count services that occur over both years:
 - At least two outpatient visits, observation visits, telephone visits, e-visits or virtual check-ins, Emergency Department (ED), nonacute inpatient encounter or nonacute inpatient discharges on different dates of service, with a diagnosis of diabetes. Visit type need not be the same for the two visits.
 - At least one acute inpatient encounter with a diagnosis of diabetes without telehealth.
 - Members who were dispensed insulin or hypoglycemics/antihyperglycemics basis during the measurement year (2023) or the year prior to the measurement year (2022).
 - At least one acute inpatient discharge with a diagnosis of diabetes on the discharge claim. To identify an acute inpatient discharge:
 - Identify all acute and nonacute inpatient stays
 - Exclude nonacute inpatient stays
 - Identify the discharge date for the stay
- Members who meet any of the following criteria are excluded:
 - 1. Members in hospice.
 - 2. Members with evidence of End-stage Renal Disease (ESRD) any time in the Members history on or before December 31 of the measurement year (2023).

- 3. Members receiving palliative care.
- 4. Members who did not have a diagnosis of diabetes in any setting, during the measurement year (2023) or the year prior to the measurement year (2022) and who had a diagnosis of polycystic ovarian syndrome, gestational diabetes or steroid-induced diabetes, in any setting during the measurement year (2023) or the year prior to the measurement year (2022).
- 5. Members who expired at any time during the measurement year (2023).
- 6. Members in dialysis

Denominator: Members who are 18-85 years of age who meet all criteria for the eligible population.

• Anchor Date: December 31, 2023

Numerator: Members in the denominator who received both an estimated glomerular filtration rate (eGFR) and a urine albumin-creatinine ratio (uACR) during the measurement year (2023), on the same or different dates of service. **The following is required for compliance in this measure:**

- At least one estimated glomerular filtration rate (eGFR).
- At least one urine albumin-creatinine ratio (uACR):
 - o Quantitative urine albumin lab test <u>AND</u> urine creatinine lab test that are 4 days or less apart.

OR

o Urine albumin-creatinine ratio lab test.

CODES	CODES TO IDENTIFY ESTIMATED GLOMERULAR FILTRATION RATE:					
Service	Code Type	Code	Code Description			
Estimated Glomerular Filtration Rate	СРТ	80047	Basic metabolic panel (Calcium, ionized) This panel must include the following: Calcium, ionized (82330) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea Nitrogen (BUN) (84520)			
Estimated Glomerular Filtration Rate	СРТ	80048	Basic metabolic panel (Calcium, total) This panel must include the following: Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea nitrogen (BUN) (84520)			
Estimated Glomerular Filtration Rate	СРТ	80050	General health panel This panel must include the following: Comprehensive metabolic panel (80053) Blood count, complete (CBC), automated and automated differential WBC count (85025 or 85027 and 85004) OR Blood count, complete (CBC), automated (85027) and appropriate manual differential WBC count (85007 or 85009) Thyroid stimulating hormone (TSH) (84443)			

CODES	TO IDE	NTIFY E	STIMATED GLOMERULAR FILTRATION RATE:
Service	Code Type	Code	Code Description
Estimated Glomerular Filtration Rate	СРТ	80053	Comprehensive metabolic panel This panel must include the following: Albumin (82040) Bilirubin, total (82247) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphatase, alkaline (84075) Potassium (84132) Protein, total (84155) Sodium (84295) Transferase, alanine amino (ALT) (SGPT) (84460) Transferase, aspartate amino (AST) (SGOT) (84450) Urea nitrogen (BUN) (84520)
Estimated Glomerular Filtration Rate	СРТ	80069	Renal function panel this panel must include the following: Albumin (82040) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphorus inorganic (phosphate) (84100) Potassium (84132) Sodium (84295) Urea nitrogen (BUN) (84520)
Estimated Glomerular Filtration Rate	СРТ	82565	Creatinine; Blood
Estimated Glomerular Filtration Rate	LOINC	50044-7	Glomerular Filtration Rate/1.73 Sq M.predicted Among Females [volume Rate/area] In Serum, Plasma Or Blood By Creatinine-based Formula (mdrd)
Estimated Glomerular Filtration Rate	LOINC	50210-4	Glomerular Filtration Rate/1.73 Sq M.predicted [volume Rate/area] In Serum, Plasma Or Blood By Cystatin C-based Formula
Estimated Glomerular Filtration Rate	LOINC	50384-7	Glomerular Filtration Rate/1.73 Sq M.predicted [volume Rate/area] In Serum, Plasma Or Blood By Creatinine-based Formula (schwartz)
Estimated Glomerular Filtration Rate	LOINC	62238-1	Glomerular Filtration Rate/1.73 Sq M.predicted [volume Rate/area] In Serum, Plasma Or Blood By Creatinine-based Formula (ckd-epi)
Estimated Glomerular Filtration Rate	LOINC	69405-9	Glomerular Filtration Rate/1.73 Sq M.predicted [volume Rate/area] In Serum, Plasma Or Blood
Estimated Glomerular Filtration Rate	LOINC	70969-1	Glomerular Filtration Rate/1.73 Sq M.predicted Among Males [volume Rate/area] In Serum, Plasma Or Blood By Creatinine-based Formula (mdrd)
Estimated Glomerular Filtration Rate	LOINC	77147-7	Glomerular Filtration Rate/1.73 Sq M.predicted [volume Rate/area] In Serum, Plasma Or Blood By Creatinine-based Formula (mdrd)
Estimated Glomerular Filtration Rate	LOINC	94677-2	Glomerular Filtration Rate/1.73 Sq M.predicted [volume Rate/area] In Serum, Plasma Or Blood By Creatinine And Cystatin C-based Formula (ckd-epi)
Estimated Glomerular Filtration Rate	LOINC	98979-8	Glomerular Filtration Rate/1.73 Sq M.predicted [volume Rate/area] In Serum, Plasma Or Blood By Creatinine-based Formula (ckd-epi 2021)
Estimated Glomerular Filtration Rate	LOINC	98980-6	Glomerular Filtration Rate/1.73 Sq M.predicted [volume Rate/area] In Serum, Plasma Or Blood By Creatinine And Cystatin C-based Formula (ckd-epi 2021)

CODES	TO IDENT	IFY QUA	NTITATIVE URINE ALBUMIN LAB TEST:
Service	Code Type	Code	Code Description
Quantitative Urine Albumin	СРТ	82043	Albumin; Urine (e.g, Microalbumin), Quantitative
Quantitative Urine Albumin	LOINC	100158-5	Microalbumin [mass/volume] In Urine Collected For Unspecified Duration
Quantitative Urine Albumin	LOINC	14957-5	Microalbumin [mass/volume] In Urine
Quantitative Urine Albumin	LOINC	1754-1	Albumin [mass/volume] In Urine
Quantitative Urine Albumin	LOINC	21059-1	Albumin [mass/volume] In 24 Hour Urine
Quantitative Urine Albumin	LOINC	30003-8	Microalbumin [mass/volume] In 24 Hour Urine
Quantitative Urine Albumin	LOINC	43605-5	Microalbumin [mass/volume] In 4 Hour Urine
Quantitative Urine Albumin	LOINC	53530-2	Microalbumin [mass/volume] In 24 Hour Urine By Detection Limit <= 1.0 Mg/l
Quantitative Urine Albumin	LOINC	53531-0	Microalbumin [mass/volume] In Urine By Detection Limit <= 1.0 Mg/l
Quantitative Urine Albumin	LOINC	57369-1	Microalbumin [mass/volume] In 12 Hour Urine
Quantitative Urine Albumin	LOINC	89999-7	Microalbumin [mass/volume] In Urine By Detection Limit <= 3.0 Mg/l

(CODES TO IDENTIFY URINE CREATININE LAB TEST:						
Service	Code Type	Code	Code Description				
Urine Creatinine	CPT	82570	Creatinine; Other Source				
Urine Creatinine	LOINC	20624-3	Creatinine [mass/volume] In 24 Hour Urine				
Urine Creatinine	LOINC	2161-8	Creatinine [mass/volume] In Urine				
Urine Creatinine	LOINC	35674-1	Creatinine [mass/volume] In Urine Collected For Unspecified Duration				
Urine Creatinine	LOINC	39982-4	Creatinine [mass/volume] In Urine - baseline				
Urine Creatinine	LOINC	57344-4	Creatinine [mass/volume] In 2 Hour Urine				
Urine Creatinine	LOINC	57346-9	Creatinine [mass/volume] In 12 Hour Urine				
Urine Creatinine	LOINC	58951-5	Creatinine [mass/volume] In Urine2nd Specimen				
Urine Creatinine	LOINC	58951-5	Creatinine [mass/volume] In Urine2nd Specimen				

CODES T	O IDENTI	FY URIN	E ALBUMIN-CREATININE RATIO LAB TEST:
Service	Code Type	Code	Code Description
Urine Albumin- Creatinine Ratio	LOINC	13705-9	Albumin/creatinine [mass Ratio] In 24 Hour Urine
Urine Albumin- Creatinine Ratio	LOINC	14958-3	Microalbumin/creatinine [mass Ratio] In 24 Hour Urine
Urine Albumin- Creatinine Ratio	LOINC	14959-1	Microalbumin/creatinine [mass Ratio] In Urine
Urine Albumin- Creatinine Ratio	LOINC	30000-4	Microalbumin/creatinine [ratio] In Urine
Urine Albumin- Creatinine Ratio	LOINC	32294-1	Albumin/creatinine [ratio] In Urine
Urine Albumin- Creatinine Ratio	LOINC	44292-1	Microalbumin/creatinine [mass Ratio] In 12 Hour Urine
Urine Albumin- Creatinine Ratio	LOINC	59159-4	Microalbumin/creatinine [ratio] In 24 Hour Urine
Urine Albumin- Creatinine Ratio	LOINC	76401-9	Albumin/creatinine [ratio] In 24 Hour Urine
Urine Albumin- Creatinine Ratio	LOINC	77253-3	Microalbumin/creatinine [ratio] In Urine By Detection Limit <= 1.0 Mg/l
Urine Albumin- Creatinine Ratio	LOINC	77254-1	Microalbumin/creatinine [ratio] In 24 Hour Urine By Detection Limit <= 1.0 Mg/l
Urine Albumin- Creatinine Ratio	LOINC	89998-9	Microalbumin/creatinine [ratio] In Urine By Detection Limit <= 3.0 Mg/l
Urine Albumin- Creatinine Ratio	LOINC	9318-7	Albumin/creatinine [mass Ratio] In Urine

Adult Influenza Vaccine

Methodology: IEHP – HEDIS Modified Measure

Measure Description: The percentage of Members 19 years of age and older who received an influenza vaccine between July 1 of the year prior to the measurement year (2022) and June 30 of the measurement year (2023).

Denominator: Members 19 years of age or older who meet all criteria for the eligible population.

• Anchor Date: June 30, 2023

Numerator: Members in the denominator who received an influenza vaccine between July 1, 2022-June 30, 2023.

	ADULT INFLUENZA VACCINE CODE SET:						
Service	Code Type	Code	Code Description				
Flu Vaccine	СРТ	90630	Influenza Virus Vaccine, Quadrivalent (Iiv4), Split Virus, Preservative Free, For Intradermal Use				
Flu Vaccine	СРТ	90653	Influenza Vaccine, Inactivated (Iiv), Subunit, Adjuvanted, For Intramuscular Use				
Flu Vaccine	СРТ	90654	Influenza Virus Vaccine, Trivalent (Iiv3), Split Virus, Preservative Free, For Intradermal Use				
Flu Vaccine	СРТ	90656	Influenza Virus Vaccine, Trivalent (Iiv3), Split Virus, Preservative Free, 0.5 Ml Dosage, For Intramuscular Use				
Flu Vaccine	СРТ	90658	Influenza Virus Vaccine, Trivalent (Iiv3), Split Virus, 0.5 Ml Dosage, For Intramuscular Use				
Flu Vaccine	CPT	90660	Influenza Virus Vaccine, Trivalent, Live (Laiv3), For Intranasal Use				
Flu Vaccine	СРТ	90661	Influenza Virus Vaccine, Trivalent (Cciiv3), Derived From Cell Cultures, Subunit, Preservative And Antibiotic Free, 0.5 Ml Dosage, For Intramuscular Use				
Flu Vaccine	СРТ	90662	Influenza Virus Vaccine (Iiv), Split Virus, Preservative Free, Enhanced Immunogenicity Via Increased Antigen Content, For Intramuscular Use				
Flu Vaccine	CPT	90672	Influenza Virus Vaccine, Quadrivalent, Live (Laiv4), For Intranasal Use				
Flu Vaccine	СРТ	90673	Influenza Virus Vaccine, Trivalent (Riv3), Derived From Recombinant Dna, Hemagglutinin (Ha) Protein Only, Preservative And Antibiotic Free, For Intramuscular Use				
Flu Vaccine	СРТ	90674	Influenza Virus Vaccine, Quadrivalent (Cciiv4), Derived From Cell Cultures, Subunit, Preservative And Antibiotic Free, 0.5 Ml Dosage, For Intramuscular Use				
Flu Vaccine	СРТ	90682	Influenza Virus Vaccine, Quadrivalent (RIV4), Derived From Recombinant DNA, Hemagglutinin (HA) Protein Only, Preservative And Antibiotic Free, For Intramuscular Use				

	ADULT INFLUENZA VACCINE CODE SET:					
Service	Code Type	Code	Code Description			
Flu Vaccine	СРТ	90686	Influenza Virus Vaccine, Quadrivalent (Iiv4), Split Virus, Preservative Free, 0.5 Ml Dosage, For Intramuscular Use			
Flu Vaccine	СРТ	90688	Influenza Virus Vaccine, Quadrivalent (Iiv4), Split Virus, 0.5 Ml Dosage, For Intramuscular Use			
Flu Vaccine	СРТ	90689	Influenza Virus Vaccine Quadrivalent (Iiv4), Inactivated, Adjuvanted, Preservative Free, 0.25 Ml Dosage, For Intramuscular Use			
Flu Vaccine	СРТ	90694	Influenza Virus Vaccine, Quadrivalent (aIIV4), Inactivated, Adjuvanted, Preservative Free, 0.5 mL Dosage, For Intramuscular Use			
Flu Vaccine	СРТ	90756	Influenza Virus Vaccine, Quadrivalent (Cciiv4), Derived From Cell Cultures, Subunit, Antibiotic Free, 0.5ml Dosage, For Intramuscular Use			

Post Discharge Follow-Up

Methodology: IEHP-Defined Measure

Measure Description: The percentage of Members, 18 years and older who have follow-up visits with a Provider within required timeframes. For this measure, two rates are calculated and the average of both rates are used as the final score.

Rate 1: Follow-Up Visit High-Risk Members – this measure assesses the percentage of Members identified as "high-risk" who were discharged from an acute or nonacute inpatient stay during the measurement year who also had a follow up visit with a provider within seven days of discharge.


Rate 2: Follow-Up Visit with non-High-Risk Members - this measure assesses the percentage of members identified as "low or rising risk" who were discharged from an acute or nonacute inpatient stay during the measurement year who also had a follow up visit with a provider within 30 days of discharge.

As part of IEHP's population health strategy, all IEHP Members are designated a risk level based on all available utilization and diagnostic data available to the plan. Members fall into one of three risk categories: High, Rising and Low Risk. IEHP leverages the John Hopkins ACG System to determine Member risk level using industry-validated risk stratification algorithms. For this measure, IEHP is leveraging the ACG risk marker called "Probability of Total High Cost" and has designated "high-risk" Members to be defined as those who have a probability score of ≥ 0.5 at the time of discharge.

- The eligible population in this measure meets all of the following criteria:
 - 1. Members who are 18 years of age, or older, by December 31, 2023
 - 2. To be eligible for this measure, IEHP Members must be enrolled with IEHP on the date of the discharge through 30 days after the discharge (31 total days)
 - 3. Discharged to home from an acute or nonacute inpatient hospital stay during the measurement year (2023)

This risk score is available for every IEHP Member on the IEHP Provider Portal and can be accessed by following these steps:

To view an IEHP Member's risk score and hospital discharge details, Providers can leverage the Inpatient Discharge Roster by logging in to the secure IEHP Provider Portal.



	CODES TO IDENTIFY FOLLOW-UP VISIT:						
Service	Code Type	Code	Code Description				
Office Visit	СРТ	99201	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A problem focused history; A problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Typically, 10 minutes are spent face-to-face with the patient and/or family.				
Office Visit	СРТ	99202	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using time for code selection, 15-29 minutes of total time is spent on the date of the encounter.				
Office Visit	СРТ	99203	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using time for code selection, 30-44 minutes of total time is spent on the date of the encounter.				
Office Visit	СРТ	99204	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using time for code selection, 45-59 minutes of total time is spent on the date of the encounter.				
Office Visit	СРТ	99205	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using time for code selection, 60-74 minutes of total time is spent on the date of the encounter.				
Office Visit	СРТ	99211	Office or other outpatient visit for the evaluation and management of an established patient, that may not require the presence of a physician or other qualified health care professional. Usually, the presenting problem(s) are minimal.				
Office Visit	СРТ	99212	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using time for code selection, 10-19 minutes of total time is spent on the date of the encounter.				
Office Visit	СРТ	99213	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using time for code selection, 20-29 minutes of total time is spent on the date of the encounter.				
Office Visit	СРТ	99214	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using time for code selection, 30-39 minutes of total time is spent on the date of the encounter.				
Office Visit	CPT	99215	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using time for code selection, 40-54 minutes of total time is spent on the date of the encounter.				

	CODES TO IDENTIFY FOLLOW-UP VISIT:						
Service	Code Type	Code	Code Description				
Office Visit	СРТ	99241	Office consultation for a new or established patient, which requires these three key components: A problem-focused history; A problem-focused examination; and Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Typically, 15 minutes are spent face-to-face with the patient and/or family.				
Office Visit	СРТ	99242	Office consultation for a new or established patient, which requires these three key components: An expanded problem-focused history; An expanded problem-focused examination; and Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low severity. Typically, 30 minutes are spent face-to-face with the patient and/or family.				
Office Visit	СРТ	99243	Office consultation for a new or established patient, which requires these three key components: A detailed history; A detailed examination; and Medical decision making of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity. Typically, 40 minutes are spent face-to-face with the patient and/or family.				
Office Visit	СРТ	99244	Office consultation for a new or established patient, which requires these three key components: A comprehensive history; A comprehensive examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 60 minutes are spent face-to-face with the patient and/or family.				
Office Visit	СРТ	99245	Office consultation for a new or established patient, which requires these three key components: A comprehensive history; A comprehensive examination; and Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 80 minutes are spent face-to-face with the patient and/or family.				
Office Visit	СРТ	99385	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 18-39 years.				
Office Visit	СРТ	99386	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 40-64 years.				

			CODES TO IDENTIFY FOLLOW-UP VISIT:
Service	Code Type	Code	Code Description
Office Visit	СРТ	99387	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 65 years and older.
Office Visit	СРТ	99395	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 18-39 years.
Office Visit	СРТ	99396	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 40-64 years.
Office Visit	СРТ	99397	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 65 years and older.
Office Visit	СРТ	99401	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 15 minutes.
Office Visit	СРТ	99402	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 30 minutes.
Office Visit	СРТ	99403	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 45 minutes.
Office Visit	СРТ	99404	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 60 minutes.
Office Visit	СРТ	99411	Preventive Medicine Counseling And/or Risk Factor Reduction Intervention(s) Provided To Individuals In A Group Setting (separate Procedure); Approximately 30 Minutes
Office Visit	СРТ	99412	Preventive Medicine Counseling And/or Risk Factor Reduction Intervention(s) Provided To Individuals In A Group Setting (separate Procedure); Approximately 60 Minutes
Office Visit	СРТ	99429	Unlisted Preventive Medicine Service
Office Visit	СРТ	99455	Work related or medical disability examination by the treating physician that includes: Completion of a medical history commensurate with the patient's condition; Performance of an examination commensurate with the patient's condition; Formulation of a diagnosis, assessment of capabilities and stability, and calculation of impairment; Development of future medical treatment plan; and Completion of necessary documentation/certificates and report.
Office Visit	СРТ	99456	Work related or medical disability examination by other than the treating physician that includes: Completion of a medical history commensurate with the patient's condition; Performance of an examination commensurate with the patient's condition; Formulation of a diagnosis, assessment of capabilities and stability, and calculation of impairment; Development of future medical treatment plan; and Completion of necessary documentation/certificates and report.

	CODES TO IDENTIFY FOLLOW-UP VISIT:								
Service	Code Type	Code	Code Description						
Office Visit	СРТ	99483	Assessment of and care planning for a patient with cognitive impairment, requiring an independent historian, in the office or other outpatient, home or domiciliary or rest home, with all of the following required elements: Cognition-focused evaluation including a pertinent history and examination, Medical decision making of moderate or high complexity, Functional assessment (eg, basic and instrumental activities of daily living), including decision-making capacity, Use of standardized instruments for staging of dementia (eg, functional assessment staging test [FAST], clinical dementia rating [CDR]), Medication reconciliation and review for high-risk medications, Evaluation for neuropsychiatric and behavioral symptoms, including depression, including use of standardized screening instrument(s), Evaluation of safety (eg, home), including motor vehicle operation, Identification of caregiver(s), caregiver knowledge, caregiver needs, social supports, and the willingness of caregiver to take on caregiving tasks, Development, updating or revision, or review of an Advance Care Plan, Creation of a written care plan, including initial plans to address any neuropsychiatric symptoms, neuro-cognitive symptoms, functional limitations, and referral to community resources as needed (eg, rehabilitation services, adult day programs, support groups) shared with the patient and/or caregiver with initial education and support. Typically, 60 minutes of total time is spent on the date of the encounter.						
Office Visit	СРТ	99495*	Transitional Care Management Services with the following required elements: Communication (direct contact, telephone, electronic) with the patient and/or caregiver within two business days of discharge Medical decision making of at least moderate complexity during the service period face-to-face visit, within 14 calendar days of discharge.						
Office Visit	СРТ	99496	Transitional Care Management Services with the following required elements: Communication (direct contact, telephone, electronic) with the patient and/or caregiver within two business days of discharge medical decision making of high complexity during the service period face-to-face visit, within seven calendar days of discharge.						
Office Visit	HCPCS	G0402	Initial Preventive Physical Examination; Face-to-face Visit, Services Limited To New Beneficiary During The First 12 Months Of Medicare Enrollment (g0402)						
Office Visit	HCPCS	G0438	Annual Wellness Visit; Includes A Personalized Prevention Plan Of Service (pps), Initial Visit (g0438)						
Office Visit	HCPCS	G0439	Annual Wellness Visit, Includes A Personalized Prevention Plan Of Service (pps), Subsequent Visit (g0439)						
Office Visit	HCPCS	G0463	Hospital outpatient clinic visit for assessment and management of a patient.						
Office Visit	HCPCS	T1015	Clinic visit/encounter, all-inclusive.						

	CODES TO IDENTIFY TELEPHONE VISITS:					
Service	Code Type	Code	Code Description			
Telephone Visit	СРТ	98966	Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous seven days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion.			
Telephone Visit	СРТ	98967	Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous seven days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion.			
Telephone Visit	СРТ	98968	Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous seven days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion.			
Telephone Visit	СРТ	99441	Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, parent, or guardian not originating from a related E/M service provided within the previous seven days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion.			
Telephone Visit	СРТ	99442	Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, parent, or guardian not originating from a related E/M service provided within the previous seven days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion.			
Telephone Visit	СРТ	99443	Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, parent, or guardian not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion.			

	CODES TO IDENTIFY ONLINE ASSESSMENTS:						
Service	Code Type	Code	Code Description				
Online Assessment	СРТ	98969	Online assessment and management service provided by a qualified nonphysician health care professional to an established patient or guardian, not originating from a related assessment and management service provided within the previous 7 days, using the Internet or similar electronic communications network				
Online Assessment	СРТ	98970	Qualified Nonphysician Health Care Professional Online Digital Assessment And Management, For An Established Patient, For Up To 7 Days, Cumulative Time During The 7 Days; 5-10 Minutes				
Online Assessment	CPT	98971	Qualified Nonphysician Health Care Professional Online Digital Assessment And Management, For An Established Patient, For Up To 7 Days, Cumulative Time During The 7 Days; 11-20 Minutes				
Online Assessment	СРТ	98972	Qualified Nonphysician Health Care Professional Online Digital Assessment And Management, For An Established Patient, For Up To 7 Days, Cumulative Time During The 7 Days; 21 Or More Minutes				
Online Assessment	СРТ	98980	Remote Therapeutic Monitoring Treatment Management Services, Physician Or Other Qualified Health Care Professional Time In A Calendar Month Requiring At Least One Interactive Communication With The Patient Or Caregiver During The Calendar Month; First 20 minutes				
Online Assessment	СРТ	98981	Remote therapeutic monitoring treatment management services, physician or other qualified health care professional time in a calendar month requiring at least one interactive communication with the patient or caregiver during the calendar month; each additional 20 minutes				
Online Assessment	СРТ	99421	Online Digital Evaluation And Management Service, For An Established Patient, For Up To 7 Days, Cumulative Time During The 7 Days; 5-10 Minutes				
Online Assessment	СРТ	99422	Online Digital Evaluation And Management Service, For An Established Patient, For Up To 7 Days, Cumulative Time During The 7 Days; 11-20 Minutes				
Online Assessment	СРТ	99423	Online Digital Evaluation And Management Service, For An Established Patient, For Up To 7 Days, Cumulative Time During The 7 Days; 21 Or More Minutes				
Online Assessment	СРТ	99444	Online evaluation and management service provided by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient or guardian, not originating from a related E/M service provided within the previous 7 days, using the Internet or similar electronic communications network				
Online Assessment	СРТ	99457	Remote Physiologic Monitoring Treatment Management Services, Clinical Staff/physician/other Qualified Health Care Professional Time In A Calendar Month Requiring Interactive Communication With The Patient/caregiver During The Month; First 20 Minutes				
Online Assessment	СРТ	99458	Remote Physiologic Monitoring Treatment Management Services, Clinical Staff/physician/other Qualified Health Care Professional Time In A Calendar Month Requiring Interactive Communication With The Patient/caregiver During The Month; Each Additional 20 Minutes				

	CODES TO IDENTIFY ONLINE ASSESSMENTS:						
Service	Code Type	Code	Code Description				
Online Assessment	HCPCS	G0071	Payment for communication technology-based services for 5 minutes or more of a virtual (nonface-to-face) communication between a rural health clinic (RHC) or federally qualified health center (FQHC) practitioner and RHC or FQHC patient, or 5 minutes or more of remote evaluation of recorded video and/or images by an RHC or FQHC practitioner, occurring in lieu of an office visit; RHC or FQHC only				
Online Assessment	HCPCS	G2010	Remote Evaluation Of Recorded Video And/or Images Submitted By An Established Patient (e.g., Store And Forward), Including Interpretation With Follow-up With The Patient Within 24 Business Hours, Not Originating From A Related E/m Service Provided Within the next 24 hours or soonest available appointment				
Online Assessment	HCPCS	G2012	Brief communication technology-based service, e.g., virtual check-in, by a physician or other qualified health care professional who can report evaluation and management services, provided to an established patient, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion				
Online Assessment	HCPCS	G2061	Qualified Nonphysician Healthcare Professional Online Assessment And Management Service, For An Established Patient, For Up To Seven Days, Cumulative Time During The 7 Days; 5-10 Minutes (g2061)				
Online Assessment	HCPCS	G2062	Qualified Nonphysician Healthcare Professional Online Assessment And Management Service, For An Established Patient, For Up To Seven Days, Cumulative Time During The 7 Days; 11-20 Minutes (g2062)				
Online Assessment	HCPCS	G2063	Qualified Nonphysician Healthcare Professional Online Assessment And Management Service, For An Established Patient, For Up To Seven Days, Cumulative Time During The 7 Days; 21 Or More Minutes (g2063)				
Online Assessment	HCPCS	G2250	Remote assessment of recorded video and/or images submitted by an established patient (e.g., store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment				
Online Assessment	HCPCS	G2251	Brief communication technology-based service, e.g. virtual check-in, by a qualified health care professional who cannot report evaluation and management services, provided to an established patient, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion				
Online Assessment	HCPCS	G2252	Brief communication technology-based service, e.g. virtual check-in, by a physician or other qualified health care professional who can report evaluation and management services, provided to an established patient, not originating from a related EM service provided within the previous 7 days nor leading to an EM service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion				

*Code can only be applied to follow-up visits for non-high risk Members.

Note: Visits with an Urgent Care will not be accepted for the Post Discharge Follow-Up measure.

The following are excluded from the measure:

- 1. Hospice
- 2. Skilled Nursing Facility
- 3. Deliveries

Statin Therapy Received for Patients with Cardiovascular Disease (SPC)

Methodology: HEDIS®

Measure Description: The percentage of men who are 21-75 years of age and women who are 40-75 years of age during the measurement year (2023), who were identified as having clinical atherosclerotic cardiovascular disease (ASCVD) and were dispensed at least one high-intensity or moderate-intensity statin medication during the measurement year (2023).

- Eligible population in this measure meets all of the following criteria:
 - 1. Men who are 21-75 years of age as of December 31 of the measurement year (2023).
 - 2. Women who are 40-75 years of age as of December 31 of the measurement year (2023).
 - 3. Continuous enrollment with IEHP during the measurement year (2023) and the year prior (2022) with no more than one gap in continuous enrollment with IEHP of up to 45 days during each year of the continuous enrollment with IEHP period.

Denominator: Men who are 21-75 years of age and women who are 40-75 who meet all criteria for the eligible population.

• Anchor Date: December 31, 2023

Numerator: Members in the denominator who had at least one dispensing event for high-intensity or moderate-intensity statin medication during the measurement year (2023).

HIGH AND MODERATE-INTENSITY STATIN MEDICATIONS:					
Description	Prescription				
High-intensity statin therapy	Atorvastatin 40-80 mg				
High-intensity statin therapy	Amlodipine-atorvastatin 40-80 mg				
High-intensity statin therapy	Rosuvastatin 20-40 mg				
High-intensity statin therapy	Simvastatin 80 mg				
High-intensity statin therapy	Ezetimibe-simvastatin 80 mg				
Moderate-intensity statin therapy	Atorvastatin 10-20 mg				
Moderate-intensity statin therapy	Amlodipine-atorvastatin 10-20 mg				
Moderate-intensity statin therapy	Rosuvastatin 5-10 mg				
Moderate-intensity statin therapy	Simvastatin 20-40 mg				
Moderate-intensity statin therapy	Ezetimibe-simvastatin 20-40 mg				
Moderate-intensity statin therapy	Pravastatin 40-80 mg				
Moderate-intensity statin therapy	Lovastatin 40 mg				
Moderate-intensity statin therapy	Fluvastatin 40-80 mg				
Moderate-intensity statin therapy	Pitavastatin 1-4 mg				

Statin Therapy Received for Patients with Diabetes (SPD)

Methodology: HEDIS®

Measure Description: The percentage of Members who are 40-75 years of age during the measurement year (2023) with diabetes who did not have clinical atherosclerotic cardiovascular disease (ASCVD) who were dispensed at least one statin medication of any intensity during the measurement year (2023).

- Eligible population in this measure meets all of the following criteria:
 - 1. Members who 40-75 years as of December 31 of the measurement year (2023).
 - 2. Continuous enrollment with IEHP during the measurement year (2023) and the year prior (2022) with no more than one gap in continuous enrollment with IEHP of up to 45 days during each year of the continuous enrollment with IEHP period.

Denominator: Members who are 40-75 years of age who meet all criteria for the eligible population.

• Anchor Date: December 31, 2023

Numerator: Members in the denominator who had at least one dispensing event for any intensity statin medication during the measurement year (2023).

HIGH, MODERATE AND LOW-	INTENSITY STATIN MEDICATIONS:
Description	Prescription
High-intensity statin therapy	Atorvastatin 40-80 mg
High-intensity statin therapy	Amlodipine-atorvastatin 40-80 mg
High-intensity statin therapy	Rosuvastatin 20-40 mg
High-intensity statin therapy	Simvastatin 80 mg
High-intensity statin therapy	Ezetimibe-simvastatin 80 mg
Moderate-intensity statin therapy	Atorvastatin 10-20 mg
Moderate-intensity statin therapy	Amlodipine-atorvastatin 10-20 mg
Moderate-intensity statin therapy	Rosuvastatin 5-10 mg
Moderate-intensity statin therapy	Simvastatin 20-40 mg
Moderate-intensity statin therapy	Ezetimibe-simvastatin 20-40 mg
Moderate-intensity statin therapy	Pravastatin 40-80 mg
Moderate-intensity statin therapy	Lovastatin 40 mg
Moderate-intensity statin therapy	Fluvastatin 40-80 mg
Moderate-intensity statin therapy	Pitavastatin 1-4 mg
Low-intensity statin therapy	Ezetimibe-simvastatin 10 mg
Low-intensity statin therapy	Fluvastatin 20 mg
Low-intensity statin therapy	Lovastatin 10-20 mg
Low-intensity statin therapy	Pravastatin 10-20 mg
Low-intensity statin therapy	Simvastatin 5-10 mg

Use of Imaging Studies for Low Back Pain (LBP)

Summary of Changes to the 2023 Global Quality P4P Program Guide:

• Update to the exclusions

Methodology: HEDIS®

Measure Description: The percentage of Members 18 - 75 years of age with a primary diagnosis of low back pain who did not have an imaging study (plain X-ray, MRI, CT scan) within 28 days of the diagnosis. The measure is reported as an inverted rate [1 – (numerator/eligible population)]. A higher score indicates appropriate treatment of low back pain (i.e., the proportion for whom imaging studies did <u>not</u> occur).

- Index Episode Start Date (IESD). The earliest date of service for an eligible encounter during the Intake Period with a principal diagnosis of low back pain.
- A period of 180 days (six months) prior to the IESD when the member had no claims/ encounters with any diagnosis of low back pain.

Exclude Members with any of the following:

- In *hospice* or using hospice services during the measurement period (2023).
- *Cancer*. Cancer any time during the Member's history through 28 days after the IESD.
- *Recent trauma*. Trauma any time during the three months (90 days) prior to the IESD through 28 days after the IESD.
- *Intravenous drug abuse*. IV drug abuse any time during the 12 months (one year) prior to the IESD through 28 days after the IESD.
- *Neurologic impairment*. Neurologic impairment any time during the 12 months (one year) prior to the IESD through 28 days after the IESD.
- *HIV*. HIV any time during the Member's history through 28 days after the IESD.
- *Spinal infection*. Spinal infection any time during the 12 months (one year) prior to the IESD through 28 days after the IESD.
- *Major organ transplant*. Major organ transplant any time in the Member's history through 28 days after the IESD.
- *Prolonged use of corticosteroids*. 90 consecutive days of corticosteroid treatment any time during the 12 months (one year) prior to and including the IESD.
- *Osteoporosis*. Osteoporosis therapy or a dispensed prescription to treat osteoporosis any time during the Member's history through 28 days after the IESD.
- *Fragility fracture*. Fragility fracture any time during the three months (90 days) prior to the IESD through 28 days after the IESD.
- *Lumbar surgery*. Lumbar surgery any time during the Member's history through 28 days after the IESD.
- *Spondylopathy*. Spondylopathy any time during the Member's history through 28 days after the IESD.

- Palliative care. Members receiving palliative care during the measurement year (2023).
- Members who expired at any time during the Measurement year (2023).

Denominator: All Members aged 18 years as of January 1 of the measurement year (2023) to 75 years as of December 31 of the measurement year (2023) with a principal diagnosis of uncomplicated low back pain during the measurement year (2023).

Numerator: Members in the denominator who received an imaging study with a diagnosis of uncomplicated low back pain on the IESD or in the 28 days following the IESD.

CC	DDES TO II	DENTIFY	UNCOMPLICATED LOW BACK PAIN:
Service	Code Type	Code	Code Description
Uncomplicated Low Back Pain	ICD10CM	M47.26	Other Spondylosis With Radiculopathy, Lumbar Region
Uncomplicated Low Back Pain	ICD10CM	M47.27	Other Spondylosis With Radiculopathy, Lumbosacral Region
Uncomplicated Low Back Pain	ICD10CM	M47.28	Other Spondylosis With Radiculopathy, Sacral And Sacrococcygeal Region
Uncomplicated Low Back Pain	ICD10CM	M47.816	Spondylosis Without Myelopathy Or Radiculopathy, Lumbar Region
Uncomplicated Low Back Pain	ICD10CM	M47.817	Spondylosis Without Myelopathy Or Radiculopathy, Lumbosacral Region
Uncomplicated Low Back Pain	ICD10CM	M47.818	Spondylosis Without Myelopathy Or Radiculopathy, Sacral And Sacrococcygeal Region
Uncomplicated Low Back Pain	ICD10CM	M47.896	Other Spondylosis, Lumbar Region
Uncomplicated Low Back Pain	ICD10CM	M47.897	Other Spondylosis, Lumbosacral Region
Uncomplicated Low Back Pain	ICD10CM	M47.898	Other Spondylosis, Sacral And Sacrococcygeal Region
Uncomplicated Low Back Pain	ICD10CM	M48.061	Spinal Stenosis, Lumbar Region Without Neurogenic Claudication
Uncomplicated Low Back Pain	ICD10CM	M48.062	Spinal Stenosis, Lumbar Region With Neurogenic Claudication
Uncomplicated Low Back Pain	ICD10CM	M48.07	Spinal Stenosis, Lumbosacral Region
Uncomplicated Low Back Pain	ICD10CM	M48.08	Spinal Stenosis, Sacral And Sacrococcygeal Region
Uncomplicated Low Back Pain	ICD10CM	M51.16	Intervertebral Disc Disorders With Radiculopathy, Lumbar Region
Uncomplicated Low Back Pain	ICD10CM	M51.17	Intervertebral Disc Disorders With Radiculopathy, Lumbosacral Region
Uncomplicated Low Back Pain	ICD10CM	M51.26	Other Intervertebral Disc Displacement, Lumbar Region

CC	DDES TO II	DENTIFY	UNCOMPLICATED LOW BACK PAIN:
Service	Code Type	Code	Code Description
Uncomplicated Low Back Pain	ICD10CM	M51.27	Other Intervertebral Disc Displacement, Lumbosacral Region
Uncomplicated Low Back Pain	ICD10CM	M51.36	Other Intervertebral Disc Degeneration, Lumbar Region
Uncomplicated Low Back Pain	ICD10CM	M51.37	Other Intervertebral Disc Degeneration, Lumbosacral Region
Uncomplicated Low Back Pain	ICD10CM	M51.86	Other Intervertebral Disc Disorders, Lumbar Region
Uncomplicated Low Back Pain	ICD10CM	M51.87	Other Intervertebral Disc Disorders, Lumbosacral Region
Uncomplicated Low Back Pain	ICD10CM	M53.2X6	Spinal Instabilities, Lumbar Region
Uncomplicated Low Back Pain	ICD10CM	M53.2X7	Spinal Instabilities, Lumbosacral Region
Uncomplicated Low Back Pain	ICD10CM	M53.2X8	Spinal Instabilities, Sacral And Sacrococcygeal Region
Uncomplicated Low Back Pain	ICD10CM	M53.3	Sacrococcygeal Disorders, Not Elsewhere Classified
Uncomplicated Low Back Pain	ICD10CM	M53.86	Other Specified Dorsopathies, Lumbar Region
Uncomplicated Low Back Pain	ICD10CM	M53.87	Other Specified Dorsopathies, Lumbosacral Region
Uncomplicated Low Back Pain	ICD10CM	M53.88	Other Specified Dorsopathies, Sacral And Sacrococcygeal Region
Uncomplicated Low Back Pain	ICD10CM	M54.16	Radiculopathy, Lumbar Region
Uncomplicated Low Back Pain	ICD10CM	M54.17	Radiculopathy, Lumbosacral Region
Uncomplicated Low Back Pain	ICD10CM	M54.18	Radiculopathy, Sacral And Sacrococcygeal Region
Uncomplicated Low Back Pain	ICD10CM	M54.30	Sciatica, Unspecified Side
Uncomplicated Low Back Pain	ICD10CM	M54.31	Sciatica, Right Side
Uncomplicated Low Back Pain	ICD10CM	M54.32	Sciatica, Left Side
Uncomplicated Low Back Pain	ICD10CM	M54.40	Lumbago With Sciatica, Unspecified Side
Uncomplicated Low Back Pain	ICD10CM	M54.41	Lumbago With Sciatica, Right Side
Uncomplicated Low Back Pain	ICD10CM	M54.42	Lumbago With Sciatica, Left Side

CC	CODES TO IDENTIFY UNCOMPLICATED LOW BACK PAIN:					
Service	Code Type	Code	Code Description			
Uncomplicated Low Back Pain	ICD10CM	M54.5	Low Back Pain			
Uncomplicated Low Back Pain	ICD10CM	M54.89	Other Dorsalgia			
Uncomplicated Low Back Pain	ICD10CM	M54.9	Dorsalgia, Unspecified			
Uncomplicated Low Back Pain	ICD10CM	M99.03	Segmental And Somatic Dysfunction Of Lumbar Region			
Uncomplicated Low Back Pain	ICD10CM	M99.04	Segmental And Somatic Dysfunction Of Sacral Region			
Uncomplicated Low Back Pain	ICD10CM	M99.23	Subluxation Stenosis Of Neural Canal Of Lumbar Region			
Uncomplicated Low Back Pain	ICD10CM	M99.33	Osseous Stenosis Of Neural Canal Of Lumbar Region			
Uncomplicated Low Back Pain	ICD10CM	M99.43	Connective Tissue Stenosis Of Neural Canal Of Lumbar Region			
Uncomplicated Low Back Pain	ICD10CM	M99.53	Intervertebral Disc Stenosis Of Neural Canal Of Lumbar Region			
Uncomplicated Low Back Pain	ICD10CM	M99.63	Osseous And Subluxation Stenosis Of Intervertebral Foramina Of Lumbar Region			
Uncomplicated Low Back Pain	ICD10CM	M99.73	Connective Tissue And Disc Stenosis Of Intervertebral Foramina Of Lumbar Region			
Uncomplicated Low Back Pain	ICD10CM	M99.83	Other Biomechanical Lesions Of Lumbar Region			
Uncomplicated Low Back Pain	ICD10CM	M99.84	Other Biomechanical Lesions Of Sacral Region			
Uncomplicated Low Back Pain	ICD10CM	S33.100A	Subluxation Of Unspecified Lumbar Vertebra, Initial Encounter			
Uncomplicated Low Back Pain	ICD10CM	S33.100D	Subluxation Of Unspecified Lumbar Vertebra, Subsequent Encounter			
Uncomplicated Low Back Pain	ICD10CM	S33.100S	Subluxation Of Unspecified Lumbar Vertebra, Sequela			
Uncomplicated Low Back Pain	ICD10CM	S33.110A	Subluxation Of L1/l2 Lumbar Vertebra, Initial Encounter			
Uncomplicated Low Back Pain	ICD10CM	S33.110D	Subluxation Of L1/l2 Lumbar Vertebra, Subsequent Encounter			
Uncomplicated Low Back Pain	ICD10CM	S33.110S	Subluxation Of L1/l2 Lumbar Vertebra, Sequela			
Uncomplicated Low Back Pain	ICD10CM	S33.120A	Subluxation Of L2/l3 Lumbar Vertebra, Initial Encounter			
Uncomplicated Low Back Pain	ICD10CM	S33.120D	Subluxation Of L2/l3 Lumbar Vertebra, Subsequent Encounter			

CC	DDES TO II	DENTIFY	UNCOMPLICATED LOW BACK PAIN:
Service	Code Type	Code	Code Description
Uncomplicated Low Back Pain	ICD10CM	S33.120S	Subluxation Of L2/l3 Lumbar Vertebra, Sequela
Uncomplicated Low Back Pain	ICD10CM	S33.130A	Subluxation Of L3/l4 Lumbar Vertebra, Initial Encounter
Uncomplicated Low Back Pain	ICD10CM	S33.130D	Subluxation Of L3/l4 Lumbar Vertebra, Subsequent Encounter
Uncomplicated Low Back Pain	ICD10CM	S33.130S	Subluxation Of L3/l4 Lumbar Vertebra, Sequela
Uncomplicated Low Back Pain	ICD10CM	S33.140A	Subluxation Of L4/l5 Lumbar Vertebra, Initial Encounter
Uncomplicated Low Back Pain	ICD10CM	S33.140D	Subluxation Of L4/l5 Lumbar Vertebra, Subsequent Encounter
Uncomplicated Low Back Pain	ICD10CM	S33.140S	Subluxation Of L4/l5 Lumbar Vertebra, Sequela
Uncomplicated Low Back Pain	ICD10CM	S33.5XXA	Sprain Of Ligaments Of Lumbar Spine, Initial Encounter
Uncomplicated Low Back Pain	ICD10CM	S33.6XXA	Sprain Of Sacroiliac Joint, Initial Encounter
Uncomplicated Low Back Pain	ICD10CM	S33.8XXA	Sprain Of Other Parts Of Lumbar Spine And Pelvis, Initial Encounter
Uncomplicated Low Back Pain	ICD10CM	S33.9XXA	Sprain Of Unspecified Parts Of Lumbar Spine And Pelvis, Initial Encounter
Uncomplicated Low Back Pain	ICD10CM	S39.002A	Unspecified Injury Of Muscle, Fascia And Tendon Of Lower Back, Initial Encounter
Uncomplicated Low Back Pain	ICD10CM	S39.002D	Unspecified Injury Of Muscle, Fascia And Tendon Of Lower Back, Subsequent Encounter
Uncomplicated Low Back Pain	ICD10CM	S39.002S	Unspecified Injury Of Muscle, Fascia And Tendon Of Lower Back, Sequela
Uncomplicated Low Back Pain	ICD10CM	S39.012A	Strain Of Muscle, Fascia And Tendon Of Lower Back, Initial Encounter
Uncomplicated Low Back Pain	ICD10CM	S39.012D	Strain Of Muscle, Fascia And Tendon Of Lower Back, Subsequent Encounter
Uncomplicated Low Back Pain	ICD10CM	S39.012S	Strain Of Muscle, Fascia And Tendon Of Lower Back, Sequela
Uncomplicated Low Back Pain	ICD10CM	S39.092A	Other Injury Of Muscle, Fascia And Tendon Of Lower Back, Initial Encounter
Uncomplicated Low Back Pain	ICD10CM	S39.092D	Other Injury Of Muscle, Fascia And Tendon Of Lower Back, Subsequent Encounter
Uncomplicated Low Back Pain	ICD10CM	S39.092S	Other Injury Of Muscle, Fascia And Tendon Of Lower Back, Sequela
Uncomplicated Low Back Pain	ICD10CM	S39.82XA	Other Specified Injuries Of Lower Back, Initial Encounter

CC	CODES TO IDENTIFY UNCOMPLICATED LOW BACK PAIN:						
Service	Code Type	Code	Code Description				
Uncomplicated Low Back Pain	ICD10CM	S39.82XD	Other Specified Injuries Of Lower Back, Subsequent Encounter				
Uncomplicated Low Back Pain	ICD10CM	S39.82XS	Other Specified Injuries Of Lower Back, Sequela				
Uncomplicated Low Back Pain	ICD10CM	S39.92XA	Unspecified Injury Of Lower Back, Initial Encounter				
Uncomplicated Low Back Pain	ICD10CM	S39.92XD	Unspecified Injury Of Lower Back, Subsequent Encounter				
Uncomplicated Low Back Pain	ICD10CM	S39.92XS	Unspecified Injury Of Lower Back, Sequela				

	CODES TO IDENTIFY IMAGING STUDIES:					
Service	Code Type	Code	Code Description			
Imaging Study	СРТ	72010	Radiologic Examination Spine Entire Survey Study Anteroposterior And Lateral			
Imaging Study	CPT	72024	Radiologic Examination Spine Single View Specify Level			
Imaging Study	CPT	72040	Radiologic Examination, Spine, Cervical; 2 Or 3 Views			
Imaging Study	CPT	72050	Radiologic Examination, Spine, Cervical; 4 Or 5 Views			
Imaging Study	CPT	72070	Radiologic Examination, Spine; Thoracic, 2 Views			
Imaging Study	CPT	72072	Radiologic Examination, Spine; Thoracic, 3 Views			
Imaging Study	CPT	72074	Radiologic Examination, Spine; Thoracic, Minimum Of 4 Views			
Imaging Study	СРТ	72080	Radiologic Examination, Spine; Thoracolumbar Junction, Minimum Of 2 Views			
Imaging Study	СРТ	72081	Radiologic Examination, Spine, Entire Thoracic And Lumbar, Including Skull, Cervical And Sacral Spine If Performed (eg, Scoliosis Evaluation); One View			
Imaging Study	СРТ	72082	Radiologic Examination, Spine, Entire Thoracic And Lumbar, Including Skull, Cervical And Sacral Spine If Performed (eg, Scoliosis Evaluation); 2 Or 3 Views			
Imaging Study	СРТ	72083	Radiologic Examination, Spine, Entire Thoracic And Lumbar, Including Skull, Cervical And Sacral Spine If Performed (eg, Scoliosis Evaluation); 4 Or 5 Views			
Imaging Study	СРТ	72084	Radiologic Examination, Spine, Entire Thoracic And Lumbar, Including Skull, Cervical And Sacral Spine If Performed (eg, Scoliosis Evaluation); Minimum Of 6 Views			
Imaging Study	СРТ	72052	Radiologic Examination Spine Cervical Complete Including Oblique And Flexion And/or Extension Studies			
Imaging Study	CPT	72100	Radiologic Examination Spine Lumbosacral Two Or Three Views			
Imaging Study	CPT	72110	Radiologic Examination Spine Lumbosacral Minimum Of Four Views			
Imaging Study	СРТ	72114	Radiologic Examination Spine Lumbosacral Complete Including Bending Views			

CODES TO IDENTIFY IMAGING STUDIES:				
Service	Code Type	Code	Code Description	
Imaging Study	СРТ	72120	Radiologic Examination Spine Lumbosacral Bending Views Only Minimum Of Four Views	
Imaging Study	CPT	72125	Computed Tomography, Cervical Spine; Without Contrast Material	
Imaging Study	CPT	72126	Computed Tomography, Cervical Spine; With Contrast Material	
Imaging Study	СРТ	72127	Computed Tomography, Cervical Spine; Without Contrast Material, Followed By Contrast Material(s) And Further Sections	
Imaging Study	CPT	72128	Computed Tomography, Thoracic Spine; Without Contrast Material	
Imaging Study	CPT	72129	Computed Tomography, Thoracic Spine; With Contrast Material	
Imaging Study	СРТ	72130	Computed Tomography, Thoracic Spine; Without Contrast Material, Followed By Contrast Material(s) And Further Sections	
Imaging Study	СРТ	72131	Computerized Axial Tomography Lumbar Spine Without Contrast Material	
Imaging Study	СРТ	72132	Computerized Axial Tomography Lumbar Spine With Contrast Material	
Imaging Study	СРТ	72133	Computerized Axial Tomography Lumbar Spine Without Contrast Material Followed By Contrast Material(s) And Further Sections	
Imaging Study	СРТ	72141	Magnetic Resonance (e.g., Proton) Imaging Spinal Canal And Contents Cervical Without Contrast Material	
Imaging Study	СРТ	72142	Magnetic Resonance (e.g., Proton) Imaging Spinal Canal And Contents Cervical With Contrast Material(s)	
Imaging Study	СРТ	72146	Magnetic Resonance (e.g., Proton) Imaging Spinal Canal And Contents Thoracic Without Contrast Material	
Imaging Study	СРТ	72147	Magnetic Resonance (e.g., Proton) Imaging Spinal Canal And Contents Thoracic With Contrast Material(s)	
Imaging Study	СРТ	72148	Magnetic Resonance (e.g., Proton) Imaging Spinal Canal And Contents Lumbar Without Contrast Material	
Imaging Study	СРТ	72149	Magnetic Resonance (e.g., Proton) Imaging Spinal Canal And Contents Lumbar With Contrast Material(s)	
Imaging Study	СРТ	72156	Magnetic Resonance (e.g., Proton) Imaging Spinal Canal And Contents Without Contrast Material Followed By Contrast Material(s) An	
Imaging Study	СРТ	72157	Magnetic Resonance (eg, Proton) Imaging, Spinal Canal And Contents, Without Contrast Material, Followed By Contrast Material(s) And Further Sequences; Thoracic	
Imaging Study	СРТ	72158	Magnetic Resonance (e.g., Proton) Imaging Spinal Canal And Contents Without Contrast Material Followed By Contrast Material(s) An	
Imaging Study	CPT	72200	Radiologic Examination Sacroiliac Joints Less Than Three Views	
Imaging Study	CPT	72202	Radiologic Examination Sacroiliac Joints Three Or More Views	
Imaging Study	CPT	72220	Radiologic Examination Sacrum And Coccyx Minimum Of Two Views	
Imaging Study	СРТ	99457	Remote Physiologic Monitoring Treatment Management Services, 20 Minutes Or More Of Clinical Staff/physician/other Qualified Health Care Professional Time In A Calendar Month Requiring Interactive Communication With The Patient/caregiver During The Month	

Substance Use Assessment in Primary Care

Methodology: IEHP-Defined Quality Measure

Measure Description: The percentage of Members 18 years and older who were screened for substance use during the measurement year (2023).

CODES TO IDENTIFY SUBSTANCE USE ASSESSMENT IN PRIMARY CARE:				
Service	Code Type	Code	Code Description	
Substance Use Assessment in Primary Care	СРТ	99408	Alcohol and/or Substance (other than tobacco) Abuse Structured Screening (e.g., Audit DAST) and Brief Intervention (SBI) Services 15 to 30 Minutes	
Substance Use Assessment in Primary Care	СРТ	99409	Alcohol and/or Substance (other than tobacco) Abuse Structured Screening (e.g., Audit DAST) and Brief Intervention (SBI) Services Greater than 30 Minutes	
Substance Use Assessment in Primary Care	HCPCS	G0442	Annual Alcohol Misuse Screening 15 Minutes	
Substance Use Assessment in Primary Care	HCPCS	G0443	Brief Face-to-Face Behavioral Counseling for Alcohol Misuse, 15 minutes	
Substance Use Assessment in Primary Care	HCPCS	H0001	Alcohol and/or Drug Assessment	
Substance Use Assessment in Primary Care	HCPCS	H0049	Alcohol and/or Drug Screening	
Substance Use Assessment in Primary Care	HCPCS	H0050	Alcohol and/or Drug Service Brief Intervention Per 15 Minutes	

Denominator: All Members aged 18 years and older during the measurement year (2023). Member counted only once in the denominator.

• Anchor Date: December 31, 2023

Numerator: Members who were screened for substance use at least once during the measurement year (2023).

Examples of Substances Use Assessment in Primary Care screening tools include but are not limited to:

- Cut Down-Annoyed-Guilty-Eye-Opener Adapted to Include Drugs (CAGE-AID)
- Tobacco Alcohol, Prescription medication and other Substances (TAPS)
- National Institute on Drug Abuse (NIDA) Quick Screen for adults
 - o The single NIDA Quick Screen alcohol-related question can be used for alcohol use screening

- Drug Abuse Screening Test (DAST-10)
- Alcohol Use Disorders Identification Test (AUDIT-C)
- Parents, Partner, Past and Present (4Ps) for pregnant women and adolescents
- Car, Relax, Alone, Forget, Friends, Trouble (CRAFFT) for non-pregnant adolescents
- Michigan Alcoholism Screening Test Geriatric (MAST-G) alcohol screening for geriatric population

▼ Population: Adult and Adolescent

Antidepressant Medication Management (AMM)

Summary of Changes to the 2023 Global Quality P4P Program Guide:

- Update to the eligible population
- Update to the rate 1 numerator description

Methodology: HEDIS[®]

Measure Description: The percentage of Members who are 18 years of age or older who had a diagnosis of major depression, remained on antidepressant medication treatment and who were treated with antidepressant medication.

- Two rates are reported:
 - 1. Effective Acute Phase Treatment: The percentage of Members who remained on an antidepressant medication for at least 84 days (12 weeks).
 - 2. Effective Continuation Phase Treatment: The percentage of Members who remained on an antidepressant medication for at least 180 days (six months).
- Eligible population in this measure meets all of the following criteria:
 - 1. Members who are 18 years and older as of the Index Prescription Start Date (IPSD).
 - 2. Continuous enrollment with IEHP 105 days prior to the index prescription start date through 231 days after the index prescription start date.
 - 3. Filled a prescription for an antidepressant medication during the intake period (starting May 1, 2022, through April 30, 2023).
 - 4. Has at least one of the following 60 days prior and 60 days after the prescription date:
 - Diagnosis of major depression in an inpatient setting
 - Diagnosis of major depression in an outpatient setting
 - 5. Must have no prior prescriptions for antidepressant medications in the prior 105 days.

Rate 1

Denominator: Members who are 18 years of age or older who meet all criteria for the eligible population.

Anchor Date: Index prescription start date

Numerator: Members in the denominator that had at least 84 days (12 weeks) of treatment with antidepressant medication beginning on the Index Prescription Start Date (IPSD) through 114 days after the IPSD (115 total days).

Rate 2

Denominator: Members who are 18 years of age or older who meet all criteria for the eligible population.

• Anchor Date: Index prescription start date

Numerator: Members in the denominator that had at least 180 days (six months) of treatment with antidepressant medication beginning on the Index Prescription Start Date (IPSD) through 231 days after the IPSD (232 total days).

ANTIDEPRESSANT MEDICATION:			
Description	Prescription		
Miscellaneous Antidepressants	BupropionVortioxetine	Vilazodone	
Monoamine Oxidase Inhibitors	 Isocarboxazid Phenelzine	 Selegiline Tranylcypromine	
Phenylpiperazine Antidepressants	 Nefazdone Trazodone		
Psychotherapeutic Combinations	Amitriptyline-chlordiazepoxideAmitriptyline-perphenazine	Fluoxetine-olanzapine	
SNRI Antidepressants	DesvenlafaxineDuloxetine	LevomilnacipranVenlafaxine	
SSRI Antidepressants	 Citalopram Escitalopram Fluoxetine	FluvoxamineParoxetineSetraline	
Tetracyclic Antidepressants	Maprotiline	Mirtazapine	
Tricyclic Antidepressants	 Amitriptyline Amoxapine Clomipramine Desipramine Doxepin (>6mg) 	ImipramineNortriptylineProtriptylineTrimipramine	

Screening for Clinical Depression in Primary Care

Methodology: IEHP-Defined Quality Measure

Measure Description: The percentage of Members ages 12 and older screened for clinical depression during the measurement year (2023) with the result of the screening documented by the Provider. For this measure, two rates are calculated, and the average of both rates is used as the final score.

Rate 1: Screening for Clinical Depression - This measure assesses the percentage of Members aged 12 and older who were screened for clinical depression during a PCP visit using an age appropriate standardized tool during the measurement year (2023).

Denominator: All Members aged 12 years and older with a PCP visit in the measurement year (2023). Member counted only once in the denominator.

PRIMARY CARE PROVIDER VISIT CODES:			
Service	Code Type	Code	Code Description
Screening for Clinical Depression in Primary Care	СРТ	99202	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using time for code selection, 15-29 minutes of total time is spent on the date of the encounter.
Screening for Clinical Depression CPT in Primary Care		99203	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using time for code selection, 30-44 minutes of total time is spent on the date of the encounter.
Screening for Clinical Depression CPT 9920 in Primary Care		99204	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using time for code selection, 45-59 minutes of total time is spent on the date of the encounter.
Screening for Clinical Depression in Primary Care	СРТ	99205	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using time for code selection, 60-74 minutes of total time is spent on the date of the encounter.

PRIMARY CARE PROVIDER VISIT CODES:			
Service	Code Type	Code	Code Description
Screening for Clinical Depression in Primary Care	СРТ	99212	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using time for code selection, 10-19 minutes of total time is spent on the date of the encounter.
Screening for Clinical Depression in Primary Care		99213	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using time for code selection, 20-29 minutes of total time is spent on the date of the encounter.
Screening for Clinical Depression in Primary Care	СРТ	99214	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using time for code selection, 30-39 minutes of total time is spent on the date of the encounter.
Screening for Clinical Depression in Primary Care	СРТ	99215	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using time for code selection, 40-54 minutes of total time is spent on the date of the encounter.
Screening for Clinical Depression in Primary Care		99384	Initial comprehensive preventive medicine; evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; adolescent (age 12-17 years).
Screening for Clinical Depression in Primary Care	СРТ	99385	Initial comprehensive preventive medicine; evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; age 18-39 years.
Screening for Clinical Depression in Primary Care		99386	Initial comprehensive preventive medicine; evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; age 40-64 years.
Screening for Clinical Depression in Primary Care		99387	Initial comprehensive preventive medicine; evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; age 65 years and older.
Screening for Clinical Depression in Primary Care		99394	Periodic comprehensive preventive medicine; re-evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; adolescent (age 12-17 years).

PRIMARY CARE PROVIDER VISIT CODES:			
Service	Code Type	Code	Code Description
Screening for Clinical Depression in Primary Care		99395	Periodic comprehensive preventive medicine; re-evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; age 18-39 years.
Screening for Clinical Depression in Primary Care	СРТ	99396	Periodic comprehensive preventive medicine; re-evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; age 40-64 years.
Screening for Clinical Depression in Primary Care	СРТ	99397	Periodic comprehensive preventive medicine; re-evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; age 65 years and older.
Screening for Clinical Depression in Primary Care		99446	Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician, including a verbal and written report to the patient's treating/requesting physician or other qualified health care professional; 5-10 minutes of medical consultative discussion and review.
Screening for Clinical Depression in Primary Care	СРТ	99447	Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician, including a verbal and written report to the patient's treating/requesting physician or other qualified health care professional; 11-20 minutes of medical consultative discussion and review.
Screening for Clinical Depression in Primary Care	СРТ	99448	Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician, including a verbal and written report to the patient's treating/requesting physician or other qualified health care professional; 21-30 minutes of medical consultative discussion and review.
Screening for Clinical Depression in Primary Care	СРТ	99449	Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician, including a verbal and written report to the patient's treating/requesting physician or other qualified health care professional; 31 minutes or more of medical consultative discussion and review.
Screening for Clinical Depression in Primary Care		G0402	Initial preventive physical examination face-to-face visits services limited to new beneficiary during the first 12 months.
Screening for Clinical Depression in Primary Care	HCPCS	G0438	Annual wellness visit includes a personalized prevention plan of service (PPS) initial visit.
Screening for Clinical Depression in Primary Care	HCPCS	G0439	Annual wellness visit includes a personalized prevention plan of service (PPS) subsequent visit.

	CODES TO IDENTIFY TELEPHONE VISITS:							
Service	Code Type	Code	Code Description					
Telephone Visit	СРТ	98966	Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous seven days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion.					
Telephone Visit	СРТ	98967	Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous seven days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion.					
Telephone Visit	СРТ	98968	Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous seven days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion.					
Telephone Visit	СРТ	99441	Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, parent, or guardian not originating from a related E/M service provided within the previous seven days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion.					
Telephone Visit	СРТ	99442	Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, parent, or guardian not originating from a related E/M service provided within the previous seven days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion.					
Telephone Visit	СРТ	99443	Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, parent, or guardian not originating from a related E/M service provided within the previous seven days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion.					

Numerator: Members screened for clinical depression using an age appropriate standardized tool during the measurement year (2023).

CODES TO IDENTIFY SCREENING FOR CLINICAL DEPRESSION:							
Service	Code Type	Code	Code Description				
Screening for Clinical Depression in Primary Care	HCPCS	G0444	Annual depression screening, 15 minutes.				
Screening for Clinical Depression in Primary Care	HCPCS	G8431	Screening for depression is documented as being positive and a follow-up plan is documented.				
Screening for Clinical Depression in Primary Care	HCPCS	G8510	Negative screen for clinical depression using a standardized tool patient not eligible/appropriate for follow-up plan.				
Screening for Clinical Depression in Primary Care	HCPCS	G8511	Screening for depression documented as positive, follow- up plan not documented, reason not given.				

Rate 2: Appropriate Documentation of Depression Screening Result - This measure assesses the percent of Members in the measurement year (2023) screened for clinical depression who also had the result recorded and a follow-up plan documented, indicated on the date of the encounter. The clinical depression screening tool must be an age-appropriate standardized tool.

Denominator: Same as rate 1.

Numerator: Members screened for clinical depression with a recorded result and follow-up plan if indicated, on the date of the encounter using an age appropriate standardized tool during the measurement year (2023).

CODES TO IDENTIFY DOCUMENTATION OF DEPRESSION SCREENING RESULT:								
Service	Code Type	Code	Code Description					
Screening for Clinical Depression in Primary Care	HCPCS	G8431	Positive screen for clinical depression using a standardized tool and a follow-up plan is documented.					
Screening for Clinical Depression in Primary Care	HCPCS	G8510	Negative screen for clinical depression using a standardized tool patient not eligible/appropriate for follow-up plan.					

Definitions:

Screening – Completion of a clinical or diagnostic tool used to identify people at risk of developing or having a certain disease or condition, even in the absence of symptoms.

Standardized Depression Screening Tool – A normalized and validated depression screening tool developed for the Member population in which it is being utilized. The name of the age-appropriate standardized depression screening tool utilized must be documented in the medical record.

Examples of depression screening tools include but are not limited to:

- Adolescent Screening Tools (12-17 years): Patient Health Questionnaire for Adolescents (PHQ-A), Beck Depression Inventory-Primary Care Version (BDI-PC), Mood Feeling Questionnaire (MFQ), Center for Epidemiologic Studies Depression Scale (CES-D), and PRIME MD-PHQ2
- Adult Screening Tools (18 years and older): Patient Health Questionnaire (PHQ-9 or PHQ-2), Beck Depression Inventory (BDI or BDI-II), Center for Epidemiologic Studies Depression Scale (CES-D), Depression Scale (DEPS), Duke Anxiety-Depression Scale (DADS), Geriatric Depression Scale (GDS), Cornell Scale Screening, and PRIME MD-PHQ2

Social Determinants of Health Screening Rate

Methodology: IEHP-Defined Equity Measure

Measure Description: The percentage of Members who were screened for social determinants of health during the measurement year (2023).

Eligible population in this measure meet the following criteria:

1. Continuous enrollment with IEHP during the measurement year (2023) with no more than one gap in continuous enrollment with IEHP of up to 45 days during the measurement year (2023).

Denominator: All Members during the measurement year (2023).

• Anchor Date: December 31, 2023

Numerator: Members in the denominator who were screened for social determinants of health in the measurement year (2023).

CODES TO IDENTIFY SOCIAL DETERMINANTS OF HEALTH SCREENING:							
Service	Code Type	Code Description					
Social Determinants of Health	СРТ	96160	Administration of patient-focused health risk assessment instrument (e.g., health hazard appraisal) with scoring and documentation, per standardized instrument.				
Social Determinants of Health	СРТ	96161	Administration of caregiver-focused health risk assessment instrument (e.g., depression inventory) for the benefit of the patient, with scoring and documentation, per standardized instrument.				

CODES TO IDENTIFY SOCIAL DETERMINANTS OF HEALTH SCREENING:								
Service	Code Type Code Code Description							
Social Determinants of Health	HCPCS	G9919	Screening performed and positive and provision of recommendations.					
Social Determinants of Health	HCPCS	G9920	Screening performed and negative.					

Examples of Social Determinants of Health screening instruments include but are not limited to:

FOOD INSECURITY INSTRUMENTS:

Accountable Health Communities (AHC) Health-Related Social Needs (HRSN) Screening Tool

American Academy of Family Physicians (AAFP) Social Needs Screening Tool

Health Leads Screening Panel®1

Hunger Vital Sign[™]1 (HVS)

Protocol for Responding to and Assessing Patients' Assets, Risks and Experiences [PRAPARE]®1

Safe Environment for Every Kid (SEEK)*1

U.S. Household Food Security Survey [U.S. FSS]

U.S. Adult Food Security Survey [U.S. FSS]

U.S. Child Food Security Survey [U.S. FSS]

U.S. Household Food Security Survey-Six-Item Short Form [U.S. FSS]

We Care Survey

WellRx Questionnaire

HOUSING INSTABILITY AND HOMELESSNESS INSTRUMENTS:

Accountable Health Communities (AHC) Health-Related Social Needs (HRSN) Screening Tool

American Academy of Family Physicians (AAFP) Social Needs Screening Tool

Children's Health Watch Housing Stability Vital Signs[™]1

Health Leads Screening Panel®1

Protocol for Responding to and Assessing Patients' Assets, Risks and Experiences [PRAPARE]®1

We Care Survey

WellRx Questionnaire

Accountable Health communities (AHC) Health - Related Social Needs (HRSN Screening Tool)

American Academy and Family Physicians (AAFP) Social Needs Screening Tool

TRANSPORTATION INSECURITY INSTRUMENTS:

Accountable Health Communities (AHC) Health-Related Social Needs (HRSN) Screening Tool

American Academy of Family Physicians (AAFP) Social Needs Screening Tool

Comprehensive Universal Behavior Screen (CUBS)

Health Leads Screening Panel®1

Protocol for Responding to and Assessing Patients' Assets, Risks and Experiences [PRAPARE]®1

PROMIS®1

WellRx Questionnaire

Social Determinants of Health Identification Rate

Methodology: IEHP-Defined Equity Measure

Measure Description: The percentage of Members who were screened for social determinants of health during the measurement year (2023) and who had at least one social determinant of health identified.

Eligible population in this measure meet the following criteria:

1. Continuous enrollment with IEHP during the measurement year (2023) with no more than one gap in continuous enrollment with IEHP of up to 45 days during the measurement year (2023).

Denominator: All Members during the measurement year (2023).

• Anchor Date: December 31, 2023

Numerator: Members in the denominator who were screened for social determinants in the measurement year (2023) and had a social determinant identified.

CODES TO IDENTIFY PRIORITY SOCIAL DETERMINANTS OF HEALTH SCREENING IDENTIFICATION FACTORS:							
Service	Code Type	Code	Code Description				
Social Determinants of Health	ICD10CM	Z55.0	Illiteracy and low-level literacy				
Social Determinants of Health	ICD10CM	Z58.6	Inadequate drinking-water supply				
Social Determinants of Health	ICD10CM	Z59.00	Homelessness unspecified				
Social Determinants of Health	ICD10CM	Z59.01	Sheltered homelessness				
Social Determinants of Health	ICD10CM	Z59.02	Unsheltered homelessness				
Social Determinants of Health	ICD10CM	Z59.1	Inadequate housing (lack of heating/space, unsatisfactory surroundings)				
Social Determinants of Health	ICD10CM	Z59.3	Problems related to living in residental institution				
Social Determinants of Health	ICD10CM	Z59.41	Food insecurity				
Social Determinants of Health	ICD10CM	Z59.48	Other specified lack of adequate food				
Social Determinants of Health	ICD10CM	Z59.7	Insufficient social insurance and welfare support				
Social Determinants of Health	ICD10CM	Z59.811	Housing instability, housed, with risk of homelessness				
Social Determinants of Health	ICD10CM	Z59.812	Housing instability, housed, homelessness in past 12 months				
Social Determinants of Health	ICD10CM	Z59.819	Housing instability, housed unspecified				
Social Determinants of Health	ICD10CM	Z59.89	Other problems related to housing and economic circumstances				
Social Determinants of Health	ICD10CM	Z60.2	Problems related to living alone				
Social Determinants of Health	ICD10CM	Z60.4	Social exclusion and rejection (physical appearance, illness, or behavior)				

CODES TO IDENTIFY PRIORITY SOCIAL DETERMINANTS OF HEALTH SCREENING IDENTIFICATION FACTORS:								
Service	Code Type	Code	Code Description					
Social Determinants of Health	ICD10CM	Z62.810	Personal history of physical and sexual abuse in childhood					
Social Determinants of Health	ICD10CM	Z62.819	Personal history of unspecified abuse in childhood					
Social Determinants of Health	ICD10CM	Z63.0	Problems in relationship with spouse or partner					
Social Determinants of Health	ICD10CM	Z63.4	Disapperance and death of family member (assumed death, bereavement)					
Social Determinants of Health	ICD10CM	Z63.5	Distruption of family by separation and divorce (marital estrangement)					
Social Determinants of Health	ICD10CM	Z63.6	Dependent relative needing care at home					
Social Determinants of Health	ICD10CM	Z63.72	Alcoholism and drug addiction in family					
Social Determinants of Health	ICD10CM	Z65.1	Imprisonment and other incarceration					
Social Determinants of Health	ICD10CM	Z65.2	Problems related to release from prison					
Social Determinants of Health	ICD10CM	Z65.8	Other specified problems related to psychosocial circumstances (religious or spiritual problem)					

CODES TO IDENTIFY ADDITIONAL SOCIAL DETERMINANTS OF HEALTH SCREENING IDENTIFICATION FACTORS:							
Service	Category	Code Type	Code	Code Description			
Social Determinants of Health		ICD10CM	Z55.0	Illiteracy and low-level literacy			
Social Determinants of Health		ICD10CM	Z55.1	Schooling unavailable and unattainable			
Social Determinants of Health	Problems related to	ICD10CM	Z55.2	Failed school examinations			
Social Determinants of Health	education & literacy	ICD10CM	Z55.3	Underachievement in school			
Social Determinants of Health		ICD10CM	Z55.4	Educational maladjustment and discord with teachers and classmates			
Social Determinants of Health		ICD10CM	Z55.9	Problems related to education and literacy, unspecified			
Social Determinants of Health		ICD10CM	Z56.0	Unemployment, unspecified			
Social Determinants of Health		ICD10CM	Z56.1	Change of job			
Social Determinants of Health	Problems	ICD10CM	Z56.2	Threat of job loss			
Social Determinants of Health	related to employment &	ICD10CM	Z56.4	Discord with boss and workmates			
Social Determinants of Health	unemployment	ICD10CM	Z56.5	Uncongenial work environment			
Social Determinants of Health		ICD10CM	Z56.6	Other physical and mental strain related to work			
Social Determinants of Health		ICD10CM	Z56.81	Sexual harassment on the job			

CODES TO I	CODES TO IDENTIFY ADDITIONAL SOCIAL DETERMINANTS OF HEALTH SCREENING IDENTIFICATION FACTORS:								
Service	Category	Code Type	Code	Code Description					
Social Determinants of Health	Problems related to	ICD10CM	Z56.82	Military deployment status					
Social Determinants of Health	employment & unemployment	ICD10CM	Z56.9	Unspecified problems related to employment					
Social Determinants of Health		ICD10CM	Z57.0	Occupational exposure to noise					
Social Determinants of Health		ICD10CM	Z57.1	Occupational exposure to radiation					
Social Determinants of Health		ICD10CM	Z57.2	Occupational exposure to dust					
Social Determinants of Health		ICD10CM	Z57.31	Occupational exposure to environmental tobacco smoke					
Social Determinants of Health	Occupational	ICD10CM	Z57.39	Occupational exposure to other air contaminants					
Social Determinants of Health	exposure to risk factors	ICD10CM	Z57.4	Occupational exposure to toxic agents in agriculture					
Social Determinants of Health		ICD10CM	Z57.5	Occupational exposure to toxic agents in other industries					
Social Determinants of Health		ICD10CM	Z57.6	Occupational exposure to extreme temperature					
Social Determinants of Health		ICD10CM	Z57.7	Occupational exposure to vibration					
Social Determinants of Health		ICD10CM	Z57.8	Occupational exposure to other risk factors					
Social Determinants of Health		ICD10CM	Z57.9	Occupational exposure to unspecified risk factor					
Social Determinants of Health		ICD10CM	Z58.6	Inadequate drinking-water supply					
Social Determinants of Health		ICD10CM	Z59.00	Homelessness unspecified					
Social Determinants of Health		ICD10CM	Z59.01	Sheltered homelessness					
Social Determinants of Health	Problems related to	ICD10CM	Z59.02	Unsheltered homelessness					
Social Determinants of Health	housing and economic circumstances	ICD10CM	Z59.1	Inadequate housing (lack of heating/space, unsatisfactory surroundings)					
Social Determinants of Health		ICD10CM	Z59.2	Discord with neighbors, lodgers and landlord					
Social Determinants of Health		ICD10CM	Z59.3	Problems related to living in residential institution					
Social Determinants of Health		ICD10CM	Z59.41	Food insecurity					
Social Determinants of Health		ICD10CM	Z59.48	Other specified lack of adequate food					

CODES TO IDENTIFY ADDITIONAL SOCIAL DETERMINANTS OF HEALTH SCREENING IDENTIFICATION FACTORS:									
Service	Category	Code Type	Code	Code Description					
Social Determinants of Health		ICD10CM	Z59.5	Extreme poverty					
Social Determinants of Health		ICD10CM	Z59.6	Low income					
Social Determinants of Health	D 11	ICD10CM	Z59.7	Insufficient social insurance and welfare support					
Social Determinants of Health	Problems related to housing and	ICD10CM	Z59.811	Housing instability, housed, with risk of homelessness					
Social Determinants of Health	economic circumstances	ICD10CM	Z59.812	Housing instability, housed, homelessness in past 12 months					
Social Determinants of Health		ICD10CM	Z59.819	Housing instability, housed unspecified					
Social Determinants of Health		ICD10CM	Z59.89	Other problems related to housing and economic circumstances					
Social Determinants of Health		ICD10CM	Z59.9	Problem related to housing and economic circumstances, unspecified					
Social Determinants of Health		ICD10CM	Z60.0	Problems of adjustment to life transitions (life phase, retirement)					
Social Determinants of Health		ICD10CM	Z60.2	Problems related to living alone					
Social Determinants of Health	Problems	ICD10CM	Z60.3	Acculturation difficulty (migration, social transplantation)					
Social Determinants of Health	related to social environment	ICD10CM	Z60.4	Social exclusion and rejection (physical appearance, illness, behavior)					
Social Determinants of Health	Chritomich	ICD10CM	Z60.5	Target of (perceived) adverse discrimination and persecution					
Social Determinants of Health		ICD10CM	Z60.8	Other problems related to social environment					
Social Determinants of Health		ICD10CM	Z60.9	Problem related to social environment, unspecified					
Social Determinants of Health		ICD10CM	Z62.0	Inadequate parental supervision and control					
Social Determinants of Health		ICD10CM	Z62.1	Parental overprotection					
Social Determinants of Health	Problems related to upbringing	ICD10CM	Z62.21	Child in welfare custody (non-parental family member, foster care)					
Social Determinants of Health		ICD10CM	Z62.22	Institutional upbringing (orphanage or group home)					
Social Determinants of Health		ICD10CM	Z62.29	Other upbringing away from parents					
Social Determinants of Health		ICD10CM	Z62.3	Hostility towards and scapegoating of child					
Social Determinants of Health		ICD10CM	Z62.6	Inappropriate (excessive) parental pressure					

CODES TO IDENTIFY ADDITIONAL SOCIAL DETERMINANTS OF HEALTH SCREENING IDENTIFICATION FACTORS:								
Service	Category	Code Type	Code	Code Description				
Social Determinants of Health		ICD10CM	Z62.810	Personal history of physical and sexual abuse in childhood				
Social Determinants of Health		ICD10CM	Z62.811	Personal history of psychological abuse in childhood				
Social Determinants of Health		ICD10CM	Z62.812	Personal history of neglect in childhood				
Social Determinants of Health		ICD10CM	Z62.813	Personal history of forced labor or sexual exploitation in childhood				
Social Determinants of Health		ICD10CM	Z62.819	Personal history of unspecified abuse in childhood				
Social Determinants of Health	Problems	ICD10CM	Z62.820	Parent-biological child conflict				
Social Determinants of Health	related to upbringing	ICD10CM	Z62.821	Parent-adopted child conflict				
Social Determinants of Health	upornignig	ICD10CM	Z72.3	Lack of physical exercise				
Social Determinants of Health		ICD10CM	Z62.822	Parent-foster child conflict				
Social Determinants of Health		ICD10CM	Z62.890	Parent-child estrangement NEC				
Social Determinants of Health		ICD10CM	Z62.891	Sibling rivalry				
Social Determinants of Health		ICD10CM	Z62.898	Other specified problems related to upbringing				
Social Determinants of Health		ICD10CM	Z62.9	Problem related to upbringing, unspecified				
Social Determinants of Health		ICD10CM	Z63.0	Problems in relationship with spouse or partner				
Social Determinants of Health		ICD10CM	Z63.1	Problems in relationship with in-laws				
Social Determinants of Health	Other problems	ICD10CM	Z63.31	Absence of family member due to military deployment				
Social Determinants of Health	related to primary support group, including family circumstances	ICD10CM	Z63.32	Other absence of family member				
Social Determinants of Health		ICD10CM	Z63.4	Disappearance/death of family member (assumed death, bereavement)				
Social Determinants of Health		ICD10CM	Z63.5	Disruption of family by separation and divorce (marital estrangement)				
Social Determinants of Health		ICD10CM	Z63.6	Dependent relative needing care at home				
Social Determinants of Health		ICD10CM	Z63.71	Stress on family due to return of family from military deployment				

CODES TO IDENTIFY ADDITIONAL SOCIAL DETERMINANTS OF HEALTH SCREENING IDENTIFICATION FACTORS:								
Service	Category	Code Type	Code	Code Description				
Social Determinants of Health		ICD10CM	Z63.72	Alcoholism and drug addiction in family				
Social Determinants of Health	Other	ICD10CM	Z63.79	Other stressful events affecting family/ household (ill/disturbed member)				
Social Determinants of Health	problems related to primary support group,	ICD10CM	Z63.8	Other specified problems related to primary support group (discord or estrangement, inadequate support)				
Social Determinants of Health	including family	ICD10CM	Z63.9	Problem related to primary support group, unspecified				
Social Determinants of Health	circumstances	ICD10CM	Z81.8	Family history of other mental and behavioral disorders				
Social Determinants of Health		ICD10CM	Z91.89	Other specified personal risk factors, not elsewhere classified				
Social Determinants of Health	Problems	ICD10CM	Z64.0	Problems related to unwanted pregnancy				
Social Determinants of Health	related to psychosocial	ICD10CM	Z64.1	Problems related to multiparity				
Social Determinants of Health	circumstances	ICD10CM	Z64.4	Discord with counselors				
Social Determinants of Health		ICD10CM	Z65.0	Conviction in civil and criminal proceedings without imprisonment				
Social Determinants of Health		ICD10CM	Z65.1	Imprisonment and other incarceration				
Social Determinants of Health		ICD10CM	Z65.2	Problems related to release from prison				
Social Determinants of Health	Problems related to other	ICD10CM	Z65.3	Problems related to other legal circumstances (arrest, custody, litigation)				
Social Determinants of Health	psychosocial circumstances	ICD10CM	Z65.4	Victim of crime and terrorism				
Social Determinants of Health		ICD10CM	Z65.5	Exposure to disaster, war and other hostilities				
Social Determinants of Health		ICD10CM	Z65.8	Other specified problems related to psychosocial circumstances (religious or spiritual problem)				
Social Determinants of Health		ICD10CM	Z65.9	Problem related to unspecified psychosocial circumstances				
Social Determinants of Health	Transportation Insecurity	ICD10CM	Z59.82	Excessive transportation time, inaccessible transportation, inadequate transportation, lack of transportation, unaffordable transportation, unreliable transportation, unsafe transportation				

✓ Population: Women

Breast Cancer Screening (BCS)

Methodology: HEDIS®

Measure Description: The percentage of women 50-74 years of age who had a mammogram to screen for breast cancer any time on or between October 1, two years prior to the measurement year (2021) and December 31 of the measurement year (2023).

- The eligible population in the measure meets all of the following criteria:
 - 1. Women 52-74 years as of December 31 of the measurement year (2023).
 - 2. Continuous enrollment with IEHP from October 1, two years prior to the measurement year (2021) through December 31 of the measurement year (2023), with no more than one gap in enrollment of up to 45 days for each calendar year of continuous enrollment with IEHP. No gaps in enrollment are allowed from October 1 through December 31, two years prior to the measurement year (2021).

CODES USED TO IDENTIFY MAMMOGRAPHY:				
Service	Code Type	Code	Code Description	
Breast Cancer Screening	CPT	77061	Digital Breast Tomosynthesis Unilateral	
Breast Cancer Screening	CPT	77062	Digital Breast Tomosynthesis Bilateral	
Breast Cancer Screening	СРТ	77063	Screening Digital Breast Tomosynthesis Bilateral (list Separately In Addition To Code For Primary Procedure)	
Breast Cancer Screening	СРТ	77065	Diagnostic mammography, including computer-aided detection (CAD) when performed; unilateral	
Breast Cancer Screening	СРТ	77066	Diagnostic mammography, including computer-aided detection (CAD) when performed; bilateral	
Breast Cancer Screening	СРТ	77067	Screening Mammography Bilateral (Two-view Film Study Of Each Breast Including Computer-aided Detection (CAD)	

- Members who meet any of the following criteria are excluded:
 - 1. Members in hospice.
 - 2. Members receiving palliative care.

Denominator: Women 52-74 years of age who meet the criteria for the eligible population.

• Anchor Date: December 31, 2023

Numerator: Members in the denominator who had one or more mammograms any time on or between October 1, two years prior to the measurement year (2021), and December 31, of the measurement year (2023).

Cervical Cancer Screening (CCS)

Summary of Changes to the 2023 Global Quality P4P Program Guide:

- Update to the measure description
- Update to the exclusions

Methodology: HEDIS®

Measure Description: The percentage of women 21–64 years of age who were screened for cervical cancer using either of the following criteria:

- Women ages 21-64 who had cervical cytology performed every three years.
- Women ages 30-64 who had cervical high-risk human papillomavirus (hrHPV) testing performed every five years.
- Women ages 30-64 who had cervical cytology/high-risk human papillomavirus (hrHPV) co-testing performed every five years.
- The eligible population in the measure meets all of the following criteria:
 - 1. Women 24-64 years of age as of December 31 of the measurement year (2023).
 - 2. Continuous enrollment with IEHP during the measurement year (2023) with no more than one gap in enrollment of up to 45 days.

	CODES TO IDENTIFY CERVICAL CYTOLOGY:				
Service	Code Type	Code	Code Description		
Cervical Cancer Screening	СРТ	88141	Cytopathology Cervical Or Vaginal (any Reporting System) Requiring Interpretation By Physician (List separately in addition to code for technical service.)		
Cervical Cancer Screening	СРТ	88142	Cytopathology Cervical Or Vaginal (any Reporting System) Collected In Preservative Fluid Automated Thin Layer Preparation Manual screening under Physician supervision		
Cervical Cancer Screening	СРТ	88143	Cytopathology Cervical Or Vaginal (any Reporting System) Collected In Preservative Fluid Automated Thin Layer Preparation; manual screening Under Physician Supervision: With manual screening and rescreening Under Physician Supervision		
Cervical Cancer Screening	СРТ	88147	Cytopathology Smears Cervical Or Vaginal Screening By Automated System Under Physician Supervision		
Cervical Cancer Screening	СРТ	88148	Cytopathology Smears Cervical Or Vaginal Screening By Automated System With Manual Rescreening Under Physician Supervision		
Cervical Cancer Screening	СРТ	88150	Cytopathology Slides Cervical Or Vaginal Manual Screening Under Physician Supervision		
Cervical Cancer Screening	СРТ	88152	Cytopathology Slides Cervical Or Vaginal With Manual Screening And Computer-assisted Rescreening Under Physician Supervision		

	CODES TO IDENTIFY CERVICAL CYTOLOGY:					
Service	Code Type	Code	Code Description			
Cervical Cancer Screening	СРТ	88153	Cytopathology Slides Cervical Or Vaginal With Manual Screening And Rescreening Under Physician Supervision			
Cervical Cancer Screening	СРТ	88164	Cytopathology Slides Cervical Or Vaginal (the Bethesda System) Manual Screening Under Physician Supervision			
Cervical Cancer Screening	СРТ	88165	Cytopathology Slides Cervical Or Vaginal (the Bethesda System) With Manual Screening And Rescreening Under Physician Supervision			
Cervical Cancer Screening	СРТ	88166	Cytopathology Slides Cervical Or Vaginal (the Bethesda System) With Manual Screening And Computer-assisted Rescreening Under Physician Supervision			
Cervical Cancer Screening	СРТ	88167	Cytopathology Slides Cervical Or Vaginal (the Bethesda System) With Manual Screening And Computer-assisted Rescreening Using cell selection and review Under Physician Supervision			
Cervical Cancer Screening	СРТ	88174	Cytopathology Cervical Or Vaginal (any Reporting System) Collected In Preservative Fluid Automated Thin Layer Preparation			
Cervical Cancer Screening	СРТ	88175	Cytopathology Cervical Or Vaginal (any Reporting System) Collected In Preservative Fluid Screening Automated By System			
Cervical Cancer Screening	HCPCS	G0123	Screening Cytopathology, Cervical Or Vaginal (any Reporting System), Collected In Preservative Fluid, Automated Thin Layer Preparation, Screening By Cytotechnologist Under Physician Supervision			
Cervical Cancer Screening	HCPCS	G0124	Screening Cytopathology, Cervical Or Vaginal (any Reporting System), Collected In Preservative Fluid, Automated Thin Layer Preparation, Requiring Interpretation By Physician			
Cervical Cancer Screening	HCPCS	G0141	Screening Cytopathology Smears, Cervical Or Vaginal, Performed By Automated System, With Manual Rescreening, Requiring Interpretation By Physician			
Cervical Cancer Screening	HCPCS	G0143	Screening Cytopathology, Cervical Or Vaginal (any Reporting System), Collected In Preservative Fluid, Automated Thin Layer Preparation, With Manual Screening And Rescreening By Cytotechnologist Under Physician Supervision			
Cervical Cancer Screening	HCPCS	G0144	Screening Cytopathology, Cervical Or Vaginal (any Reporting System), Collected In Preservative Fluid, Automated Thin Layer Preparation, With Screening By Automated System, Under Physician Supervision			
Cervical Cancer Screening	HCPCS	G0145	Screening Cytopathology, Cervical Or Vaginal (any Reporting System), Collected In Preservative Fluid, Automated Thin Layer Preparation, With Screening By Automated System And Manual Rescreening Under Physician Supervision			
Cervical Cancer Screening	HCPCS	G0147	Screening Cytopathology Smears, Cervical Or Vaginal, Performed By Automated System Under Physician Supervision			
Cervical Cancer Screening	HCPCS	G0148	Screening Cytopathology Smears, Cervical Or Vaginal, Performed By Automated System With Manual Rescreening			
Cervical Cancer Screening	HCPCS	P3000	Screening Papanicolaou Smear, Cervical Or Vaginal, Up To Three Smears, By Technician Under Physician Supervision			

CODES TO IDENTIFY CERVICAL CYTOLOGY:				
Service	Code Type	Code	Code Description	
Cervical Cancer Screening	HCPCS	P3001	Screening Papanicolaou Smear, Cervical Or Vaginal, Up To Three Smears, Requiring Interpretation By Physician	
Cervical Cancer Screening	HCPCS	Q0091	Screening Papanicolaou Smear; Obtaining, Preparing And Conveyance Of Cervical Or Vaginal Smear To Laboratory	

CODES TO IDENTIFY HPV TESTS:				
Service	Code Type	Code	Code Description	
Cervical Cancer Screening	СРТ	87624	Infectious Agent Detection By Nucleic Acid (DNA or RNA) Human Papilloma Virus (HPV) High-risk Types (e.g., 16 18 31 33 35 39 45 51 52 56 58 59 68)	
Cervical Cancer Screening	СРТ	87625	Infectious Agent Detection By Nucleic Acid (DNA or RNA) Human Papilloma Virus (HPV) Types 16 And 18 Only Includes Type 45, If Performed	
Cervical Cancer Screening	HCPCS	G0476	Infectious Agent Detection By Nucleic Acid (DNA or RNA); Human Papilloma Virus (HPV), High-risk Types (e.g., 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68) For Cervical Cancer Screening, Must Be Performed In Addition To Pap Test (g0476)	

- Members who meet any of the following criteria are excluded:
 - 1. Members in hospice.
 - 2. Members receiving palliative care.
 - 3. Members who expired at any time during the measurement year (2023).
 - 4. Members who had a hysterectomy with no residual cervix. Cervical agenesis or acquired absence of cervix.

Denominator: Women 24-64 years of age who meet the criteria for eligible population.

• Anchor Date: December 31, 2023

Numerator: Women in the denominator who received a timely screening for cervical cancer.

Chlamydia Screening in Women (CHL)

Methodology: HEDIS®

Measure Description: The percentage of women 16-24 years of age who identified as sexually active and who had at least one test for chlamydia during the measurement year (2023).

- The eligible population in the measure meets all of the following criteria:
 - 1. Women 16-24 years as of December 31 of the measurement year (2023).
 - 2. Continuous enrollment with IEHP during the measurement year (2023) with no more than one gap in enrollment of up to 45 days.
 - 3. There are two methods to identify sexually active women: claim/encounter data or pharmacy data.

CODES TO IDENTIFY SEXUALLY ACTIVE WOMEN:						
Service	Code Type	Code	Code Description			
Sexually Active	СРТ	86631	Antibody Chlamydia			
Sexually Active	CPT	86632	Antibody Chlamydia Igm			
Sexually Active	СРТ	87810	Infectious Agent Detection By Immunoassay With Direct Optical Observation Chlamydia Trachomatis			
Sexually Active	СРТ	87270	Infectious Agent Antigen Detection By Immunofluorescent Technique Chlamydia Trachomatis			
Sexually Active	СРТ	87320	Infectious Agent Antigen Detection By Enzyme Immunoassay Technique Qualitative Or Semiquantitative Multiple Step Method Chlamydia			
Sexually Active	СРТ	87492	Infectious Agent Detection By Nucleic Acid (DNA or RNA) Chlamydia Trachomatis Quantification			
Sexually Active	СРТ	87110	Culture Chlamydia Any Source			
Sexually Active	СРТ	87490	Infectious Agent Detection By Nucleic Acid (DNA or RNA) Chlamydia Trachomatis Direct Probe Technique			
Sexually Active	СРТ	87491	Infectious Agent Detection By Nucleic Acid (DNA or RNA) Chlamydia Trachomatis Amplified Probe Technique			
Sexually Active	СРТ	87492	Infectious Agent Detection By Nucleic Acid (DNA or RNA) Chlamydia Trachomatis Quantification			

CONTRACEPTIVE MEDICATIONS					
Description	Prescription				
Contraceptives	 Desogestrel-ethinyl estradiol Dienogest-estradiol (multiphasic) Drospirenone-ethinyl estradiol Drospirenone-ethinyl estradiol-levomefolate (biphasic) Ethinyl estradiol-ethynodiol Ethinyl estradiol-etonogestrel Ethinyl estradiol-levonorgestrel Ethinyl estradiol-norelgestromin Ethinyl estradiol-norethindrone Ethinyl estradiol-norgestimate Ethinyl estradiol-norgestrel Etonogestrel Levonorgestrel Medroxyprogesterone Norethindrone 				
Diaphragm	Diaphragm				
Spermicide	Nonxynol 9				

	CODES TO IDENTIFY CHLAMYDIA SCREENING:			
Service	Code Type	Code	Code Description	
Chlamydia Screening	СРТ	87110	Culture Chlamydia Any Source	
Chlamydia Screening	СРТ	87270	Infectious Agent Antigen Detection By Immunofluorescent Technique Chlamydia Trachomatis	
Chlamydia Screening	СРТ	87320	Infectious Agent Antigen Detection By Enzyme Immunoassay Technique Qualitative Or Semiquantitative Multiple Step Method Chlamydia	
Chlamydia Screening	СРТ	87490	Infectious Agent Detection By Nucleic Acid (DNA or RNA) Chlamydia Trachomatis Direct Probe Technique	
Chlamydia Screening	СРТ	87491	Infectious Agent Detection By Nucleic Acid (DNA or RNA) Chlamydia Trachomatis Amplified Probe Technique	
Chlamydia Screening	СРТ	87492	Infectious Agent Detection By Nucleic Acid (DNA or RNA) Chlamydia Trachomatis Quantification	
Chlamydia Screening	СРТ	87810	Infectious Agent Detection By Immunoassay With Direct Optical Observation Chlamydia Trachomatis	
Chlamydia Screening	СРТ	0353U	Infectious Agent Detection By Nucleic Acid (dna), Chlamydia Trachomatis And Neisseria Gonorrhoeae, Multiplex Amplified Probe Technique, Urine, Vaginal, Pharyngeal, Or Rectal, Each Pathogen Reported As Detected Or Not Detected	

Denominator: Women 16-24 years of age who meet the criteria for eligible population.

• Anchor Date: December 31, 2023

Numerator: Women in the denominator who were tested at least once for chlamydia during the measurement year (2023).

✓ Population: Child

Child and Adolescent Well-Care Visits (WCV)

Methodology: HEDIS®

Measure Description: The percentage of Members ages 3-21 who had at least one comprehensive well-care visit with a PCP or an OB/GYN practitioner during the measurement year (2023).

- Eligible population in this measure meets all of the following criteria:
 - 1. Ages 3-21 as of December 31 of the measurement year (2023).
 - 2. Continuous enrollment with IEHP throughout the measurement year (2023). No more than one gap in enrollment of up to 45 days during the measurement year (2023).

	CODES TO IDENTIFY WELL-CARE VISITS:				
Service	Code Type	Code	Code Description		
Well-Care Visit	СРТ	99382	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; early childhood (age 1 through 4 years)		
Well-Care Visit	СРТ	99383	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; late childhood (age 5 through 11 years)		
Well-Care Visit	СРТ	99384	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; adolescent (age 12 through 17 years)		
Well-Care Visit	СРТ	99385	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 18-39 years		
Well-Care Visit	СРТ	99392	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; early childhood (age 1 through 4 years)		

CODES TO IDENTIFY WELL-CARE VISITS:					
Service	Code Type	Code	Code Description		
Well-Care Visit	СРТ	99393	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; late childhood (age 5 through 11 years)		
Well-Care Visit	СРТ	99394	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; adolescent (age 12 through 17 years)		
Well-Care Visit	СРТ	99395	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 18-39 years		
Well-Care Visit	HCPCS	G0438	Annual wellness visit; includes a personalized prevention plan of service (PPS), initial visit		
Well-Care Visit	HCPCS	G0439	Annual wellness visit, includes a personalized prevention plan of service (PPS), subsequent visit		
Well-Care Visit	HCPCS	S0302	Completed early periodic screening diagnosis and treatment (EPSDT) service (list in addition to code for appropriate evaluation and management service)		
Well-Care Visit	HCPCS	S0610	Annual gynecological examination, new patient		
Well-Care Visit	HCPCS	S0612	Annual gynecological examination, established patient		
Well-Care Visit	HCPCS	S0613	Annual gynecological examination; clinical breast examination without pelvic evaluation		
Well-Care Visit	ICD-10	Z00.00	Encounter for general adult medical examination without abnormal findings		
Well-Care Visit	ICD-10	Z00.01	Encounter for general adult medical examination with abnormal findings		
Well-Care Visit	ICD-10	Z00.121	Encounter for routine child health examination with abnormal findings		
Well-Care Visit	ICD-10	Z00.129	Encounter for routine child health examination without abnormal findings		
Well-Care Visit	ICD-10	Z01.411	Encounter for gynecological examination (general) (routine) with abnormal findings		
Well-Care Visit	ICD-10	Z01.419	Encounter for gynecological examination (general) (routine) without abnormal findings		
Well-Care Visit	ICD-10	Z00.2	Encounter for examination for period of rapid growth in childhood		
Well-Care Visit	ICD-10	Z00.3	Encounter for examination for adolescent development state		
Well-Care Visit	ICD-10	Z02.5	Encounter for examination for participation in sport		
Well-Care Visit	ICD-10	Z76.1	Encounter for health supervision and care of foundling		
Well-Care Visit	ICD-10	Z76.2	Encounter for health supervision and care of other healthy infant and child		

Denominator: The eligible population.

• Anchor Date December 31, 2023

Numerator: Members in the denominator who had one or more well-care visits with a PCP or an OB/GYN during the measurement year (2023).

Childhood Immunizations (CIS) - Combo 10

Summary of Changes to the 2023 Global Quality P4P Program Guide:

• Update to the exclusions

Methodology: HEDIS®

Measure Description: The percentage of children 2 years of age who had four diphtheria, tetanus and acellular pertussis (DTaP); three polio (IPV); three haemophilus influenza type B (HiB); three hepatitis B (HepB); four pneumococcal conjugate (PCV); two or three rotavirus (RV); and two influenza (flu) vaccines by their second birthday. The percentage of children 2 years of age who had one measles, mumps and rubella (MMR); one chicken pox (VZV); and one hepatitis A (HepA) vaccines on or between the child's first and second birthdays. The measure calculates a rate for each vaccine and one combination rate.

- Combo 10 includes the timely completion of the following antigens:
 - DTaP; IPV; MMR; HiB; HepB; VZV; PCV; HepA; Rotavirus; Flu
- The eligible population in this measure meets all of the following criteria:
 - 1. Children who turn 2 during the measurement year (2023).
 - 2. Continuous enrollment with IEHP 12 months prior to the child's second birthday with no more than one gap in enrollment of up to 45 days during the 12 months prior to the child's second birthday.

	CHILDHOOD IMMUNIZATION CODE SET:			
Antigen	Code Type	Code	Code Description	
DTaP	СРТ	90697	Diphtheria, tetanus toxoids, acellular pertussis vaccine, inactivated poliovirus vaccine, Haemophilus influenzae type b PRP-OMP conjugate vaccine, and hepatitis B vaccine (DTaP-IPV-Hib-HepB), for intramuscular use	
DTaP	СРТ	90698	Diphtheria Tetanus Toxoids And Acellular Pertussis Vaccine And Hemophilus Influenza B Vaccine And Activated Poliovirus Vaccine, (DTaP-IPV/Hib), For Intramuscular Use	
DTaP	СРТ	90700	Diphtheria Tetanus Toxoids And Acellular Pertussis Vaccine (DTaP) For Intramuscular Use	

	CHILDHOOD IMMUNIZATION CODE SET:				
Antigen	Code Type	Code	Code Description		
DTaP	СРТ	90723	Diphtheria Tetanus Toxoids Acellular Pertussis Vaccine Hepatitis B, and Inactivated poliovirus vaccine (DTaP-HepB-IPV), For Intramuscular Use		
IPV	СРТ	90697	Diphtheria, tetanus toxoids, acellular pertussis vaccine, inactivated poliovirus vaccine, Haemophilus influenzae type b PRP-OMP conjugate vaccine, and hepatitis B vaccine (DTaP-IPV-Hib-HepB), for intramuscular use		
IPV	СРТ	90698	Diphtheria Tetanus Toxoids And Acellular Pertussis Vaccine And Hemophilus Influenza B Vaccine and activated poliovirus vaccine, (DTaP-IPV/HiB), For Intramuscular Use		
IPV	CPT	90713	Poliovirus Vaccine Inactivated (IPV) For Subcutaneous Use		
IPV	СРТ	90723	Diphtheria Tetanus Toxoids Acellular Pertussis Vaccine Hepatitis B, and Inactivated poliovirus vaccine (DTaP-HepB-IPV), For Intramuscular Use		
MMR	СРТ	90707	Measles Mumps And Rubella Virus Vaccine (MMR) Live For Subcutaneous Use		
MMR	СРТ	90710	Measles Mumps Rubella And Varicella Vaccine (MMRV) Live For Subcutaneous Use		
HiB	СРТ	90644	Meningococcal Conjugate Vaccine, Serogroups C & Y And Hemophilus Influenzae Type B Vaccine (HiB-mency), four dose schedule, when administered to children six weeks-18 months of age, for intramuscular use		
HiB	СРТ	90647	Hemophilus Influenza B Vaccine (HiB) Prp-omp Conjugate (Three Dose Schedule) For Intramuscular Use		
HiB	СРТ	90648	Hemophilus Influenza B Vaccine (HiB) prp-t Conjugate (Four Dose Schedule) For Intramuscular Use		
HiB	СРТ	90697	Diphtheria, tetanus toxoids, acellular pertussis vaccine, inactivated poliovirus vaccine, Haemophilus influenzae type b PRP-OMP conjugate vaccine, and hepatitis B vaccine (DTaP-IPV-Hib-HepB), for intramuscular use		
HiB	СРТ	90698	Diphtheria Tetanus Toxoids And Acellular Pertussis Vaccine And Hemophilus Influenza B Vaccine and activated poliovirus vaccine, (DTaP-IPV/HiB), for intramuscular use		
HiB	СРТ	90748	Hepatitis B And Hemophilus Influenza B Vaccine (HepB-HiB) For Intramuscular Use		
НерВ	СРТ	90697	Diphtheria, tetanus toxoids, acellular pertussis vaccine, inactivated poliovirus vaccine, Haemophilus influenzae type b PRP-OMP conjugate vaccine, and hepatitis B vaccine (DTaP-IPV-Hib-HepB), for intramuscular use		
НерВ	СРТ	90723	Diphtheria Tetanus Toxoids Acellular Pertussis Vaccine Hepatitis B, and Inactivated poliovirus vaccine (DTaP-HepB-IPV), For Intramuscular use		
НерВ	СРТ	90740	Hepatitis B Vaccine Dialysis Or Immunosuppressed Patient Dosage (Three Dose Schedule) For Intramuscular Use		
НерВ	СРТ	90744	Hepatitis B Vaccine Pediatric/adolescent Dosage (Three Dose Schedule) For Intramuscular Use		
НерВ	СРТ	90747	Hepatitis B Vaccine Dialysis Or Immunosuppressed Patient Dosage (Four Dose Schedule) For Intramuscular Use		

	CHILDHOOD IMMUNIZATION CODE SET:						
Antigen	Code Type	Code	Code Description				
НерВ	СРТ	90748	Hepatitis B And Hemophilus Influenza B Vaccine (HepB-HiB) For Intramuscular Use				
НерВ	HCPCS	G0010	Administration Of Hepatitis B Vaccine				
VZV	СРТ	90710	Measles Mumps Rubella And Varicella Vaccine (MMRV) Live For Subcutaneous Use				
VZV	CPT	90716	Varicella Virus Vaccine Live For Subcutaneous Use				
PCV	CPT	90670	Pneumococcal Conjucate Vaccine 13 Valent For Intramuscular Use				
PCV	CPT	90671	Pneumococcal Conjugate Vaccine, 15 Valent (pcv15), For Intramuscular Use				
PCV	HCPCS	G0009	Administration Of Pneumococcal Vaccine				
НерА	СРТ	90633	Hepatitis A Vaccine Pediatric/adolescent Dosage-2 Dose Schedule For Intramuscular Use				
Rotavirus - Two Dose [*]	СРТ	90681	Rotavirus Vaccine Human Attenuated Two Dose Schedule Live For Oral Use.				
Rotavirus - Three Dose**	СРТ	90680	Rotavirus Vaccine Tetravalent Live For Oral Use				
Flu	СРТ	90655	Influenza Virus Vaccine, Trivalent (IIV3), Split Virus, Preservative Free, 0.25ml Dosage, For Intramuscular Use				
Flu	СРТ	90657	Influenza virus vaccine, trivalent (IIV3), split virus, 0.25 mL dosage, for intramuscular use				
Flu	CPT	90660	Influenza virus vaccine, trivalent, live (LAIV3) for intranasal use				
Flu	СРТ	90661	Influenza Virus Vaccine Derived From Cell Cultures Subunit Preservative And Antibiotic Free For Intramuscular Use				
Flu	CPT	90672	Influenza virus vaccine, quadrivalent, live (LAIV4), for intranasal use				
Flu	СРТ	90673	Influenza Virus Vaccine Trivalent Derived From Recombinant DNA (RIV3) Hemagglutinin (HA) Protein Only Preservative And Antibiotic				
Flu	СРТ	90674	Influenza virus vaccine, quadrivalent (ccIIV4), derived from cell cultures, subunit, preservative and antibiotic free, 0.5 mL dosage, for intramuscular use				
Flu	СРТ	90685	Influenza Virus Vaccine Quadrivalent (II4V) Split Virus Preservative Free, 0.25 mL dosage, for Intramuscular Use				
Flu	СРТ	90686	Influenza Virus Vaccine Quadrivalent (II4V) Split Virus Preservative Free, 0.5 mL dosage, for Intramuscular Use				
Flu	СРТ	90687	Influenza Virus Vaccine Quadrivalent (II4V) Split Virus, 0.25 mL dosage, for Intramuscular Use				
Flu	СРТ	90688	Influenza Virus Vaccine Quadrivalent (II4V) Split Virus, 0.5 mL dosage, for Intramuscular Use				
Flu	СРТ	90689	Influenza virus vaccine quadrivalent (IIV4), inactivated, adjuvanted, preservative free, 0.25 mL dosage, for intramuscular				
Flu	СРТ	90756	Influenza virus vaccine, quadrivalent (ccIIV4), derived from cell cultures, subunit, antibiotic free, 0.5mL dosage, for intramuscular use				
Flu	HCPCS	G0008	Administration Of Influenza Virus Vaccine				

^{*}Rotavirus - Two Dose: At least two doses of the two-dose rotavirus vaccine on different dates of services.

^{**}Rotavirus - Three Dose: At least three doses of the three-dose rotavirus vaccine on different dates of service.

- Members who meet any of the following criteria are excluded:
 - 1. Members in hospice.
 - 2. Members who had any of the following on or before their second birthday:
 - Severe combine immunodeficiency
 - Immunodeficiency
 - HIV
 - Lymphoreticular cancer, multiple myeloma or leukemia
 - Intussusception
 - 3. Members who expired at any time during the measurement year (2023).

Denominator: Children 2 years of age in the eligible population.

• Anchor Date: Child's 2nd birthday

Numerator: Members in denominator who show timely completion of all antigens in Combo10.

• All immunization series must be at least 14 days apart.

Developmental Screening

Methodology: CMS Child Core Set

Measure Description: The percentage of children who are screened for the risk of developmental, behavioral, and social delays using a standardized screening tool, in the 12 months before or on their first, second or third birthday in the measurement year (2023).

- Eligible population in this measure meets all of the following criteria:
 - 1. Children turning ages 1-3 as of December 31 of the measurement year (2023).
 - 2. Continuous enrollment with IEHP for 12 months prior to the child's first, second or third birthday with no more than one gap in enrollment of up to 45 days during the 12 months prior to the child's first, second or third birthday.

Denominator: Children who turn ages 1, 2 or 3 by December 31 of the measurement year (2023).

• Anchor Date: Child's birthday in the measurement year

Numerator: Children who were screened for risk of developmental, behavioral, and social delays on or before the child's first, second or third birthday.

Examples of developmental screening tools include but are not limited to:

- Ages and Stages Questionnaire 3rd Edition (ASQ-3)
- Parents' Evaluation of Developmental Status (PEDS)
- Parents' Evaluation of Developmental Status Developmental Milestones (PEDS-DM)
- Survey of Well-Being in Young Children (SWYC)

CODES TO IDENTIFY DEVELOPMENTAL SCREENING				
Antigen	Code Type	Code	Code Description	
Developmental Screening	СРТ	96110	Developmental screening (e.g., developmental milestone survey, speech and language delay screen) with scoring and documentation, per standardized instrument	

Immunizations for Adolescents (IMA) – Combo 2

Summary of Changes to the 2023 Global Quality P4P Program Guide:

• Update to the exclusions

Methodology: HEDIS®

Measure Description: The percentage of adolescents 13 years of age who had one dose of meningococcal conjugate; one tetanus, diphtheria toxoids and acellular pertussis (Tdap); and two or three doses of the human papillomavirus (HPV) vaccine on or before their 13th birthday. The measure calculates a rate for each vaccine and a combination rate.

- At least one dose of meningococcal conjugate vaccine on or between the Member's 11th and 13th birthdays.
- At least one tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccine on or between the Member's 10th and 13th birthdays.
- At least two HPV vaccines, with different dates of service on or between the Member's 9th and 13th birthdays.
 - There must be at least 146 days between the first and second dose of the HPV vaccine. For example, if the service date for the first vaccine was March 1, then the service date for the second vaccine must be on or after July 25.

OR

At least three HPV vaccines, with different dates of service on or between the Member's 9th and 13th birthdays.

• The eligible population in this measure meets all of the following criteria:

- 1. Adolescents who turn 13 years of age during the measurement year (2023).
- 2. Continuous enrollment with IEHP 12 months prior to the Member's 13th birthday with no more than one gap in enrollment of up to 45 days during the 12 months prior to the 13th birthdays.

	CODES TO IDENTIFY MENINGOCOCAL:				
Antigen	Code Type	Code	Code Description		
Meningococcal Conjugate	СРТ	90619	Meningococcal Conjugate Vaccine, Serogroups A, C, W, Y, Quadrivalent Tetanus Toxoid Carrier (MenACWY-TT), For Intramuscular Use		
Meningococcal Conjugate	СРТ	90733	Meningococcal Polysaccharide Vaccine, Serogroups A, C, Y, W-135, Quadrivalent (mpsv4), For Subcutaneous Use		
Meningococcal Conjugate	СРТ	90734	Meningococcal Conjugate Vaccine Serogroups A, C, Y and W-135, Quadrivalent (MCV4 or MenACWY), For Intramuscular Use		

CODES TO IDENTIFY TDAP:			
Antigen	Code Type	Code	Code Description
Tdap	СРТ	90715	Tetanus Diphtheria Toxoids And Acellular Pertussis Vaccine (Tdap) When Administered To Individuals Seven Years Or Older For Intramuscular Use

	CODES TO IDENTIFY HPV:			
Antigen	Code Type Code		Code Description	
HPV	СРТ	90649	Human Papilloma Virus (HPV) Vaccine Types 6 11 16 18 Quadrivalent (4vHPV), two or three Dose Schedule, For Intramuscular Use	
HPV	СРТ	90650	Human Papilloma Virus (HPV) Vaccine Types 16, 18 Bivalent (2vHPV) two or three Dose Schedule, For Intramuscular Use	
HPV	СРТ	90651	Human Papilloma Virus Vaccine 6 11 16 18 31 33 45 52 58, Nonavalent (9vHPV) two or three Dose Schedule, For Intramuscular Use	

- Members who meet any of the following criteria are excluded:
 - 1. Members in hospice.
 - 2. Members who expired at any time during the measurement year (2023).

Denominator: Adolescents 13 years of age who meet all the criteria for eligible population.

Anchor Date: Child's 13th birthday

Numerator: Members in the denominator who had one dose of meningococcal conjugate vaccine, one tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccine, and have completed the human papillomavirus (HPV) vaccine series by their 13th birthday during the measurement year (2023).

• All immunization series must be at least 14 days apart.

Substance Use Assessment in Primary Care for Adolescents

Methodology: IEHP-Defined Quality Measure

Measure Description: The percentage of Members 11-17.99 years of age who were screened for substance use during the measurement year (2023).

Denominator: All Members 11-17.99 years of age during the measurement year (2023). Member counted only once in the denominator.

• Anchor Date: December 31, 2023

Numerator: Members who were screened for substance use at least once during the measurement year (2023).

CODES TO IDE	CODES TO IDENTIFY SUBSTANCE USE ASSESSMENT IN PRIMARY CARE:			
Service	Code Type	Code	Code Description	
Substance Use Assessment in Primary Care	СРТ	99408	Alcohol and/or Substance (other than tobacco) Abuse Structured Screening (e.g. Audit DAST) and Brief Intervention (SBI) Services 15 to 30 Minutes	
Substance Use Assessment in Primary Care	СРТ	99409	Alcohol and/or Substance (other than tobacco) Abuse Structured Screening (e.g. Audit DAST) and Brief Intervention (SBI) Services Greater than 30 Minutes	
Substance Use Assessment in Primary Care	HCPCS	G0442	Annual Alcohol Misuse Screening 15 Minutes	
Substance Use Assessment in Primary Care	HCPCS	G0443	Brief Face-To-Face Behavioral Counseling for Alcohol Misuse, 15 minutes	
Substance Use Assessment in Primary Care	HCPCS	H0001	Alcohol and/or Drug Assessment	
Substance Use Assessment in Primary Care	HCPCS	H0049	Alcohol and/or Drug Screening	
Substance Use Assessment in Primary Care	HCPCS	H0050	Alcohol and/or Drug Service Brief Intervention Per 15 Minutes	

Examples of Substances Use Assessment in Primary Care for Adolescents screening tools include but are not limited to:

- Cut Down-Annoyed-Guilty-Eye-Opener Adapted to Include Drugs (CAGE-AID)
- Tobacco, Alcohol, Prescription medication and other Substances (TAPS)
- National Institute on Drug Abuse (NIDA) Quick Screen for adults
 - o The single NIDA Quick Screen alcohol-related question can be used for alcohol use screening

- Drug Abuse Screening Test (DAST-10)
- Alcohol Use Disorders Identification Test (AUDIT-C)
- Parents, Partner, Past and Present (4Ps) for pregnant women and adolescents
- Car, Relax, Alone, Forget, Friends, Trouble (CRAFFT) for non-pregnant adolescents
- Michigan Alcoholism Screening Test Geriatric (MAST-G) alcohol screening for geriatric population

Well-Child Visits in the First 15 Months of Life (W30)

Methodology: HEDIS®

Measure Description: The percentage of Members who turned 15 months old during the measurement year (2023) and had six or more well-child visits.

- The eligible population in this measure meets all of the following criteria:
 - 1. Children who turn 15 months old during the measurement year (2023).
 - 2. Member must be enrolled with IEHP by 31 days after birth and maintain continuous enrollment between 31 days and 15 months of age with no more than one gap in enrollment of up to 45 days.

Denominator: Members who turned 15 months old during the measurement year (2023) who meet all criteria for eligible population.

• Anchor Date: Child's 15th month birthday

Numerator: Members who received six or more well-child visits on or before the child's 15th month birthday. The well-child visit must occur with a PCP, but the PCP does not have to be the Practitioner assigned to the child.

• All visits must be at least 14 days apart.

	CODES TO IDENTIFY WELL-CARE VISITS:				
Service	Code Type	Code	Code Description		
Well-Care Visit	СРТ	99381	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; infant (age younger than 1 year)		
Well-Care Visit	СРТ	99382	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; early childhood (age 1 through 4 years)		

	CODES TO IDENTIFY WELL-CARE VISITS:					
Service	Code Type	Code	Code Description			
Well-Care Visit	СРТ	99391	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; infant (age younger than 1 year)			
Well-Care Visit	СРТ	99392	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; early childhood (age 1 through 4 years)			
Well-Care Visit	СРТ	99461	Initial care, per day, for evaluation and management of normal newborn infant seen in other than hospital or birthing center			
Well-Care Visit	ICD10CM	Z00.110	Health Examination For Newborn Under 8 Days Old			
Well-Care Visit	ICD10CM	Z00.111	Health Examination For Newborn 8 To 28 Days Old			
Well-Care Visit	ICD10CM	Z00.121	Encounter For Routine Child Health Examination With Abnormal Findings (Health check (routine) for child over 28 days old)			
Well-Care Visit	ICD10CM	Z00.129	Encounter For Routine Child Health Examination Without Abnormal Findings (Health check (routine) for child over 28 days old)			
Well-Care Visit	ICD10CM	Z76.1	Encounter For Health Supervision And Care Of Foundling			
Well-Care Visit	ICD10CM	Z76.2	Encounter For Health Supervision And Care Of Other Healthy Infant And Child			

Well-Child Visits in the First 30 Months of Life (W30)

Methodology: HEDIS®

Measure Description: The percentage of children who turned 30 months old during the measurement year (2023) and had two or more well-child visits with a PCP within the 15-30 months of life.

- Eligible population in this measure meets all of the following criteria:
 - 1. Children who turn 30 months old during the measurement year (2023).
 - 2. Member must be enrolled with IEHP by 15 months after birth and maintain continuous enrollment between 15 months and 30 months of age with no more than one gap in enrollment of up to 45 days.

Denominator: Members who turn 30 months old during the measurement year (2023) who meet all criteria for eligible population.

• Anchor Date: Child's 30th month birthday (Calculate the 30th-month birthday as the second birthday plus 180 days).

Numerator: Members in the denominator who received two or more well-child visits between the child's 15 month plus 1 day and 30 months of life. The well-child visit must occur with a PCP, but the PCP does not have to be the Practitioner assigned to the child.

• All visits must be at least 14 days apart

	CODES TO IDENTIFY WELL-CARE VISITS:				
Service	Code Type	Code	Code Description		
Well-Child Visits in the First 30 Months of Life	СРТ	99381	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; infant (age younger than one year)		
Well-Child Visits in the First 30 Months of Life	СРТ	99382	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; early childhood (age one through four years)		
Well-Child Visits in the First 30 Months of Life	СРТ	99391	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; infant (age younger than one year)		
Well-Child Visits in the First 30 Months of Life	СРТ	99392	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/ anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; early childhood (age one through four years)		
Well-Child Visits in the First 30 Months of Life	ICD10CM	Z00.121	Encounter For Routine Child Health Examination With Abnormal Findings		
Well-Child Visits in the First 30 Months of Life	ICD10CM	Z00.129	Encounter For Routine Child Health Examination Without Abnormal Findings		
Well-Child Visits in the First 30 Months of Life	ICD10CM	Z00.2	Encounter For Examination For Period Of Rapid Growth In Childhood		
Well-Child Visits in the First 30 Months of Life	ICD10CM	Z76.1	Encounter For Health Supervision And Care Of Foundling		
Well-Child Visits in the First 30 Months of Life	ICD10CM	Z76.2	Encounter For Health Supervision And Care Of Other Healthy Infant And Child		

Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents (WCC)

Summary of Changes to the 2023 Global Quality P4P Program Guide:

• Update to the exclusions

Methodology: HEDIS®

Measure Description: The percentage of Members 3-17 years of age who had an outpatient visit with a PCP or OB/GYN and who had evidence of the following during the measurement year (2023). Report each of the three indicators below:

- BMI percentile documentation*
- Counseling for nutrition
- Counseling for physical activity
- The eligible population in this measure meets all of the following criteria:
 - 1. Members who are 3-17 years of age as of December 31 of the measurement year (2023).
 - 2. Continuous enrollment with IEHP in the measurement year (2023) with no more than one gap up to 45 days.
 - 3. An outpatient visit with a PCP or an OB/GYN during the measurement year (2023).
- * Because BMI norms for youth vary with age and gender, this measure evaluates whether BMI percentile is assessed rather than an absolute BMI value.

CODES TO IDENTIFY BMI PERCENTILE:					
Code	Code Type	Description			
Z68.51	ICD10	Body Mass Index (BMI) Pediatric, Less Than 5th Percentile For Age			
Z68.52	ICD10	Body Mass Index (BMI) Pediatric, 5th Percentile To Less Than 85th Percentile For Age			
Z68.53	ICD10	Body Mass Index (BMI) Pediatric, 85th Percentile To Less Than 95th Percentile For Age			
Z68.54	ICD10	Body Mass Index (BMI) Pediatric, Greater Than Or Equal To 95th Percentile For Age			

	CODES TO IDENTIFY COUNSELING FOR PHYSICAL ACTIVITY:					
Code	Code Type	Description				
G0447	HCPCS	Face-to-face Behavioral Counseling For Obesity, 15 Minutes				
S9451	HCPCS	Exercise Classes, Non-Physician Provider, Per Session				
Z02.5	ICD10	Encounter For Examination For Participation In Sport				
Z71.82	ICD10	Exercise Counseling				

	CODES TO IDENTIFY COUNSELING FOR NUTRITION:						
Code	Code Type	Description					
97802	СРТ	Medical Nutrition Therapy Initial Assessment And Intervention Individual Face-to- face With The Patient Each 15 Minutes					
97803	СРТ	Medical Nutrition Therapy Reassessment And Intervention Individual Face-to-face With The Patient Each 15 Minutes					
97804	CPT	Medical Nutrition Therapy Group (Two Or More Individual(s)) Each 30 Minutes					
G0270	HCPCS	Medical Nutrition Therapy; Reassessment And Subsequent Intervention(s) Following Second Referral In Same Year For Change In Diagnosis, Medical Condition Or Treatment Regimen (including Additional Hours Needed For Renal Disease), Individual, Face-to-face					
G0271	HCPCS	Medical Nutrition Therapy, Reassessment And Subsequent Intervention(s) Following Second Referral In Same Year For Change In Diagnosis, Medical Condition, Or Treatment Regimen (including Additional Hours Needed For Renal Disease), Group (Two Or More Individuals)					
G0447	HCPCS	Face-to-face Behavioral Counseling For Obesity, 15 Minutes (G0447)					
S9449	HCPCS	Weight Management Classes, Non-Physician Provider, Per Session (S9449)					
S9452	HCPCS	Nutrition Classes, Non-Physician Provider, Per Session (S9452)					
S9470	HCPCS	Nutritional Counseling, Dietitian Visit (S9470)					
Z71.3	ICD10	Dietary Counseling And Surveillance					

Members who meet any of the following criteria are excluded:

- 1. Members in hospice.
- 2. Members who have a diagnosis of pregnancy any time during the measurement year (2023).
- 3. Members who expired at any time during the measurement year (2023).

Denominator: Members 3-17 years of age who meet all the criteria for eligible population.

• Anchor Date: December 31, 2023

Numerator: Members in the denominator who had evidence of BMI percentile, counseling of nutrition or physical activity during the measurement year (2023).

✓ Population: All

Initial Health Appointment (IHA)

Methodology: IEHP-Defined Quality Measure

Measure Description: The IHA is a comprehensive assessment that is completed during the Member's initial encounter with a PCP, appropriate medical specialist, or Non-Physician Medical Provider, and it must be documented in the Member's medical record. The IHA enables the Member's PCP to assess and manage the acute, chronic and preventive health needs of the Member.

IEHP provides PCPs with a monthly detailed Member roster on the secure IEHP Provider Portal for all newly enrolled IEHP Members who are due for an IHA at 120 days of enrollment.

- The eligible population is newly assigned Members with an IEHP effective enrollment date of January 1, 2023 through December 31, 2023. The IHA must be provided within 120 days of enrollment (e.g., Member enrolled in December 2023 must be seen by April 2024 and PCP must submit encounter by May 2024).
- IHA visits completed during the 11 months prior to enrollment with IEHP count towards numerator compliance.

An IHA must include all of the following:

- A history of the Member's physical and mental health
- An identification of risks
- An assessment of need for preventive screens or services
- Health education
- The diagnosis and plan for treatment of any diseases

CODES TO IDENTIFY IHA VISITS:			
Code	Code Type	Description	
96160	СРТ	Administration of patient-focused health risk assessment instrument (e.g., health hazard appraisal) with scoring and documentation, per standardized instrument.	
96161	СРТ	Administration of caregiver-focused health risk assessment instrument (e.g., depression inventory) for the benefit of the patient, with scoring and documentation, per standardized instrument.	
99202	СРТ	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using time for code selection, 15-29 minutes of total time is spent on the date of the encounter.	

	CODES TO IDENTIFY IHA VISITS:			
Code	Code Type	Description		
99203	СРТ	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using time for code selection, 30-44 minutes of total time is spent on the date of the encounter.		
99204	СРТ	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using time for code selection, 45-59 minutes of total time is spent on the date of the encounter.		
99205	СРТ	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using time for code selection, 60-74 minutes of total time is spent on the date of the encounter.		
99211	СРТ	Office or other outpatient visit for the evaluation and management of an established patient, that may not require the presence of a physician or other qualified health care professional. Usually, the presenting problem(s) are minimal.		
99212	СРТ	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using time for code selection, 10-19 minutes of total time is spent on the date of the encounter.		
99213	СРТ	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using time for code selection, 20-29 minutes of total time is spent on the date of the encounter.		
99214	СРТ	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using time for code selection, 3 0-39 minutes of total time is spent on the date of the encounter.		
99215	СРТ	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using time for code selection, 40-54 minutes of total time is spent on the date of the encounter.		
99241	СРТ	Office consultation for a new or established patient, which requires these three key components: A problem-focused history; A problem-focused examination; and Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Typically, 15 minutes are spent face-to-face with the patient and/or family.		
99242	СРТ	Office consultation for a new or established patient, which requires these three key components: An expanded problem-focused history; An expanded problem-focused examination; and Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low severity. Typically, 30 minutes are spent face-to-face with the patient and/or family.		

CODES TO IDENTIFY IHA VISITS:		
Code	Code Type	Description
99243	СРТ	Office consultation for a new or established patient, which requires these three key components: A detailed history; A detailed examination; and Medical decision making of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity. Typically, 40 minutes are spent face-to-face with the patient and/or family.
99244	СРТ	Office consultation for a new or established patient, which requires these three key components: A comprehensive history; A comprehensive examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 60 minutes are spent face-to-face with the patient and/or family.
99245	СРТ	Office consultation for a new or established patient, which requires these three key components: A comprehensive history; A comprehensive examination; and Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 80 minutes are spent face-to-face with the patient and/or family.
99354	СРТ	Prolonged service(s) in the outpatient setting requiring direct patient contact beyond the time of the usual service; first hour (List separately in addition to code for outpatient Evaluation and Management or psychotherapy service, except with office or other outpatient services [99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215])
99355	СРТ	Prolonged service(s) in the outpatient setting requiring direct patient contact beyond the time of the usual service; each additional 30 minutes (List separately in addition to code for prolonged service)
99381	СРТ	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; infant (age younger than 1 year)
99382	СРТ	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; early childhood (age 1 through 4 years)
99383	СРТ	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; late childhood (age 5 through 11 years)

	CODES TO IDENTIFY IHA VISITS:			
Code	Code Type	Description		
99384	СРТ	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; adolescent (age 12 through 17 years)		
99385	СРТ	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 18-39 years		
99386	СРТ	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 40-64 years		
99387	СРТ	Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 65 years and older		
99391	СРТ	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; infant (age younger than 1 year)		
99392	СРТ	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/ anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; early childhood (age 1 through 4 years)		
99393	СРТ	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; late childhood (age 5 through 11 years)		
99394	СРТ	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; adolescent (age 12 through 17 years)		
99395	СРТ	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 18-39 years		
99396	СРТ	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 40-64 years		

CODES TO IDENTIFY IHA VISITS:			
Code	Code Type	Description	
99397	СРТ	Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 65 years and older	
99401	СРТ	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 15 minutes	
99402	СРТ	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 30 minutes	
99403	СРТ	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 45 minutes	
99404	СРТ	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 60 minutes	
99411	СРТ	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to individuals in a group setting (separate procedure); approximately 30 minutes	
99412	СРТ	Preventive medicine counseling and/or risk factor reduction intervention(s) provided to individuals in a group setting (separate procedure); approximately 60 minutes	
99429	CPT	Unlisted Preven Meds Serv	
99444	СРТ	Online evaluation and management service provided by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient or guardian, not originating from a related E/M service provided within the previous seven days, using the Internet or similar electronic communications network	
99446	СРТ	Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician, including a verbal and written report to the patient's treating/requesting physician or other qualified health care professional; 5-10 minutes of medical consultative discussion and review	
99447	СРТ	Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician, including a verbal and written report to the patient's treating/requesting physician or other qualified health care professional; 11-20 minutes of medical consultative discussion and review	
99448	СРТ	Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician, including a verbal and written report to the patient's treating/requesting physician or other qualified health care professional; 21-30 minutes of medical consultative discussion and review	
99449	СРТ	Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician, including a verbal and written report to the patient's treating/requesting physician or other qualified health care professional; 31 minutes or more of medical consultative discussion and review	
99450	СРТ	Basic life and/or disability examination that includes: Measurement of height, weight, and blood pressure; Completion of a medical history following a life insurance pro forma; Collection of blood sample and/or urinalysis complying with "chain of custody" protocols; and Completion of necessary documentation/certificates	

CODES TO IDENTIFY IHA VISITS:		
Code	Code Type	Description
99455	СРТ	Work-related or medical disability examination by the treating physician that includes: Completion of a medical history commensurate with the patient's condition; Performance of an examination commensurate with the patient's condition; Formulation of a diagnosis, assessment of capabilities and stability, and calculation of impairment; Development of future medical treatment plan; and Completion of necessary documentation/certificates and report
99456	СРТ	Work-related or medical disability examination by other than the treating physician that includes: Completion of a medical history commensurate with the patient's condition; Performance of an examination commensurate with the patient's condition; Formulation of a diagnosis, assessment of capabilities and stability, and calculation of impairment; Development of future medical treatment plan; and Completion of necessary documentation/certificates and report
G0402	HCPCS	Initial preventive physical examination; face-to-face visit, services limited to new beneficiary during the first 12 months of Medicare enrollment
G0438	HCPCS	Annual wellness visit; includes a personalized prevention plan of service (PPS), initial visit
G0439	HCPCS	Annual wellness visit, includes a personalized prevention plan of service (PPS), subsequent visit
G0463	HCPCS	Hospital outpatient clinic visit for assessment and management of a patient
T1015	HCPCS	Clinic visit/encounter, all-inclusive
Z00.00	ICD10CM	Encounter for general adult medical examination without abnormal findings
Z00.01	ICD10CM	Encounter for general adult medical examination with abnormal findings
Z00.121	ICD10CM	Encounter for routine child health examination with abnormal findings
Z00.129	ICD10CM	Encounter for routine child health examination without abnormal findings
Z02.5	ICD10CM	Encounter for examination for participation in sport

After Hours Availability On-Call Physician Access

Methodology: IEHP-Defined Provider Access After Hours Survey

Measure Description: The Provider After Hours measure assesses Provider office call handling protocols for after hours access. IEHP conducts a one time annual call campaign to assess Provider network compliance. Physician offices are compliant if during the call, they followed the protocol below:

• The caller was provided with instructions on how to connect to Doctor, on-call physician or covering nurse after hours OR was connected directly to Doctor, on-call physician or covering nurse.

Measure Support: The Provider Access After Hours call campaign is conducted annually to assess the after hours accessibility of Providers within the IEHP network. Specifically, the calls assess the after hours call handling protocol of contracted Primary Care.

This measure is used to monitor Provider compliance with IEHP's Access Standards in policy 9A, ensuring that IEHP Members have appropriate guidance and access if care is needed from their Providers after office hours.

Anchor Date: December 31, 2023

After Hours Availability Emergency Calls

Methodology: IEHP-Defined Provider Access After Hours Survey

Measure Description: The Provider After Hours measure assesses Provider office call handling protocols for life-threatening emergency calls. IEHP conducts a one time annual call campaign to assess Provider network compliance. Physician offices are compliant if during the call, they followed the protocol below:

• The caller was instructed to dial 9-1-1 OR instructed to go to the nearest Emergency Room.

Measure Support: The Provider Access After Hours call campaign is conducted annually to assess the after hours accessibility of Providers within the IEHP network. Specifically, the calls assess the after hours call handling protocol of contracted Primary Care.

This measure is used to monitor Provider compliance with IEHP's Access Standards in policy 9A, ensuring that IEHP Members have appropriate guidance and access if care is needed from their Providers after office hours.

Anchor Date: December 31, 2023

Appointment Availability - Urgent Visits

Methodology: Department of Managed Health Care (DMHC) Model Provider Appointment Availability Survey (PAAS)

Measure Description: The type of appointment and the acceptable time frames to access care are listed below. A Provider is compliant if they meet the following Appointment Access timeframe:

PCP Appointment

• Urgent: ≤ 48 Hours

Measure Support: The purpose of the Appointment Availability measure is to assess the appointment access for Primary Care Physicians.

Anchor Date: December 31, 2023

Appointment Availability – Routine Visits

Methodology: Department of Managed Health Care (DMHC) Model Provider Appointment Availability Survey (PAAS)

Measure Description: The type of appointment and the acceptable time frames to access care are listed below. A Provider is compliant if they meet the following Appointment Access timeframe:

PCP Appointment

• Routine: ≤ 10 days

Measure Support: The purpose of the Appointment Availability measure is to assess the appointment access for Primary Care Physicians.

Anchor Date: December 31, 2023

Access to Care Needed Right Away

Methodology: IEHP's Monthly Member Satisfaction Survey

Measure Description: In the last six months, when you needed care right away, how often did you get care as soon as you needed?

- Valid response: never, sometimes, usually, always
- Target response: usually, always

Measure Support: To help identify opportunities to improve customer service, IEHP conducts a monthly Member Satisfaction Survey between June-December annually. Member survey responses are analyzed and shared at the PCP and IPA level.

Coordination of Care

Methodology: IEHP's Monthly Member Satisfaction Survey

Measure Description: In the last six months, how often did your Personal Doctor seem informed and up-to-date about the care you received from these Doctors or other health Providers?

- Valid response: never, sometimes, usually, always
- Target response: usually, always

Measure Support: To help identify opportunities to improve customer service, IEHP conducts a monthly Member Satisfaction Survey between June-December annually. Member Survey responses are analyzed and shared at the PCP and IPA level.

Rating of Access to Routine Care

Methodology: IEHP's Monthly Member Satisfaction Survey

Measure Description: In the last six months, how often did you get an appointment for a check-up or routine care at a Doctor's office or clinic as soon as you needed it?

- Valid response: never, sometimes, usually, always
- Target response: usually, always

Measure Support: To help identify opportunities to improve customer service, IEHP conducts a monthly Member Satisfaction Survey between June-December annually. Member Survey responses are analyzed and shared at the IPA level.

Potentially Avoidable Emergency Department (ED) Visits

Methodology: IEHP has developed this measure in accordance with the New York University (NYU) research conducted on classifying emergency department utilization (https://wagner.nyu.edu/faculty/billings/nyued-background) and the California Department of Healthcare Services (DHCS) methodology for determining Low-acuity non-emergent (LANE) visits.

Measure Description: Low-acuity non-emergent (LANE) visits are visits to an emergency department (ED) in which the condition could be treated by a physician or other health care provider in a non-emergency setting or conditions that are potentially preventable or ambulatory care sensitive.

The following steps are used to determine potentially preventable emergency room visits:

Step 1: Identify all Emergency Department (ED) visits that contain potentially preventable diagnosis codes on both the facility and professional claims in the measurement year (2023).

Step 2: The following criteria is assessed to exclude ED visits:

- ED visits that resulted in an inpatient admission or observation stay
- Members under the age of 4 or over the age of 65 on the date of service
- ED visits with evaluation & management codes 99284 and 99285

Step 3: Using the primary diagnosis code on the facility component of the ED visit, preventable percentages are assigned to each ED event to account for external factors that can influence and impact variation in ED use. These "preventable percentages" for each ED visit are summed to create a final "count" of preventable ED visits based on the primary diagnosis code on the facility component of the ED visit. The attached worksheet contains the diagnosis codes and preventable percentages assigned to each code (https://www.iehp.org/en/providers/p4p-prop56-gemt?target=p4p-program).

Denominator: All assigned Medi-Cal Members each month of the measurement year (2023). All monthly assigned Members are summed to create a denominator. This is also called Member Months.

Numerator: The sum of the output from Step 3 noted above for Members assigned to the IPA on the date of service. This is the final count of preventable ED visits.

Rate: (Numerator / Denominator) x 12,000



PROCESS MEASURES

✓ Process Measures

Process measures allow IPAs to earn additional dollars based on performance in process metrics. IEHP is committed to reward IPAs who have high performance in quality metrics that assist in providing quality care to IEHP Members.

For the 2023 program year, IPAs can earn an additional PMPM up to \$0.25 per process measure if target goals are met. Please see Appendix 3 below for measure details.

Note: The Manifest MedEx (MX) Connectivity process measure is unique and expands over a two-year measurement window (2022-2023). Providers who did not meet the Manifest MedEx Connectivity measure in the 2022 performance year will have the opportunity to earn incentive dollars for the Manifest MedEx Connectivity measure in 2023. The PMPM dollars will be rewarded once the implementation is complete. Providers must continue the MX connection throughout the time period they are receiving the MX Process measure Quality PMPM.



APPENDIX 3: 2023 IPA Global Quality Process Measures

2023 GLOBAL QUALITY IPA PROCESS MEASURE LIST		
Measure Name	Goal	
HIE Connectivity	25% of PCPs connected & reporting by the following deadlines:1) PCPs sign a participation agreement with MX by June 1, 2023.2) PCPs establish data connections with MX and reporting CCDAs by December 2023.	
Equity Quality Improvement Activity #1: Reducing Health Disparities	 Establish a Quality Improvement Program with a plan to reduce disparities (share plan data with IEHP). Share the Quality Improvement Program outcomes with IEHP. 	
Quality Improvement Activity #2: Potentially Avoidable ED Visits or Potentially Preventable Admissions	 Establish a Quality Improvement Program with a plan to reduce inappropriate use of ER and acute care services (share plan data with IEHP). Share the Quality Improvement Program outcomes with IEHP. 	
Electronic Medical Record Connections	IPA top five (5) high volume Primary Care Physicians (PCPs) electronic medical record (EMR) systems connected directly to IEHP.	
HbA1c Lab Results Data Completeness	Percentage of complete, timely and accurate data submitted through standard reporting channels for all HbA1c lab tests	



NEW Electronic Medical Record Connections

Methodology: IEHP-Defined Process Measure

Measure Description: The count of IPA Primary Care Physicians (PCPs) electronic medical record (EMR) systems connected directly to IEHP.

Denominator: Top five (5) high volume PCPs in the IPA's network, with at least 1,000 assigned IEHP Medi-Cal Members, as of June 30, 2023. IPAs should refer to eligibility data provided by IEHP, through the 834 eligibility file, to identify PCPs.

Numerator: Established EMR connections with eligible Providers within the denominator. Any EMR that has capability to connect to IEHP will be included.

- Connections will need to be established by December 1, 2023.

Note: IEHP must have connection to the Providers EMR system throughout the time period the IPA is receiving the Electronic Medical Record Connections process measure Quality PMPM.

NEW HbA1c Lab Results Data Completeness

Methodology: IEHP-Defined Process Measure

Measure Description: The percentage of complete, timely and accurate data submitted through standard reporting channels for all HbA1c lab tests rendered to IEHP Medi-Cal Members in the measurement year (2023).

Denominator: The sum of all unique HbA1c tests submitted for Medi-Cal Members.

- (e.g., unique Member, date of service) in the measurement year (2023).

Numerator: The sum of all valid results for the HbA1c tests identified in the denominator.

Measure Support: To ensure IEHP receives accurate lab result data from IEHP contracted Medi-Cal Providers as lab data is an essential data source in performance reporting.

Manifest MedEx (MX) Connectivity

Methodology: IEHP-Defined Process Measure

Measure Description: Participating PCPs are encouraged to connect their electronic health record (EHR) systems to the regional Health Information Exchange (Manifest MedEx).

• Anchor Date: June 30, 2023

Goal: Increase PCP connections to Manifest MedEx with an aim to improve patient care and coordination.

Two Milestones will need to be met by your PCPs.

- 1. PCPs sign a participation agreement with MX by June 1, 2023.
- 2. PCPs establish data connections with MX with routine reporting of CCDAs by established deadline.
 - Providers must pass primary source verification (PSV) with MX.
 - Once PSV is completed, active data sharing must be confirmed by MX.
 - Deadline will be set based on the volume of PCPs who sign up.
 - Goal is by December 2023, may extend out further, based on MX connectivity capability.

As part of the PSV process, Providers will be required to pass the following elements in order to meet the data quality requirement of this measure.

All EHR printouts must meet the "Golden Rule" and be considered a "Robust" case. Any documentation missing this information is considered incomplete and will fail PSV for this measure.

Golden Rule:

Patient Name
 Facility Name
 Date of Birth
 Provider Name

Target Date of Service (DOS)
 Time of Service (TOS) – If applicable

Robust Case:

Patient Race / EthnicityVitals

Problem List containing all PX codes and/or Descriptions
 Immunizations

Procedures Codes and/or Description
 Labs (when applicable)

Financial incentive awarded if the following is met: 25% of your PCPs connected and reporting to MX by the above deadlines.

MANIFEST MEDEX CONNECTED ELECTRONIC HEALTH RECORDS (EHRs)*				
AdvancedMD	DeVero	Harris Flex	Netsmart myInsight	
Allscripts	DrChrono	iKnowMed Gen2	NextGen Healthcare	
Amazing Charts	eClinicalWorks	InSync	Office Ally	
Aprima	eMDs	Kareo	Office Practicum	
AthenaHealth	Epic	McKesson	Practice Fusion	
Avatar	GE Centricity	MatrixCare	Practice Partner	
Cerner	Greenway Health - Intergy	MEDITECH	Prime Clinical	
CPSI-Evident-Thrive	Greenway Health - Primesuite	Modernizing Medicine	PrognoCIS	

^{*}other EHR connections may be added

Equity Quality Improvement Activity #1: Reducing Health Disparities

Methodology: IEHP-Defined Process Measure

Measure Description: The Department of Health Care Services (DHCS) has made health equity and reducing disparities in health care a central area of focus in its Quality Strategy. The intent is for IPAs to develop a quality improvement activity with an emphasis on driving improvements in health equity and identifying health disparities and their root causes.

Goal: Engage IPAs in quality improvement work focused on health equity and reducing health care disparities among their IEHP Medi-Cal Members.

- 1. Establish an improved quality improvement project (a continuation of the 2022 Quality Improvement Reducing Health Disparities Activity), to reduce health disparities and calculate baseline rates. Share project details with IEHP.
 - April 30, 2023
- 2. Share project outcomes with IEHP.
 - By March 31, 2024

Quality Improvement Activity #2: Potentially Avoidable ED Visits or Potentially Preventable Admissions

Methodology: IEHP-Defined Process Measure

Measure Description: As part of its rate development process, the Department of Health Care Services (DHCS) penalizes health plans that have a high rate of avoidable emergency room visits or potentially preventable admissions. The intent for this process measure is for IPAs to develop a quality improvement activity aimed at reducing avoidable emergency room visits or potentially preventable admissions among Members with diabetes or heart failure.

Goal: Engage IPAs in quality improvement work focused on reducing avoidable emergency room visits or potentially preventable admissions among their IEHP Medi-Cal Members with diabetes or heart failure.

- 1. Establish an improved quality improvement project (a continuation of the 2022 Quality Improvement Reducing Potentially Avoidable ED Visits or Potentially Preventable Admissions Activity) to reduce avoidable emergency room visits or potentially preventable admissions and calculate baseline rates. Share project details with IEHP.
 - By April 30, 2023
- 2. Share project outcomes with IEHP.
 - By March 31, 2024

✓ Bonus Bundles

The bonus bundle measures allow IPAs the opportunity to obtain additional P4P incentive earnings towards their monthly Quality PMPM. All goals within the bundle must be met in order to earn. IPAs can earn up to an additional \$0.25 PMPM per bonus bundle for meeting all the bonus bundle goals.



APPENDIX 5: 2023 IPA Global Quality Bonus Bundles

2023 GLOBAL QUALITY IPA BONUS BUNDLES:				
Bundle Name	Includes	Goal	Value	
Adolescent	 Well-Care Visits – Ages 12-17 Immunizations for Adolescents Combo 2 Depression Screening and Follow-Up Plan – Ages 12-17 Chlamydia Screening – Ages 16-20 	51% 41% 56% 62%	\$0.25 PMPM	
Cancer Screening	 Breast Cancer Screening Cervical Cancer Screening Colorectal Cancer Screening 	59% 64% 46%	\$0.25 PMPM	
Cardiovascular	 Controlling High Blood Pressure Statin Therapy for Patients with Cardiovascular Disease – Received Statin Therapy for Patients with Cardiovascular Disease – Adherence 	47% 83% 86%	\$0.25 PMPM	
Diabetes	 Diabetes Care – HbA1c Control <8 Diabetes Care – Blood Pressure Control <140/90 Diabetes Care – Kidney Health Evaluation Statin Therapy for Patients with Diabetes – Received 	52% 45% 47% 72%	\$0.25 PMPM	
Early Childhood	 Childhood Immunizations Combo 10 Well-Child Visits First 15 Months of Life Well-Child Visits First 15-30 Months of Life Developmental Screening in the First 3 years of Life 	31% 41% 67% 44%	\$0.25 PMPM	
Patient Experience	 Initial Health Assessment After-Hours Availability - On-Call Access Appointment Availability - Urgent Provider Grievance Response Rate 	65% 85% 85% 81%	\$0.25 PMPM	

*PMPM: Per Member Per Month



PENALTY MEASURES

Penalty Measures

Provider payment models have been evolving away from traditional fee-for-service and moving toward payments for quality and value. Frameworks supporting alternative payment models have been developed by the Centers for Medicare and Medicaid Services (CMS) and the Department of Healthcare Services (DHCS). IEHP is committed to investing in alternative payment models that pay for quality and provide value. In the spirit of evolving our alternative payment models, IEHP is introducing "risk" as a component in the Global Quality P4P Program. This movement will focus on measures that:

- Are within a Provider's scope of care and influence
- Are within a Provider's control and influence
- Bring value to the organization

IEHP will be including two penalty measures in the Global Quality P4P Program for 2023:

- Provider Grievance Response Rate
- PCP Encounter Data Rate

Both measures represent processes within the PCP practice that are within the control of the Provider. These measures will be structured in a way that a Provider's performance will be compared to a pre-determined target for the measurement period. Provider performance that meets or exceeds the target will result in no penalty or "risk." Alternatively, Provider performance that falls below the established target will result in a financial penalty. The financial penalty will be taken from the Provider's incentive earnings for the same measurement period. Financial penalties will not exceed the value of the incentive earnings within the measurement period.

Financial penalties for the 2023 program year will be capped at no more than \$0.50 PMPM.

Please see Appendix 6 for penalty details.

APPENDIX 6: 2023 IPA Global Quality P4P Program Penalty Measures

2023 GQ P4P IPA PENALTY MEASURE LIST:			
Measure Name	Population	Goal	
PCP Encounter Data Rate - SPD*	All	3	
PCP Encounter Data Rate - Non-SPD*	All	2.5	
Provider Grievance Response Rate	All	80%	

*SPD: Seniors and Persons with Disabilities; Non-SPD: Non-Seniors and Persons with Disabilities

APPENDIX 7: Penalty Measures Overview

PCP Encounter Data Rate

Methodology: IEHP-Defined Risk Measure

Measure Description: Percentage of complete, timely and accurate encounter data submitted through standard reporting channels for all PCP services rendered to IEHP Members in the measurement year (2023).

Denominator: All assigned Medi-Cal Members each month of the measurement year (2023). All monthly assigned Members are summed to create the denominator.

Numerator: The sum of all unique PCP encounter (e.g., unique Member, Provider, date of service) in the measurement year (2023) for all assigned Members in the denominator.

Rate: A Per Member Per Year (PMPY) rate is calculated following this formula: (Total unique PCP Encounters/Total Member Months) x 12= PMPY

Measure Support: The purpose of the IEHP PCP Encounter Data Rate measure is to ensure IEHP receives adequate PCP encounter data from IEHP-Contracted Medi-Cal Providers. Encounter data is important to performance scoring and is essential to the success of the GQ P4P Program.

Provider Grievance Response Rate

Methodology: IEHP-Defined Risk Measure

Measure Description: The rate of timely responses to all Standard PCP Grievances in the measurement year (2023). IEHP will monitor PCP total standard grievance counts and count timely responses to those grievances throughout the measurement year (2023).

Denominator: Count of standard grievances sent to the PCP in the measurement year (2023).

- Denominator must be 10 or above for this measure.

Numerator: Count of timley responses to PCP grievances in the measurement year (2023).

- Timely responses are within 14 calendar days of the response request.

Measure Support: The purpose of the IEHP Provider Grievance Response Rate measure is to ensure IEHP Providers respond timely to the grievances of their IEHP Members. IEHP strives to provide excellent care to our Members and ensure they are satisfied with their health care. IEHP also needs the Providers perspective of what occurred in order to complete grievance investigations.



APPENDIX 8: Historical Data Form

HISTORICAL DATA FORM

Cover sheet **MUST** be accompanied with the *supporting medical record documentation*.

Measure Category	Test Type
Breast Cancer Screening	☐ Mammogram
Dieast Cancer Sercening	☐ History of Mastectomy
	□ PAP or HPV Testing
Cervical Cancer Screening	☐ History of Total/Complete Hysterectomy [NO residual
Danwassian Savaaning for	cervix]
Depression Screening for Adolescents and Adults	□ Depression Screening□ Depression Screening Result
	☐ HbA1c Results (in-office Point of Care Testing)
Diabetes Care	☐ Dilated Retinal Exam with Results
	□ Well Child Visits in the First 15 Months of Life
	☐ Well Child Visits 3-21 Years of Age
	☐ Weight Assessment and Counseling for Nutritional and
Wellness Visits	Physical Activity
VV CINICIS V 1910	☐ Initial Health Assessment
	☐ Immunizations Note: Immunizations submitted through the
	CAIR2 website (https://cair.cdph.ca.gov) do not require a
Children - 'th Dhammaitis	Historical Data Form Submission
Children with Pharyngitis	☐ Group A Streptococcus (Strep) Test – Throat
Colorectal Cancer Screening	□ Colonoscopy□ History of Colon Cancer
Chlamydia Screening in Women	☐ Test for Chlamydia
Prenatal Care	☐ Prenatal Care Visit in the First Trimester
Only measures listed above can be pro	ocessed via Historical Data Form medical record submission
Member Information	
Member Name:	
IEHP ID #:	DOB:
Provider Information	
Provider Name:	
IEHP Provider #:	Address:
City:	State: Zip:
Provider Phone #:	Provider Fax #:

PLEASE FAX TO: (909) 477-8568

Attn: Inland Empire Health Plan - Quality Informatics [HEDIS] Department



APPENDIX 9: Member Satisfaction Survey



SURVEY INSTRUCTIONS	YOUR HEALTH CARE IN THE LAST 6 MONTHS	
 Answer each question by marking the box to the left of your answer. You are sometimes told to skip over some questions in this survey. When this happens you will see an arrow with a note that tells you what question to 	These questions ask about your own health care from a clinic, emergency room, or doctor's office. This includes care you got in person, by phone, or by video. Do <u>not</u> include care you got when you stayed overnight in a hospital. Do <u>not</u> include the times you went for dental care visits.	
answer next, like this: ☑ Yes → If Yes, Go to Question 1 ☐ No	3. In the last 6 months, did you have an illness, injury, or condition that needed care right away?	
Personally identifiable information will not be made public and will only be released in accordance with federal laws and regulations.	☐ Yes ☐ No → If No, Go to Question 5	
You may choose to answer this survey or not. If you choose not to, this will not affect the benefits you get. You may notice a number on the back of this survey. This number is ONLY used to let us know if you returned your survey so we don't have to send you reminders. If you want to know more about this study, please call 1-888-797-3605.	4. In the last 6 months, when you needed care right away, how often did you get care as soon as you needed? Never Sometimes Usually Always	
Our records show that you are now in Inland Empire Health Plan. Is that right?	5. In the last 6 months, did you make any in person, phone, or video appointments for a check-up or routine care ?	
Yes → If Yes, Go to Question 3No	☐ Yes ☐ No → If No, Go to Question 7	
2. What is the name of your health plan? (Please print)	6. In the last 6 months, how often did you get an appointment for a <u>check-up or routine care</u> as soon as you needed?	
	☐ Never ☐ Sometimes ☐ Usually ☐ Always	

7.	In the last 6 months, <u>not</u> counting the times you went to an emergency room, how many times did you get health care for yourself in	11. In the last 6 months, how many times have an in person, phone, or video vis your personal doctor about your healt	it with
	person, by phone, or by video? None → If None, Go to Question 10 1 time 2 3 4 5 to 9 10 or more times	 None → If None, Go to Question 1 time 2 3 4 5 to 9 10 or more times 	18
8.	Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best	12. In the last 6 months, how often did yo personal doctor explain things in a way was easy to understand?	
	health care possible, what number would you use to rate all your health care in the last 6 months?		
	0 Worst health care possible1	Always	
	☐ 2 ☐ 3	13. In the last 6 months, how often did yo personal doctor listen carefully to you	
	 4 5 6 7 8	 □ Never □ Sometimes □ Usually □ Always	
	9 10 Best health care possible	14. In the last 6 months, how often did yo personal doctor show respect for what had to say?	
9.	In the last 6 months, how often was it easy to get the care, tests, or treatment you needed?	☐ Never ☐ Sometimes	
	 □ Never □ Sometimes □ Usually	Usually Always	
ΥC	Always DUR PERSONAL DOCTOR	15. In the last 6 months, how often did yo personal doctor spend enough time v you?	
10.	A personal doctor is the one you would talk to if you need a check-up, want advice about a health problem, or get sick or hurt. Do you have a personal doctor? Yes	NeverSometimesUsuallyAlways	
	No → If No, Go to Question 19	16. In the last 6 months, did you get care doctor or other health provider beside personal doctor?	
		YesNo → If No, Go to Question 18	



APPENDIX 9: Member Satisfaction Survey (continued)

17. In the last 6 months, how often did your personal doctor seem informed and up-	21. How many specialists have you talked to in the last 6 months?		
to-date about the care you got from these doctors or other health providers? Never Sometimes Usually Always	 None → If None, Go to Question 23 1 specialist 2 3 4 5 or more specialists 		
 18. Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your personal doctor? 0 Worst personal doctor possible 	22. We want to know your rating of the specialist you talked to most often in the last 6 months. Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?		
 ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9 ☐ 10 Best personal doctor possible 	□ 0 Worst specialist possible □ 1 □ 2 □ 3 □ 4 □ 5 □ 6 □ 7 □ 8		
GETTING HEALTH CARE FROM SPECIALISTS	9 10 Best specialist possible		
When you answer the next questions, include the care you got in person, by phone, or by video. Do <u>not</u> include	YOUR HEALTH PLAN		
dental visits or care you got when you stayed overnight in a hospital.	The next questions ask about your experience with your health plan.		
19. Specialists are doctors like surgeons, heart doctors, allergy doctors, skin doctors, and	23. In the last 6 months, did you get information or help from your health plan's customer service?		
other doctors who specialize in one area of health care. In the last 6 months, did you make any appointments with a specialist?	☐ Yes ☐ No → If No, Go to Question 26		
YesNo → If No, Go to Question 23	24. In the last 6 months, how often did your health plan's customer service give you the information or help you needed?		
20. In the last 6 months, how often did you get an appointment with a specialist as soon as you needed?	☐ Never ☐ Sometimes		
NeverSometimesUsuallyAlways	Usually Always		

health	In the last 6 months, how often did your health plan's customer service staff treat you		In general, how would you rate your overall mental or emotional health?
☐ No ☐ So ☐ Us	ever cometimes sually ways		☐ Excellent☐ Very Good☐ Good☐ Fair☐ Poor
	last 6 months, did your health plan give ny forms to fill out?	31.	Have you had either a flu shot or flu spray in the nose since July 1, 2021?
	es o → If No, Go to Question 28 last 6 months, how often were the forms		☐ Yes ☐ No ☐ Don't know
from y	our health plan easy to fill out?	32.	Do you now smoke cigarettes or use tobacco every day, some days, or not at all?
☐ So	ometimes sually ways		 □ Every day □ Some days □ Not at all → If Not at all, Go to Question 36
worst health	any number from 0 to 10, where 0 is the health plan possible and 10 is the best plan possible, what number would you rate your health plan?		☐ Don't know → If Don't know, Go to Question 36
	Worst health plan possible	33.	In the last 6 months, how often were you advised to quit smoking or using tobacco by a doctor or other health provider in your plan?
2 3 4 5			NeverSometimesUsuallyAlways
7 8 9		34.	In the last 6 months, how often was medication recommended or discussed by a doctor or health provider to assist you with quitting smoking or using tobacco? Examples of medication are: nicotine gum,
	eral, how would you rate your overall		patch, nasal spray, inhaler, or prescription medication.
Ve Ge Fa	xcellent ery Good ood		NeverSometimesUsuallyAlways



APPENDIX 9: Member Satisfaction Survey (continued)

35.	In the last 6 months, how often did your	ADDITIONAL QUESTIONS
me	doctor or health provider discuss or provide methods and strategies other than medication to assist you with quitting smoking or using	Now we would like to ask a few more questions about the services your health plan provides.
	tobacco? Examples of methods and strategies are: telephone helpline, individual or group counseling, or cessation program.	41. Telehealth describes medical care services where the health care provider meets with you virtually from a different location using a
	NeverSometimesUsuallyAlways	website, telephone or application that allows you to hear and sometimes see each other. How many telehealth visits have you had in the last 6 months?
36	What is your age?	☐ None → If None, Go to Question 44
00.	18 to 24 25 to 34 35 to 44 45 to 54 55 to 64	 1 Telehealth visit 2 Telehealth visits 3 Telehealth visits 4 Telehealth visits 5 or more Telehealth visits
	35 to 64 65 to 74 75 or older	42. In the last 6 months, when you scheduled a telehealth visit, how often did you get an appointment as soon as you needed?
37.	Are you male or female?	☐ Never
	☐ Male ☐ Female	☐ Sometimes☐ Usually☐ Always
38.	What is the highest grade or level of school that you have completed?	43. How often was the technology or application provided for your telehealth visit easy to use?
	 8th grade or less Some high school, but did not graduate High school graduate or GED Some college or 2-year degree 4-year college graduate 	Never Sometimes Usually Always
	More than 4-year college degree	44. How likely are you to use telehealth in the
39.	Are you of Hispanic or Latino origin or descent?	future to treat a non-emergency condition?
	Yes, Hispanic or Latino No, Not Hispanic or Latino	☐ Very unlikely☐ Somewhat unlikely☐ Somewhat likely
40.	What is your race? Mark one or more.	☐ Very likely
	 White Black or African-American Asian Native Hawaiian or other Pacific Islander American Indian or Alaska Native Other 	

45.	hea use	re telehealth visits offered by your althcare provider but you were not able to this option because you did not have the hnology needed to conduct a telehealth to?
		Yes No
		Thank You

Thank You
Please return the completed survey
in the postage-paid envelope or send to:
SPH Analytics • P.O. Box 985009
Ft. Worth, TX 76185-5009

If you have any questions, please call 1-888-797-3605.

APPENDIX 10: 2023 IPA Global Quality P4P IPA Work Plan

Review Check List - DRAFT

Organizational Leadership: Key Leadership Support for Clinical Quality Improvement		
Item Number	Quality Program Elements	
1	Which positions are responsible for the implementation and outcomes of the quality program?	
2	Which Committee(s) review and approve quality program implementation, outcomes, interventions, and evaluations?	
3	Describe how the position(s) and Committee(s) play a role in your organizations Quality program.	
4	Describe the process to monitor and oversee quality programs.	

Priority Measures Clinical Quality Domain: Quality Improvement Activities					
Item Number	Quality Program Elements				
5	Identify the Organization's clinical quality priority measures for 2023. (Refer to GQP4P Measures tab for listing.)				

Bonus Bundles Clinical Quality Domain: Quality Improvement Activities					
Item Number	Quality Program Elements				
6	Are there plans to target the GQP4P IPA quality bundles in 2023? If yes, refer to bonus bundle tab for reference. If no, mark as N/A.				

<u>Priority Measures</u> Behavioral Health Integration Domain: Quality Improvement Activities					
Item Number	Quality Program Elements				
7	Identify the Organization's behavioral health priority measures for 2023. (Refer to GQP4P Measures tab for listing.)				

Access Domain: Quality Imprvement Activities				
Item Number	Quality Program Elements			
8	After-Hours Availability (AHA) Appointment Availability (AA)			

Patient Experience Domain: Quality Improvemet Activities				
Item Number	Quality Program Elements			
9	 Coordination of Care Access to Routine Care Access to Care Needed Right Away 			
10	 Office Staff and Physician education programs to improve patient experience Office Staff and Physician recognition programs to reward offices that are high performing in the area of patient experience 			

Provider & Member Engagement Domain				
Item Number	Quality Program Elements			
11	Office and Practitioner Programs: • Provider education programs and/or sharing of Quality Improvement and Best Practices between Providers • Office Staff/Practitioner Recognition Programs for High Performance			

Data Quality Domain						
Item Number	Quality Program Elements					
12	 Encounter Data (ENC) performance rates and validation for GQP4P measures: Encounter Data Gate SPD Non-SPD 					
13	Monthly Submissions and Tracking of Capitated Provider-Level Encounters (error rates, PMPY benchmarks, chart audits, data completeness [capitated vendor]), etc.: • Encounter Validation Report (EVR) • PCP Level Reports					
	Capitated Vendors					
	Leveraging health plan data: • Care Gap Rosters					
14	Provider Support: • Submitting into CAIR2 system • Responding to grievance inquiries • Connecting to Manifest MedEx					
15	Supplemental Data Submission to IEHP (if applicable):					

IPA Process Measure Domain					
Item Number	Quality Program Elements				
16	Quality Improvement Program plan to reduce disparities				
17	Quality Improvement Program plan to reduce inappropriate use of ED and acute care services: • Avoidable ER Visits • Preventable Admissions				



APPENDIX 11: Supplemental Claim File Data Dictionary

The Claim file contains claims for medical services. It may also contain lab services that do not have an associated result, pharmaceuticals administered in the practitioners office (usually documented by J codes in the CPT Field), and medical encounter data. The Claim file should contain one record per unique claim line and include at lease one code (ICD, HCPCS, CPT, CVX).

	SUPPLEMENTAL CLAIM FILE DATA DICTIONARY				
Field Name	Data Type	File Order	Notes		
Measure_ Submeasure	Text (80)	1	Measure or Submeasure intended to be impacted (required field)		
MemberKey	Text (14)	2	IEHP Member ID (required field)		
ProviderKey	Text (25)	3	The rendering provider's NPI (required field)		
ClaimNumber	Text (80)	5	Used to identify the claim source for Primary Source Verification		
DOS	Date	6	The beginning Date of Service for the claim in MM/DD/YYYY format (required field)		
DOSThru	Date	7	The ending Date of Service for the claim in MM/DD/YYYY format		
RxProviderFlag	Bit	8	Indicates that the rendering Provider has prescribing prvileges for the MCO patients. Valid values are 0 (no), or 1 (yes)		
CVX	Text (3)	9	A standard CVX code denoting a vaccination.		
ICD9DxPri	Text (5)	10			
ICD9DxSec1	Text (5)	11	ICD-9 diagnosis codes should contain all available digits		
ICD9DxSec2	Text (5)	12	(including all preceding zeros). Do not include the period that		
ICD9DxSec3	Text (5)	13	follows the third digit. If no fourth or fifth digit was coded, do not		
ICD9DxSec4	Text (5)	14	pad the missing spaces. For example, V42.0 should be loaded as		
ICD9DxSec5	Text (5)	15	V420		
ICD9DxSec6	Text (5)	16	With the introduction of ICD-10 code set, IEHP will continue to		
ICD9DxSec7	Text (5)	17	support the ICD-9 code set as there are historical claims that re		
ICD9DxSec8	Text (5)	18	on these codes (for HEDIS we recommend 3-4 years of historical		
ICD9DxSec9	Text (5)	19	claims data) in order to accurately calculate HEDIS rates.		
ICD9DxSec10	Text (5)	20			
ICD10DxPri	Text (7)	21			
ICD10DxSec1	Text (7)	22			
ICD10DxSec2	Text (7)	23			
ICD10DxSec3	Text (7)	24			
ICD10DxSec4	Text (7)	25	ICD-10 diagnosis codes should contain all available alphanumeric		
ICD10DxSec5	Text (7)	26	code. Do not include the decimal. For example, V39.00XS should		
ICD10DxSec6	Text (7)	27	be coded as V3900XS		
ICD10DxSec7	Text (7)	28			
ICD10DxSec8	Text (7)	29			
ICD10DxSec9	Text (7)	30			
ICD10DxSec10	Text (7)	31			

SUPPLEMENTAL CLAIM FILE DATA DICTIONARY				
Field Name	Data Type	File Order	Notes	
PCPFlag	Bit	32	Indicator for whether the claim provider serves as a PCP for the health plan. Refers to the provider's contractual relationship to the plan, rather than medical specialty. Valid values are 0 (no), or 1 (yes) (required field)	
HCFAPOS	Text (2)	33		
ТОВ	Text (4)	34	Must be converted to standard 4-digit length by adding leading zeros, if necessary	
UBRevenueCode	Text (4)	35	Must be converted to standard 4-digit length by adding leading zeros, if necessary	
HCPCSPx	Text (5)	36		
HCPCSMOD	Text (2)	37		
СРТРх	Text (5)	38	Level II CPT Codes are supported by HEDIS and should be placed in the same field as other CPT procedure codes	
CPTMOD	Text (2)	39		
ICD9Px1	Text (4)	40		
ICD9Px2	Text (4)	41		
ICD9Px3	Text (4)	42	ICD-9 procedure codes should contain all available digits (including all preceding zeros). Do not include the period that	
ICD9Px4	Text (4)	43	follows the third digit.	
ICD9Px5	Text (4)	44]	
ICD9Px6	Text (4)	45	With the introduction of ICD-10 code set, IEHP will continue to	
ICD9Px7	Text (4)	46	support the ICD-9 code set as there are historical claims that rely	
ICD9Px8	Text (4)	47	on these codes (for HEDIS we recommend 3-4 years of historical claims data) in order to accurately calculate HEDIS rates.	
ICD9Px9	Text (4)	48	claims data) in order to accurately calculate IIED13 rates.	
ICD9Px10	Text (4)	49		
ICD10Px1	Text (7)	50		
ICD10Px2	Text (7)	51		
ICD10Px3	Text (7)	52		
ICD10Px4	Text (7)	53		
ICD10Px5	Text (7)	54	ICD-10 procedure codes should contain all available	
ICD10Px6	Text (7)	55	alphanumeric code. Do not include the decimal. For example, V39.00XS should be coded as V3900XS	
ICD10Px7	Text (7)	56	7 3 3 3 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	
ICD10Px8	Text (7)	57		
ICD10Px9	Text (7)	58		
ICD10Px10	Text (7)	59		
ProviderType	Text (4)	60	Use values in ProviderType column in the Provider Type Crosswalk Tab	
POS	Text (2)	61	Place of Service. Also automatically built using a cross-reference. Valid values are: BC (Birthing Center), DN (Day/Night Hospitalization), ER (Emergency Room), IA (Inpatient Acute), IN (Inpatient Non-Acute), LA (Laboratory), OA (Outpatient/ Ambulatory), OC (Office/Clinic), OT (Other), RM (Mail Order Prescription Drugs), RR (Retail Pharmacy) (required field)	

SUPPLEMENTAL CLAIM FILE DATA DICTIONARY				
Field Name	Data Type	File Order	Notes	
SubmitterName	Text (80)	62	Name of IPA or Provider Group. Required if submitting on behalf of more than one health center or provider group. Can be left blank if only a single submitter.	

Supplemental Lab Claim File Data Dictionary

The LabClaim file contains claims for laboratory services and allows lab results to be stored. The LabClaim file should contain one record per unique lab service claim and include at least one code (LOINC, HCPCS, CPT, SNOMED).

SUPPLEMENTAL LAB CLAIM FILE DATA DICTIONARY						
Field Name	Data Type File Order		Notes			
Measure_ Submeasure	Text (80)	1	Measure or Submeasure intended to be impacted (required field)			
MemberKey	Text (30)	2	IEHP Member ID (required field)			
ProviderKey	Text (25)	3	The rendering provider's NPI (required field)			
ClaimNumber	Text (80)	5	Used to identify the claim source for Primary Source Verification			
DOS	Date 6		The Date of Service for the claim in MM/DD/YYYY format (required field)			
СРТРх	Text (5)	7	Level II CPT Codes are supported by HEDIS and should be placed in the same field as other CPT procedure codes			
LOINC	Text (7)	8	LOINC codes must contain the dash character that precedes the final digit			
HCPCSPx	Text (5)	9	Used for medical services, that comes in through lab			
HCPCSMod	Text (2)	10	claims. Only one HCPCS code per claim line is allowed. If the claim contains multiple HCPCS codes, load them as separate claims			
SNOMED	Text (25)	11	Systematized nomenclature of medicine			
Result	Decimal(28,10)	12	Used to document numeric lab results			
PosNegResult	Bit	13	Used to document positive/negative lab results. Valid values are 0 (negative), or 1 (positive)			
SubmitterName	Text (80)	14	Name of IPA or Provider Group. Required if submitting on behalf of more than one health center or provider group. Can be left blank if only a single submitter.			





PROVIDER RELATIONS TEAM

(909) 890-2054 Monday-Friday, 8am-5pm

Follow us:

